DOCUMENT DATA FORM

Your Name: FS

Document Title or Description (max. 254 characters): Circle: Same as cover (or fill in below)

Index to drawing book 8 : Concrete - Reinforcing

Include work order no. and floor no. if applicable

Roll # (e.g., CORR-4): DB06	Doc. ID (report #, dwg. #):	
Document Date:	Document Author Name:	Author Organization:

KEYWORDS – HIGHLIGHT ALL THAT APPLY

Level 1

Bankers Trust	Project 6	WTC 4 - South Plaza Bldg.
Concourse	Project 7	WTC 5 - North Plaza Bldg.
Electrical Substation	Project 8	WTC 6 - Customs House
Liberty Plaza	WFC 1 - Oppenhiemer Dow	WTC 7
PATH Station	WFC 2 - Tower B	WTC Complex
Project 1	WFC 3 - American Express	WTC Plaza
Project 2	WFC 4 - Tower D	
Project 3	(WTC 1 - North Tower)	Add
Project 4	(WTC 2 - South Tower)	
Project 5	WTC 3 - Marriot Hotel	

Level 2

Accident analysis & risk	Fire protection	Police	Add
Architectural	Fire service	Security	
Data request	Management	(Structural)	
Emergency management	Mech./elec.	Tenant alterations	
Evacuation	News coverage		

Level 3

1993 explosion	Deflection	Human comfort	Smoke control
A/E fitout	Demolition	HVAC	Smoke test
A-242	Design	Index	Spandrel beam
A-36	Detailing	Inspection	Specifications Splices
A-497	Doors	Insulation	Sprinkler
Air cooled condensers	Drawings	Job number	Stability
Analysis	Eastern States Steel	Joist	Stairways
Angles	Egress	L-50	Standards
Antenna	Elevator	Lighting	Steel
Artifacts	Emergency communications	Loads	Steel composition
Asbestos	Equipment	Maintenance	Stiffness
Beams	Erection marks	Marking	Structural review
Bow tie	Escalator	Mesh reinforcement	Survivor
Bracing	Expansion joint	Mill inspection	Tenant list
Bridging truss	Exterior columns	Model	Testing
Calculations	Fabrication	Mullion	Tie
Carpet	Family member	Operations	Tolerances
Ceilings	Field survey	Paint	Triad
Certification	Fire alarms	Partition layout	Truss
Chillers	Fireproofing	Photos	Vestibule
Cladding	Fire spread	Pipes	Vibration
Collapse	Flammability	Plumbing	Walls
Columns	Floor	Probability, uncertainty	Water supply
Communication systems	Floor load	Quality control	Weather
Composite truss	Floor slab	Reinforcing (strengthening)	Weight
Computer output	Floor system	Renovation	Weld detail
Computer program	Floor trusses	Repair	Weld size
(Concrete)	Foundations	Research & Development	Welding
Connections	Fracture	Roof	Wind
Construction	Frame	Safety	Windows
Contract	Frame analysis	Schedule	Yield strength
Core beams	Frequency	Sculpture	
Core columns	Fuel	Security system	Add
Cranes	Furniture layout	Shear knuckle	
Criteria	H Generators	Shear test	
Dampers	Guidelines	Shop drawings	
Debris	Gypsum board	Shortening	
Deck	Hat truss	Slurry wall	

WTCI-703-LERA

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT: THE WORLD TRADE CENTER | TITLE: DRAWING BOOK 8 - CONCRETE - REINFORCING | DATE: 11/26/71

REVISIONS

8-AB0-	0	11/26/71	8-AB2-	5.2	8/27/69	8-AB3-	3.1	10/24/69	8-AB3-	24.1	4/ 7/69	8-AB3-	58	10/24/69	
8-AB0-	0.1	11/26/71	8-AB2-	5.3	3/19/70	8-AB3-	3.2	3/ 1/68	8-AB3-	24.2	10/24/69	8-AB3-	59	11/ 3/69	
8-AB0-	0.2	11/26/71	8-AB2-	5.4	8/27/69	8-AB3-	3.3	3/ 1/68	8-AB3-	24.3	10/24/69	8-AB3-	60	3/19/70	
8-AB0-	0.3	11/26/71	8-AB2-	5.5	8/27/69	8-AB3-	4.1	3/ 1/68	8-AB3-	25.1	4/ 7/69	8-AB3-	61	3/19/70	
8-AB0-	0.4	11/26/71	8-AB2-	5.6	3/19/70	8-AB3-	4.2	1/17/69	8-AB3-	25.2	10/24/69	8-AB3-	62	3/19/70	
8-AB1-	1	10/24/69	8-AB2-	6.1	3/12/69	8-AB3-	4.3	1/28/69	8-AB3-	25.3	4/ 7/69	8-AB3-	63	3/19/70	
8-AB1-	2.1	12/ 1/70	8-AB2-	6.2	8/27/69	8-AB3-	4.4	10/24/69	8-AB3-	26	3/ 1/68				
8-AB1-	2.2	8/20/68	8-AB2-	7	3/ 1/68	8-AB3-	4.5	3/ 1/68	8-AB3-	27	3/ 1/68				
8-AB1-	2.3	12/ 1/70	8-AB2-	8.1	1/28/69	8-AB3-	4.6	3/ 1/68	8-AB3-	28	3/ 1/68				
8-AB1-	3.1	8/20/68	8-AB2-	8.2	3/19/70	8-AB3-	5.1	2/11/69	8-AB3-	29	3/ 1/68				
8-AB1-	3.2	8/20/68	8-AB2-	10.1	12/ 1/70	8-AB3-	5.2	3/ 1/68	8-AB3-	30	1/28/69				
8-AB1-	3.3	10/24/69	8-AB2-	10.2	10/24/69	8-AB3-	5.3	1/28/69	8-AB3-	30A	8/19/69				
8-AB1-	4.1	1/28/69	8-AB2-	10.3	3/ 1/68	8-AB3-	5.4	3/19/70	8-AB3-	31.1	3/ 1/68				
8-AB1-	4.2	3/ 1/68	8-AB2-	10.4	1/28/69	8-AB3-	6.1	3/12/69	8-AB3-	31.2	10/24/69				
8-AB1-	4.3	4/ 8/69	8-AB2-	10.5	9/ 5/68	8-AB3-	6.2	12/ 1/70	8-AB3-	32	10/24/69				
8-AB1-	5.1	1/28/69	8-AB2-	11	12/ 1/70	8-AB3-	6.3	3/12/69	8-AB3-	33.1	3/ 1/68				
8-AB1-	5.2	8/20/68	8-AB2-	12	10/24/69	8-AB3-	6.4	3/ 1/68	8-AB3-	33.2	4/23/69				
8-AB1-	5.3	3/ 1/68	8-AB2-	13.1	10/24/69	8-AB3-	6.5	1/28/69	8-AB3-	34.1	3/ 1/68				
8-AB1-	5.4	1/28/69	8-AB2-	13.2	10/24/69	8-AB3-	7.1	10/24/69	8-AB3-	34.2	3/ 1/68				
8-AB1-	6	1/28/69	8-AB2-	14.1	3/19/70	8-AB3-	7.2	1/28/69	8-AB3-	34.3	3/ 1/68				
8-AB1-	7.1	8/20/68	8-AB2-	14.2	3/19/70	8-AB3-	7.3	4/23/69	8-AB3-	47.1	3/19/69				
8-AB1-	7.2	8/20/68	8-AB2-	14.3	3/19/70	8-AB3-	8.1	8/20/68	8-AB3-	47.2	3/19/69				
8-AB1-	8	8/20/68	8-AB2-	15.1	3/19/70	8-AB3-	8.2	10/24/69	8-AB3-	47.3	3/19/69				
8-AB1-	9.1	1/28/69	8-AB2-	15.2	5/22/70	8-AB3-	8.3	10/24/69	8-AB3-	47.4	3/19/69				
8-AB1-	9.2	1/28/69	8-AB2-	16.1	5/22/70	8-AB3-	9	3/ 1/68	8-AB3-	47.5	3/19/69				
8-AB1-	10	8/20/68	8-AB2-	16.2	5/22/70	8-AB3-	10.1	3/ 1/68	8-AB3-	47.6	3/19/69				
8-AB1-	11	3/ 1/68	8-AB2-	16.3	5/22/70	8-AB3-	10.2	9/ 5/68	8-AB3-	47.7	3/19/69				
8-AB1-	12	5/31/68	8-AB2-	16.4	5/22/70	8-AB3-	11	3/ 1/68	8-AB3-	47.8	3/19/69				
8-AB1-	13	9/ 5/68	8-AB2-	18.1	3/19/70	8-AB3-	12.1	12/ 1/70	8-AB3-	47.9	3/19/69				
			8-AB2-	18.2	3/19/70	8-AB3-	12.2	1/28/69	8-AB3-	47.10	4/22/69				
			8-AB2-	19	5/22/70	8-AB3-	12.3	10/24/69	8-AB3-	48	3/ 1/68				
8-AB2-	1	10/24/69	8-AB2-	20	3/19/70	8-AB3-	13	3/ 1/68	8-AB3-	50.1	12/ 1/70				
8-AB2-	2.1	8/27/69	8-AB2-	21.1	3/19/70	8-AB3-	14	1/28/69	8-AB3-	50.2	1/17/69				
8-AB2-	2.2	8/27/69	8-AB2-	21.2	3/19/70	8-AB3-	15	3/ 1/68	8-AB3-	51	10/24/69				
8-AB2-	2.3	5/31/68	8-AB2-	22.1	3/19/70	8-AB3-	16.1	10/24/69	8-AB3-	52	5/31/68				
8-AB2-	2.4	3/12/69	8-AB2-	22.2	3/19/70	8-AB3-	16.2	10/24/69	8-AB3-	53	1/17/69				
8-AB2-	2.5	3/12/69	8-AB2-	23.1	5/22/70	8-AB3-	16.3	10/24/69	8-AB3-	54	10/24/69				
8-AB2-	2.6	3/ 1/68	8-AB2-	23.2	5/22/70	8-AB3-	17.1	4/23/69	8-AB3-	55.1	4/ 8/69				
8-AB2-	2.7	8/27/69	8-AB2-	24	3/16/70	8-AB3-	17.2	5/15/69	8-AB3-	55.2	4/ 8/69				
8-AB2-	2.8	10/24/69	8-AB2-	25.1	5/27/70	8-AB3-	17.3	3/ 1/68	8-AB3-	55.3	4/ 8/69				
8-AB2-	2.9	3/19/70	8-AB2-	25.2	5/27/70	8-AB3-	18	4/23/69	8-AB3-	55.4	4/ 8/69				
8-AB2-	2.10	3/19/70	8-AB2-	25.3	5/27/70	8-AB3-	19.1	2/11/69	8-AB3-	55.5	4/ 8/69				
8-AB2-	3.1	3/ 1/68				8-AB3-	19.2	3/ 1/68	8-AB3-	55.6	10/24/69				
8-AB2-	3.2	12/ 1/70				8-AB3-	20.1	3/24/69	8-AB3-	55.7	4/ 8/69				
8-AB2-	3.3	3/ 1/68	8-AB3-	1.1	10/24/69	8-AB3-	20.2	3/24/69	8-AB3-	55.8	5/15/69				
8-AB2-	3.4	5/31/68	8-AB3-	1.2	10/24/69	8-AB3-	21	3/ 1/68	8-AB3-	55.9	4/ 8/69				
8-AB2-	3.5	12/ 1/70	8-AB3-	2.1	8/27/69	8-AB3-	22.1	4/ 7/69	8-AB3-	55.10	4/ 8/69				
8-AB2-	4.1	3/12/69	8-AB3-	2.2	8/20/68	8-AB3-	22.2	4/ 7/69	8-AB3-	56.1	10/24/69				
8-AB2-	4.2	8/27/69	8-AB3-	2.3	10/24/69	8-AB3-	23.1	3/24/69	8-AB3-	56.2	10/24/69				
8-AB2-	5.1	8/27/69	8-AB3-	2.4	3/ 1/68	8-AB3-	23.2	4/ 7/69	8-AB3-	57	1/17/69				

REGISTERED PROFESSIONAL ENGINEER — LESLIE E. EGBERTSON — No. 34360 — STATE OF NEVADA

703-L

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	DRAWING BOOK 8 - CONCRETE - REINFORCING	11/ 3/69

REVISIONS

8-AB1-	1	10/24/69	8-AB2-	7	3/ 1/68	8-AB3-	13	3/ 1/68	8-AB3-	50.1	5/31/68
8-AB1-	2.1	1/22/69	8-AB2-	8	1/28/69	8-AB3-	14	1/28/69	8-AB3-	50.2	1/17/69
8-AB1-	2.2	8/20/68	8-AB2-	10.1	1/28/69	8-AB3-	15	3/ 1/68	8-AB3-	51	10/24/69
8-AB1-	2.3	8/27/69	8-AB2-	10.2	10/24/69	8-AB3-	16.1	10/24/69	8-AB3-	52	5/31/68
8-AB1-	3.1	8/20/68	8-AB2-	10.3	3/ 1/68	8-AB3-	16.2	10/24/69	8-AB3-	53	1/17/69
8-AB1-	3.2	8/20/68	8-AB2-	10.4	1/28/69	8-AB3-	16.3	10/24/69	8-AB3-	54	10/24/69
8-AB1-	3.3	10/24/69	8-AB2-	10.5	9/ 5/68	8-AB3-	17.1	4/23/69	8-AB3-	55.1	4/ 8/69
8-AB1-	4.1	1/28/69	8-AB2-	11	3/ 1/68	8-AB3-	17.2	5/15/69	8-AB3-	55.2	4/ 8/69
8-AB1-	4.2	3/ 1/68	8-AB2-	12	10/24/69	8-AB3-	17.3	3/ 1/68	8-AB3-	55.3	4/ 8/69
8-AB1-	4.3	4/ 8/69	8-AB2-	13.1	10/24/69	8-AB3-	18	4/23/69	8-AB3-	55.4	4/ 8/69
8-AB1-	5.1	1/28/69	8-AB2-	13.2	10/24/69	8-AB3-	19.1	2/11/69	8-AB3-	55.5	4/ 8/69
8-AB1-	5.2	8/20/68				8-AB3-	19.2	3/ 1/68	8-AB3-	55.6	10/24/69
8-AB1-	5.3	3/ 1/68				8-AB3-	20.1	3/24/69	8-AB3-	55.7	4/ 8/69
8-AB1-	5.4	1/28/69	8-AB3-	1.1	10/24/69	8-AB3-	20.2	3/24/69	8-AB3-	55.8	5/15/69
8-AB1-	6	1/28/69	8-AB3-	1.2	10/24/69	8-AB3-	21	3/ 1/68	8-AB3-	55.9	4/ 8/69
8-AB1-	7.1	8/20/68	8-AB3-	2.1	8/27/69	8-AB3-	22.1	4/ 7/69	8-AB3-	55.10	4/ 8/69
8-AB1-	7.2	8/20/68	8-AB3-	2.2	8/28/68	8-AB3-	22.2	4/ 7/69	8-AB3-	56.1	10/24/69
8-AB1-	8	8/20/68	8-AB3-	2.3	10/24/69	8-AB3-	23.1	3/24/69	8-AB3-	56.2	10/24/69
8-AB1-	9.1	1/28/69	8-AB3-	2.4	3/ 1/68	8-AB3-	23.2	4/ 7/69	8-AB3-	57	1/17/69
8-AB1-	9.2	1/28/69	8-AB3-	3.1	10/24/69	8-AB3-	24.1	4/ 7/69	8-AB3-	58	10/24/69
8-AB1-	10	8/20/68	8-AB3-	3.2	3/ 1/68	8-AB3-	24.2	10/24/69	8-AB3-59-		11/3/69
8-AB1-	11	3/ 1/66	8-AB3-	3.3	3/ 1/68	8-AB3-	24.3	10/24/69			
8-AB1-	12	5/31/68	8-AB3-	4.1	3/ 1/68	8-AB3-	25.1	4/ 7/69			
8-AB1-	13	9/ 5/68	8-AB3-	4.2	1/17/69	8-AB3-	25.2	10/24/69			
			8-AB3-	4.3	1/28/69	8-AB3-	25.3	4/ 7/69			
			8-AB3-	4.4	10/24/69	8-AB3-	26	3/ 1/68			
8-AB2-	1	10/24/69	8-AB3-	4.5	3/ 1/68	8-AB3-	27	3/ 1/68			
8-AB2-	2.1	8/27/69	8-AB3-	4.6	3/ 1/68	8-AB3-	28	3/ 1/68			
8-AB2-	2.2	8/27/69	8-AB3-	5.1	2/11/69	8-AB3-	29	3/ 1/68			
8-AB2-	2.3	5/31/68	8-AB3-	5.2	3/ 1/68	8-AB3-	30	1/28/69			
8-AB2-	2.4	3/12/69	8-AB3-	5.3	1/28/69	8-AB3-	30A	8/19/69			
8-AB2-	2.5	3/12/69	8-AB3-	5.4	3/ 1/68	8-AB3-	31.1	3/ 1/68			
8-AB2-	2.6	3/ 1/68	8-AB3-	6.1	3/12/69	8-AB3-	31.2	10/24/69			
8-AB2-	2.7	8/27/69	8-AB3-	6.2	3/ 1/68	8-AB3-	32	10/24/69			
8-AB2-	2.8	10/24/69	8-AB3-	6.3	3/12/69	8-AB3-	33.1	3/ 1/68			
8-AB2-	3.1	3/ 1/68	8-AB3-	6.4	3/ 1/68	8-AB3-	33.2	4/23/69			
8-AB2-	3.2	3/ 1/68	8-AB3-	6.5	1/28/69	8-AB3-	34.1	3/ 1/68			
8-AB2-	3.3	3/ 1/68	8-AB3-	7.1	10/24/69	8-AB3-	34.2	3/ 1/68			
8-AB2-	3.4	5/31/68	8-AB3-	7.2	1/28/69	8-AB3-	34.3	3/ 1/68			
8-AB2-	3.5	5/31/68	8-AB3-	7.3	4/23/69	8-AB3-	47.1	3/19/69			
8-AB2-	4.1	3/12/69	8-AB3-	8.1	8/20/68	8-AB3-	47.2	3/19/69			
8-AB2-	4.2	8/27/69	8-AB3-	8.2	10/24/69	8-AB3-	47.3	3/19/69			
8-AB2-	5.1	8/27/69	8-AB3-	8.3	10/24/69	8-AB3-	47.4	3/19/69			
8-AB2-	5.2	8/27/69	8-AB3-	9	3/ 1/68	8-AB3-	47.5	3/19/69			
8-AB2-	5.3	8/27/69	8-AB3-	10.1	3/ 1/68	8-AB3-	47.6	3/19/69			
8-AB2-	5.4	8/27/69	8-AB3-	10.2	9/ 5/68	8-AB3-	47.7	3/19/69			
8-AB2-	5.5	8/27/69	8-AB3-	11	3/ 1/68	8-AB3-	47.8	3/19/69			
8-AB2-	5.6	8/27/69	8-AB3-	12.1	3/ 1/68	8-AB3-	47.9	3/19/69			
8-AB2-	6.1	3/12/69	8-AB3-	12.2	1/28/69	8-AB3-	47.10	4/22/69			
8-AB2-	6.2	8/27/69	8-AB3-	12.3	10/24/69	8-AB3-	48	3/ 1/68			

LICENSED PROFESSIONAL ENGINEER
LESLIE E. ROBERTSON
No. 34360
UNIVERSITY OF THE STATE OF NEW YORK

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	DRAWING BOOK 8 - CONCRETE - REINFORCING	10/ 1/69

REVISIONS

8-AB1-	1	5/ 1/69	8-AB2-	10.1	1/28/69	8-AB3-	17.1	4/23/69	8-AB3-	55.3	4/ 8/69
8-AB1-	2.1	1/22/69	8-AB2-	10.2	5/31/68	8-AB3-	17.2	5/15/69	8-AB3-	55.4	4/ 8/69
8-AB1-	2.2	8/20/68	8-AB2-	10.3	3/ 1/68	8-AB3-	17.3	3/ 1/68	8-AB3-	55.5	4/ 8/69
8-AB1-	2.3	8/27/69	8-AB2-	10.4	1/28/69	8-AB3-	18	4/23/69	8-AB3-	55.6	4/ 8/69
8-AB1-	3.1	8/20/68	8-AB2-	10.5	9/ 5/68	8-AB3-	19.1	2/11/69	8-AB3-	55.7	4/ 8/69
8-AB1-	3.2	8/20/68	8-AB2-	11	3/ 1/68	8-AB3-	19.2	3/ 1/68	8-AB3-	55.8	5/15/69
8-AB1-	4.1	1/28/69				8-AB3-	20.1	3/24/69	8-AB3-	55.9	4/ 8/69
8-AB1-	4.2	3/ 1/68				8-AB3-	20.2	3/24/69	8-AB3-	55.10	4/ 8/69
8-AB1-	4.3	4/ 8/69	8-AB3-	1.1	5/ 1/69	8-AB3-	21	3/ 1/68	8-AB3-	56	3/ 1/68
8-AB1-	5.1	1/28/69	8-AB3-	1.2	5/ 1/69	8-AB3-	22.1	4/ 7/69	8-AB3-	57	1/17/69
8-AB1-	5.2	8/20/68	8-AB3-	2.1	8/27/69	8-AB3-	22.2	4/ 7/69			
8-AB1-	5.3	3/ 1/68	8-AB3-	2.2	8/28/68	8-AB3-	23.1	3/24/69			
8-AB1-	5.4	1/28/69	8-AB3-	2.3	3/ 1/68	8-AB3-	23.2	4/ 7/69			
8-AB1-	6	1/28/69	8-AB3-	2.4	3/ 1/68	8-AB3-	24	4/ 7/69			
8-AB1-	7.1	8/20/68	8-AB3-	3.1	1/17/69	8-AB3-	25.1	4/ 7/69			
8-AB1-	7.2	8/20/68	8-AB3-	3.2	3/ 1/68	8-AB3-	25.2	4/ 7/69			
8-AB1-	8	8/20/68	8-AB3-	3.3	3/ 1/68	8-AB3-	25.3	4/ 7/69			
8-AB1-	9.1	1/28/69	8-AB3-	4.1	3/ 1/68	8-AB3-	26	3/ 1/68			
8-AB1-	9.2	1/28/69	8-AB3-	4.2	1/17/69	8-AB3-	27	3/ 1/68			
8-AB1-	10	8/20/68	8-AB3-	4.3	1/28/69	8-AB3-	28	3/ 1/68			
8-AB1-	11	3/ 1/68	8-AB3-	4.4	3/ 1/68	8-AB3-	29	3/ 1/68			
8-AB1-	12	5/31/68	8-AB3-	4.5	3/ 1/68	8-AB3-	30	1/28/69			
8-AB1-	13	9/ 5/68	8-AB3-	4.6	3/ 1/68	8-AB3-	30A	8/19/69			
			8-AB3-	5.1	2/11/69	8-AB3-	31	3/ 1/68			
			8-AB3-	5.2	3/ 1/68	8-AB3-	32	3/ 1/68			
8-AB2-	1	8/27/69	8-AB3-	5.3	1/28/69	8-AB3-	33	3/ 1/68			
8-AB2-	2.1	8/27/69	8-AB3-	5.4	3/ 1/68	8-AB3-	33.1	3/ 1/68			
8-AB2-	2.2	8/27/69	8-AB3-	6.1	3/12/69	8-AB3-	33.2	4/23/69			
8-AB2-	2.3	5/31/68	8-AB3-	6.2	3/ 1/68	8-AB3-	34.1	3/ 1/68			
8-AB2-	2.4	3/12/69	8-AB3-	6.3	3/12/69	8-AB3-	34.2	3/ 1/68			
8-AB2-	2.5	3/12/69	8-AB3-	6.4	3/ 1/68	8-AB3-	34.3	3/ 1/68			
8-AB2-	2.6	3/ 1/68	8-AB3-	6.5	1/28/69	8-AB3-	47.1	3/19/69			
8-AB2-	2.7	8/27/69	8-AB3-	7.1	3/ 1/68	8-AB3-	47.2	3/19/69			
8-AB2-	3.1	3/ 1/68	8-AB3-	7.2	1/28/69	8-AB3-	47.3	3/19/69			
8-AB2-	3.2	3/ 1/68	8-AB3-	7.3	4/23/69	8-AB3-	47.4	3/19/69			
8-AB2-	3.3	3/ 1/68	8-AB3-	8.1	8/20/68	8-AB3-	47.5	3/19/69			
8-AB2-	3.4	5/31/68	8-AB3-	8.2	8/20/68	8-AB3-	47.6	3/19/69			
8-AB2-	3.5	5/31/68	8-AB3-	9	3/ 1/68	8-AB3-	47.7	3/19/69			
8-AB2-	4.1	3/12/69	8-AB3-	10.1	3/ 1/68	8-AB3-	47.8	3/19/69			
8-AB2-	4.2	8/27/69	8-AB3-	10.2	9/ 5/68	8-AB3-	47.9	3/19/69			
8-AB2-	5.1	8/27/69	8-AB3-	11	3/ 1/68	8-AB3-	47.10	4/22/69			
8-AB2-	5.2	8/27/69	8-AB3-	12.1	3/ 1/68	8-AB3-	48	3/ 1/68			
8-AB2-	5.3	8/27/69	8-AB3-	12.2	1/29/69	8-AB3-	50.1	5/31/68			
8-AB2-	5.4	8/27/69	8-AB3-	12.3	5/31/68	8-AB3-	50.2	1/17/69			
8-AB2-	5.5	8/27/69	8-AB3-	13	3/ 1/68	8-AB3-	51	3/ 1/68			
8-AB2-	5.6	8/27/69	8-AB3-	14	1/28/69	8-AB3-	52	5/31/68			
8-AB2-	6.1	3/12/69	8-AB3-	15	3/ 1/68	8-AB3-	53	1/17/69			
8-AB2-	6.2	8/27/69	8-AB3-	16.1	1/28/69	8-AB3-	54	3/ 1/68			
8-AB2-	7	3/ 1/68	8-AB3-	16.2	3/ 1/68	8-AB3-	55.1	4/ 8/69			
8-AB2-	8	1/28/69	8-AB3-	16.3	3/ 1/68	8-AB3-	55.2	4/ 8/69			

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	DRAWING BOOK 8 - CONCRETE - REINFORCING	9/ 2/69

REVISIONS

8-AB1-	1	5/ 1/69	8-AB2-	10.1	1/28/69	8-AB3-	17.1	4/23/69	8-AB3-	55.3	4/ 8/69
8-AB1-	2.1	1/27/69	8-AB2-	10.2	5/31/68	8-AB3-	17.2	5/15/69	8-AB3-	55.4	4/ 8/69
8-AB1-	2.2	8/20/68	8-AB2-	10.3	3/ 1/68	8-AB3-	17.3	3/ 1/68	8-AB3-	55.5	4/ 8/69
8-AB1-	2.3	8/27/69	8-AB2-	10.4	1/28/69	8-AB3-	18	4/23/69	8-AB3-	55.6	4/ 8/69
8-AB1-	3.1	8/20/68	8-AB2-	10.5	9/ 5/68	8-AB3-	19.1	2/11/69	8-AB3-	55.7	4/ 8/69
8-AB1-	3.2	8/20/68	8-AB2-	11	3/ 1/68	8-AB3-	19.2	3/ 1/68	8-AB3-	55.8	5/15/69
8-AB1-	4.1	1/28/69				8-AB3-	20.1	3/24/69	8-AB3-	55.9	4/ 8/69
8-AB1-	4.2	3/ 1/68				8-AB3-	20.2	3/24/69	8-AB3-	55.10	4/ 8/69
8-AB1-	4.3	4/ 8/69	8-AB3-	1.1	5/ 1/69	8-AB3-	21	3/ 1/68	8-AB3-	56	3/ 1/68
8-AB1-	5.1	1/28/69	8-AB3-	1.2	5/ 1/69	8-AB3-	22.1	4/ 7/69	8-AB3-	57	1/17/69
8-AB1-	5.2	8/20/68	8-AB3-	2.1	8/27/69	8-AB3-	22.2	4/ 7/69			
8-AB1-	5.3	3/ 1/68	8-AB3-	2.2	8/28/68	8-AB3-	23.1	3/24/69			
8-AB1-	5.4	1/28/69	8-AB3-	2.3	3/ 1/68	8-AB3-	23.2	4/ 7/69			
8-AB1-	6	1/28/69	8-AB3-	2.4	3/ 1/68	8-AB3-	24	4/ 7/69			
8-AB1-	7.1	8/20/68	8-AB3-	3.1	1/17/69	8-AB3-	25.1	4/ 7/69			
8-AB1-	7.2	8/20/68	8-AB3-	3.2	3/ 1/68	8-AB3-	25.2	4/ 7/69			
8-AB1-	8	8/20/68	8-AB3-	3.3	3/ 1/68	8-AB3-	25.3	4/ 7/69			
8-AB1-	9.1	1/28/69	8-AB3-	4.1	3/ 1/68	8-AB3-	26	3/ 1/68			
8-AB1-	9.2	1/28/69	8-AB3-	4.2	1/17/69	8-AB3-	27	3/ 1/68			
8-AB1-	10	8/20/68	8-AB3-	4.3	1/28/69	8-AB3-	28	3/ 1/68			
8-AB1-	11	3/ 1/68	8-AB3-	4.4	3/ 1/68	8-AB3-	29	3/ 1/68			
8-AB1-	12	5/31/68	8-AB3-	4.5	3/ 1/68	8-AB3-	30	1/28/69			
8-AB1-	13	9/ 5/68	8-AB3-	4.6	3/ 1/68	8-AB3-	30A	8/19/69			
			8-AB3-	5.1	2/11/69	8-AB3-	31	3/ 1/68			
8-AB2-	1	8/27/69	8-AB3-	5.2	3/ 1/68	8-AB3-	32	3/ 1/68			
8-AB2-	2.1	8/27/69	8-AB3-	5.3	1/28/69	8-AB3-	33	3/ 1/68			
8-AB2-	2.2	8/27/69	8-AB3-	5.4	3/ 1/68	8-AB3-	33.1	3/ 1/68			
8-AB2-	2.3	5/31/68	8-AB3-	6.1	3/12/69	8-AB3-	33.2	4/23/69			
8-AB2-	2.4	3/12/69	8-AB3-	6.2	3/ 1/68	8-AB3-	34.1	3/ 1/68			
8-AB2-	2.5	3/12/69	8-AB3-	6.3	3/12/69	8-AB3-	34.2	3/ 1/68			
8-AB2-	2.6	3/ 1/68	8-AB3-	6.4	3/ 1/68	8-AB3-	34.3	3/ 1/68			
8-AB2-	2.7	8/27/69	8-AB3-	6.5	1/28/69	8-AB3-	47.1	3/19/69			
8-AB2-	3.1	3/ 1/68	8-AB3-	7.1	3/ 1/68	8-AB3-	47.2	3/19/69			
8-AB2-	3.2	3/ 1/68	8-AB3-	7.2	1/28/69	8-AB3-	47.3	3/19/69			
8-AB2-	3.3	3/ 1/68	8-AB3-	7.3	4/23/69	8-AB3-	47.4	3/19/69			
8-AB2-	3.4	5/31/68	8-AB3-	8.1	8/20/68	8-AB3-	47.5	3/19/69			
8-AB2-	3.5	5/31/68	8-AB3-	8.2	8/20/68	8-AB3-	47.6	3/19/69			
8-AB2-	4.1	3/12/69	8-AB3-	9	3/ 1/68	8-AB3-	47.7	3/19/69			
8-AB2-	4.2	8/27/69	8-AB3-	10.1	3/ 1/68	8-AB3-	47.8	3/19/69			
8-AB2-	5.1	8/27/69	8-AB3-	10.2	9/ 5/68	8-AB3-	47.9	3/19/69			
8-AB2-	5.2	8/27/69	8-AB3-	11	3/ 1/68	8-AB3-	47.10	4/22/69			
8-AB2-	5.3	8/27/69	8-AB3-	12.1	3/ 1/68	8-AB3-	48	3/ 1/68			
8-AB2-	5.4	8/27/69	8-AB3-	12.2	1/28/69	8-AB3-	50.1	5/31/68			
8-AB2-	5.5	8/27/69	8-AB3-	12.3	5/31/68	8-AB3-	50.2	1/17/69			
8-AB2-	5.6	8/27/69	8-AB3-	13	3/ 1/68	8-AB3-	51	3/ 1/68			
8-AB2-	6.1	3/12/69	8-AB3-	14	1/28/69	8-AB3-	52	5/31/68			
8-AB2-	6.2	8/27/69	8-AB3-	15	3/ 1/68	8-AB3-	53	1/17/69			
8-AB2-	7	3/ 1/68	8-AB3-	16.1	1/28/69	8-AB3-	54	3/ 1/68			
8-AB2-	8	1/28/69	8-AB3-	16.2	3/ 1/68	8-AB3-	55.1	4/ 8/69			

LICENSED PROFESSIONAL ENGINEER
LESLIE E. ROBERTSON
No. 34360
UNIVERSITY OF THE STATE OF NEW YORK

SKILLING-HELLE-CHRISTIANSEN-ROBERTSON — Civil & Structural Engineers

PROJECT: THE WORLD TRADE CENTER | TITLE: DRAWING BOOK 8 - CONCRETE - REINFORCING | DATE: 7/ 1/69

REVISIONS

8-AB1-	1	5/ 1/69	8-AB2-	10.2	5/31/68	8-AB3-	17.2	5/15/69	8-AB3-	55.6	4/ 8/69
8-AB1-	2.1	1/22/69	8-AB2-	10.3	3/ 1/68	8-AB3-	17.3	3/ 1/68	8-AB3-	55.7	4/ 8/69
8-AB1-	2.2	8/20/68	8-AB2-	10.4	1/28/69	8-AB3-	18	4/23/69	8-AB3-	55.8	5/15/69
8-AB1-	2.3	5/31/68	8-AB2-	10.5	9/ 5/68	8-AB3-	19.1	2/11/69	8-AB3-	55.9	4/ 8/69
8-AB1-	3.1	8/20/68	8-AB2-	11	3/ 1/68	8-AB3-	19.2	3/ 1/68	8-AB3-	55.10	4/ 8/69
8-AB1-	3.2	8/20/68				8-AB3-	20.1	3/24/69	8-AB3-	56	3/ 1/68
8-AB1-	4.1	1/28/69				8-AB3-	20.2	3/24/69	8-AB3-	57	1/17/69
8-AB1-	4.2	3/ 1/68	8-AB3-	1.1	5/ 1/69	8-AB3-	21	3/ 1/68			
8-AB1-	4.3	4/ 8/69	8-AB3-	1.2	5/ 1/69	8-AB3-	22.1	4/ 7/69			
8-AB1-	5.1	1/28/69	8-AB3-	2.1	1/17/69	8-AB3-	22.2	4/ 7/69			
8-AB1-	5.2	8/20/68	8-AB3-	2.2	8/28/68	8-AB3-	23.1	3/24/69			
8-AB1-	5.3	3/ 1/68	8-AB3-	2.3	3/ 1/68	8-AB3-	23.2	4/ 7/69			
8-AB1-	5.4	1/28/69	8-AB3-	2.4	3/ 1/68	8-AB3-	24	4/ 7/69			
8-AB1-	6	1/28/69	8-AB3-	3.1	1/17/69	8-AB3-	25.1	4/ 7/69			
8-AB1-	7.1	8/20/68	8-AB3-	3.2	3/ 1/68	8-AB3-	25.2	4/ 7/69			
8-AB1-	7.2	8/20/68	8-AB3-	3.3	3/ 1/68	8-AB3-	25.3	4/ 7/69			
8-AB1-	8	8/20/68	8-AB3-	4.1	3/ 1/68	8-AB3-	26	3/ 1/68			
8-AB1-	9.1	1/28/69	8-AB3-	4.2	1/17/69	8-AB3-	27	3/ 1/68			
8-AB1-	9.2	1/20/69	8-AB3-	4.3	1/28/69	8-AB3-	28	3/ 1/68			
8-AB1-	10	8/20/68	8-AB3-	4.4	3/ 1/68	8-AB3-	29	3/ 1/68			
8-AB1-	11	3/ 1/68	8-AB3-	4.5	3/ 1/68	8-AB3-	30	1/28/69			
8-AB1-	12	5/31/68	8-AB3-	4.6	3/ 1/68	8-AB3-	31	3/ 1/68			
8-AB1-	13	9/ 5/68	8-AB3-	5.1	2/11/69	8-AB3-	32	3/ 1/68			
			8-AB3-	5.2	3/ 1/68	8-AB3-	33.1	3/ 1/68			
			8-AB3-	5.3	1/28/69	8-AB3-	33.2	4/23/69			
8-AB2-	1	5/ 1/69	8-AB3-	5.4	3/ 1/68	8-AB3-	34.1	3/ 1/68			
8-AB2-	2.1	3/ 1/68	8-AB3-	6.1	3/12/69	8-AB3-	34.2	3/ 1/68			
8-AB2-	2.2	5/31/68	8-AB3-	6.2	3/ 1/68	8-AB3-	34.3	3/ 1/68			
8-AB2-	2.3	5/31/68	8-AB3-	6.3	3/12/69	8-AB3-	47.1	3/19/69			
8-AB2-	2.4	3/12/69	8-AB3-	6.4	3/ 1/68	8-AB3-	47.2	3/19/69			
8-AB2-	2.5	3/12/69	8-AB3-	6.5	1/28/69	8-AB3-	47.3	3/19/69			
8-AB2-	2.6	3/ 1/68	8-AB3-	7.1	3/ 1/68	8-AB3-	47.4	3/19/69			
8-AB2-	3.1	3/ 1/68	8-AB3-	7.2	1/20/69	8-AB3-	47.5	3/19/69			
8-AB2-	3.2	3/ 1/68	8-AB3-	7.3	4/23/69	8-AB3-	47.6	3/19/69			
8-AB2-	3.3	3/ 1/68	8-AB3-	8.1	8/20/68	8-AB3-	47.7	3/19/69			
8-AB2-	3.4	5/31/68	8-AB3-	8.2	8/20/68	8-AB3-	47.8	3/19/69			
8-AB2-	3.5	5/31/68	8-AB3-	9	3/ 1/68	8-AB3-	47.9	3/19/69			
8-AB2-	4.1	3/12/69	8-AB3-	10.1	3/ 1/68	8-AB3-	47.10	4/22/69			
8-AB2-	4.2	3/12/69	8-AB3-	10.2	9/ 5/68	8-AB3-	48	3/ 1/68			
8-AB2-	5.1	3/12/69	8-AB3-	11	3/ 1/68	8-AB3-	50.1	5/31/68			
8-AB2-	5.2	3/12/69	8-AB3-	12.1	3/ 1/68	8-AB3-	50.2	1/17/69			
8-AB2-	5.3	3/12/69	8-AB3-	12.2	1/28/69	8-AB3-	51	3/ 1/68			
8-AB2-	5.4	3/12/69	8-AB3-	12.3	5/31/68	8-AB3-	52	5/31/68			
8-AB2-	5.5	3/12/69	8-AB3-	13	3/ 1/68	8-AB3-	53	1/17/69			
8-AB2-	5.6	3/12/69	8-AB3-	14	1/28/69	8-AB3-	54	3/ 1/68			
8-AB2-	6.1	3/12/69	8-AB3-	15	3/ 1/68	8-AB3-	55.1	4/ 8/69			
8-AB2-	6.2	3/12/69	8-AB3-	16.1	1/28/69	8-AB3-	55.2	4/ 8/69			
8-AB2-	7	3/ 1/68	8-AB3-	16.2	3/ 1/68	8-AB3-	55.3	4/ 8/69			
8-AB2-	8	1/28/69	8-AB3-	16.3	3/ 1/68	8-AB3-	55.4	4/ 8/69			
8-AB2-	10.1	1/28/69	8-AB3-	17.1	4/23/69	8-AB3-	55.5	4/ 8/69			

LICENSED PROFESSIONAL ENGINEER
LESLIE E. ROBERTSON
No. 34360
UNIVERSITY OF THE STATE OF NEW YORK

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT: THE WORLD TRADE CENTER | TITLE: DRAWING BOOK 8 - CONCRETE - REINFORCING | DATE: 5/ 1/69

REVISIONS

8-AB1-	1	5/ 1/69	8-AB2-	10.2	5/31/68	8-AB3-	17.2	5/23/69	8-AB3-	55.6	4/ 8/69
8-AB1-	2.1	1/22/69	8-AB2-	10.3	3/ 1/68	8-AB3-	17.3	3/ 1/68	8-AB3-	55.7	4/ 8/69
8-AB1-	2.2	3/20/68	8-AB2-	10.4	1/28/69	8-AB3-	18	4/23/69	8-AB3-	55.8	4/ 8/69
8-AB1-	2.3	5/31/68	8-AB2-	10.5	9/ 5/68	8-AB3-	19.1	2/11/69	8-AB3-	55.9	4/ 8/69
8-AB1-	3.1	9/20/68	8-AB2-	11	3/ 1/68	8-AB3-	19.2	3/ 1/68	8-AB3-	55.10	4/ 8/69
8-AB1-	3.2	8/20/68				8-AB3-	20.1	3/24/69	8-AB3-	56	3/ 1/68
8-AB1-	4.1	1/28/69				8-AB3-	20.2	3/24/69	8-AB3-	57	1/17/69
8-AB1-	4.2	3/ 1/68	8-AB3-	1.1	5/ 1/69	8-AB3-	21	3/ 1/68			
8-AB1-	4.3	4/ 8/69	8-AB3-	1.2	5/ 1/69	8-AB3-	22.1	4/ 7/69			
8-AB1-	5.1	1/28/69	8-AB3-	2.1	1/17/69	8-AB3-	22.2	4/ 7/69			
8-AB1-	5.2	8/20/68	8-AB3-	2.2	8/26/68	8-AB3-	23.1	3/24/69			
8-AB1-	5.3	3/ 1/68	8-AB3-	2.3	3/ 1/68	8-AB3-	23.2	4/ 7/69			
8-AB1-	5.4	1/28/69	8-AB3-	2.4	3/ 1/68	8-AB3-	24	4/ 7/69			
8-AB1-	6	1/28/69	8-AB3-	3.1	1/17/69	8-AB3-	25.1	4/ 7/69			
8-AB1-	7.1	8/20/68	8-AB3-	3.2	3/ 1/68	8-AB3-	25.2	4/ 1/69			
8-AB1-	7.2	8/20/68	8-AB3-	3.3	3/ 1/68	8-AB3-	25.3	4/ 7/69			
8-AB1-	8	8/20/68	8-AB3-	4.1	3/ 1/68	8-AB3-	26	3/ 1/68			
8-AB1-	9.1	1/28/69	8-AB3-	4.2	1/17/69	8-AB3-	27	3/ 1/68			
8-AB1-	9.2	1/28/69	8-AB3-	4.3	1/28/69	8-AB3-	28	3/ 1/68			
8-AB1-	10	8/20/68	8-AB3-	4.4	3/ 1/68	8-AB3-	29	3/ 1/68			
8-AB1-	11	3/ 1/68	8-AB3-	4.5	3/ 1/68	8-AB3-	30	1/28/69			
8-AB1-	12	5/31/68	8-AB3-	4.6	3/ 1/68	8-AB3-	31	3/ 1/68			
8-AB1-	13	9/ 5/68	8-AB3-	5.1	2/11/69	8-AB3-	32	3/ 1/68			
			8-AB3-	5.2	3/ 1/68	8-AB3-	33.1	3/ 1/68			
			8-AB3-	5.3	1/28/69	8-AB3-	33.2	4/23/69			
8-AB2-	1	4/ 1/69	8-AB3-	5.4	3/ 1/68	8-AB3-	34.1	3/ 1/68			
8-AB2-	2.1	3/ 1/68	8-AB3-	6.1	3/12/69	8-AB3-	34.2	3/ 1/68			
8-AB2-	2.2	5/31/68	8-AB3-	6.2	3/ 1/68	8-AB3-	34.3	3/ 1/68			
8-AB2-	2.3	5/31/68	8-AB3-	6.3	3/12/69	8-AB3-	47.1	3/19/69			
8-AB2-	2.4	3/12/69	8-AB3-	6.4	3/ 1/68	8-AB3-	47.2	3/19/69			
8-AB2-	2.5	3/12/69	8-AB3-	6.5	1/28/69	8-AB3-	47.3	3/19/69			
8-AB2-	2.6	3/ 1/68	8-AB3-	7.1	3/ 1/68	8-AB3-	47.4	3/19/69			
8-AB2-	3.1	3/ 1/68	8-AB3-	7.2	1/28/69	8-AB3-	47.5	3/19/69			
8-AB2-	3.2	3/ 1/68	8-AB3-	7.3	4/23/69	8-AB3-	47.6	3/19/69			
8-AB2-	3.3	3/ 1/68	8-AB3-	8.1	8/20/68	8-AB3-	47.7	3/19/69			
8-AB2-	3.4	5/31/68	8-AB3-	8.2	8/20/68	8-AB3-	47.8	3/19/69			
8-AB2-	3.5	5/31/68	8-AB3-	9	3/ 1/68	8-AB3-	47.9	3/19/69			
8-AB2-	4.1	3/12/69	8-AB3-	10.1	3/ 1/68	8-AB3-	47.10	4/22/69			
8-AB2-	4.2	3/12/69	8-AB3-	10.2	9/ 5/68	8-AB3-	48	3/ 1/68			
8-AB2-	5.1	3/12/69	8-AB3-	11	3/ 1/68	8-AB3-	50.1	5/31/68			
8-AB2-	5.2	3/12/69	8-AB3-	12.1	3/ 1/68	8-AB3-	50.2	1/17/69			
8-AB2-	5.3	3/12/69	8-AB3-	12.2	1/28/69	8-AB3-	51	3/ 1/68			
8-AB2-	5.4	3/12/69	8-AB3-	12.3	5/31/68	8-AB3-	52	5/31/68			
8-AB2-	5.5	3/12/69	8-AB3-	13	3/ 1/68	8-AB3-	53	1/17/69			
8-AB2-	5.6	3/12/69	8-AB3-	14	1/28/69	8-AB3-	54	3/ 1/68			
8-AB2-	6.1	3/12/69	8-AB3-	15	3/ 1/68	8-AB3-	55.1	4/ 8/69			
8-AB2-	6.2	3/12/69	8-AB3-	16.1	1/28/69	8-AB3-	55.2	4/ 8/69			
8-AB2-	7	3/ 1/68	8-AB3-	16.2	3/ 1/68	8-AB3-	55.3	4/ 8/69			
8-AB2-	8	1/28/69	8-AB3-	16.3	3/ 1/68	8-AB3-	55.4	4/ 8/69			
8-AB2-	10.1	1/28/69	8-AB3-	17.1	4/23/69	8-AB3-	55.5	4/ 8/69			



SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	DRAWING BOOK 8 - CONCRETE - REINFORCING	4/ 1/69

REVISIONS

8-AB1-	1	4/ 1/69	8-AB2-	10.3	3/ 1/68	8-AB3-	18	3/ 1/68
8-AB1-	2.1	1/22/69	8-AB2-	10.4	1/28/69	8-AB3-	19.1	2/11/69
8-AB1-	2.2	8/20/68	8-AB2-	10.5	9/ 5/68	8-AB3-	19.2	3/ 1/68
8-AB1-	2.3	5/31/68	8-AB2-	11	3/ 1/68	8-AB3-	20.1	3/24/69
8-AB1-	3.1	8/20/68				8-AB3-	20.2	3/24/69
8-AB1-	3.2	8/20/68				8-AB3-	21	3/ 1/68
8-AB1-	4.1	1/28/69	8-AB3-	1.1	4/ 1/69	8-AB3-	22	3/ 1/68
8-AB1-	4.2	3/ 1/68	8-AB3-	1.2	4/ 1/69	8-AB3-	23.1	3/24/69
8-AB1-	5.1	1/28/69	8-AB3-	2.1	1/17/69	8-AB3-	23.2	3/24/69
8-AB1-	5.2	8/20/68	8-AB3-	2.2	8/28/68	8-AB3-	24	3/ 1/68
8-AB1-	5.3	3/ 1/68	8-AB3-	2.3	3/ 1/68	8-AB3-	25	3/ 1/68
8-AB1-	5.4	1/28/69	8-AB3-	2.4	3/ 1/68	8-AB3-	26	3/ 1/68
8-AB1-	6	1/28/69	8-AB3-	3.1	1/17/69	8-AB3-	27	3/ 1/68
8-AB1-	7.1	8/20/68	8-AB3-	3.2	3/ 1/68	8-AB3-	28	3/ 1/68
8-AB1-	7.2	8/20/68	8-AB3-	3.3	3/ 1/68	8-AB3-	29	3/ 1/68
8-AB1-	8	8/20/68	8-AB3-	4.1	3/ 1/68	8-AB3-	30	1/20/69
8-AB1-	9.1	1/28/69	8-AB3-	4.2	1/17/69	8-AB3-	31	3/ 1/68
8-AB1-	9.2	1/28/69	8-AB3-	4.3	1/28/69	8-AB3-	32	3/ 1/68
8-AB1-	10	8/20/68	8-AB3-	4.4	3/ 1/68	8-AB3-	33	3/ 1/68
8-AB1-	11	3/ 1/68	8-AB3-	4.5	3/ 1/68	8-AB3-	34.1	3/ 1/68
8-AB1-	12	5/31/68	8-AB3-	4.6	3/ 1/68	8-AB3-	34.2	3/ 1/68
8-AB1-	13	9/ 5/68	8-AB3-	5.1	2/11/69	8-AB3-	34.3	3/ 1/68
			8-AB3-	5.2	3/ 1/68	8-AB3-	47.1	3/19/69
			8-AB3-	5.3	1/28/69	8-AB3-	47.2	3/19/69
8-AB2-	1	4/ 1/69	8-AB3-	5.4	3/ 1/68	8-AB3-	47.3	3/19/69
8-AB2-	2.1	3/ 1/68	8-AB3-	6.1	3/12/69	8-AB3-	47.4	3/19/69
8-AB2-	2.2	5/31/68	8-AB3-	6.2	3/ 1/68	8-AB3-	47.5	3/19/69
8-AB2-	2.3	5/31/68	8-AB3-	6.3	3/12/69	8-AB3-	47.6	3/19/69
8-AB2-	2.4	3/12/69	8-AB3-	6.4	3/ 1/68	8-AB3-	47.7	3/19/69
8-AB2-	2.5	3/12/69	8-AB3-	6.5	1/28/69	8-AB3-	47.8	3/19/69
8-AB2-	2.6	3/ 1/68	8-AB3-	7.1	3/ 1/68	8-AB3-	47.9	3/19/69
8-AB2-	3.1	3/ 1/68	8-AB3-	7.2	1/28/69	8-AB3-	48	3/ 1/68
8-AB2-	3.2	3/ 1/68	8-AB3-	8.1	8/20/68	8-AB3-	50.1	5/31/68
8-AB2-	3.3	3/ 1/68	8-AB3-	8.2	8/20/68	8-AB3-	50.2	1/17/69
8-AB2-	3.4	5/31/68	8-AB3-	9	3/ 1/68	8-AB3-	51	3/ 1/68
8-AB2-	3.5	5/31/68	8-AB3-	10.1	3/ 1/68	8-AB3-	52	5/31/68
8-AB2-	4.1	3/12/69	8-AB3-	10.2	9/ 5/68	8-AB3-	53	1/17/69
8-AB2-	4.2	3/12/69	8-AB3-	11	3/ 1/68	8-AB3-	54	3/ 1/68
8-AB2-	5.1	3/12/69	8-AB3-	12.1	3/ 1/68	8-AB3-	55.1	3/ 1/68
8-AB2-	5.2	3/12/69	8-AB3-	12.2	1/28/69	8-AB3-	55.2	1/28/69
8-AB2-	5.3	3/12/69	8-AB3-	12.3	5/31/68	8-AB3-	55.3	12/16/68
8-AB2-	5.4	3/12/69	8-AB3-	13	3/ 1/68	8-AB3-	55.4	12/16/68
8-AB2-	5.5	3/12/69	8-AB3-	14	1/28/69	8-AB3-	55.5	12/16/68
8-AB2-	5.6	3/12/69	8-AB3-	15	3/ 1/68	8-AB3-	55.6	12/16/68
8-AB2-	6.1	3/12/69	8-AB3-	16.1	1/28/69	8-AB3-	56	3/ 1/68
8-AB2-	6.2	3/12/69	8-AB3-	16.2	3/ 1/68	8-AB3-	57	1/17/69
8-AB2-	7	3/ 1/68	8-AB3-	16.3	3/ 1/68			
8-AB2-	8	1/28/69	8-AB3-	17.1	3/ 1/68			
8-AB2-	10.1	1/28/69	8-AB3-	17.2	3/ 1/68			
8-AB2-	10.2	5/31/68	8-AB3-	17.3	3/ 1/68			

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	DRAWING BOOK 8 - CONCRETE - REINFORCING	3/ 3/69

REVISIONS

8-AB1-	1	3/ 3/69	8-AB3-	1.1	3/ 3/69	8-AB3-	23	3/ 1/68
8-AB1-	2.1	1/22/69	8-AB3-	1.2	3/ 3/69	8-AB3-	24	3/ 1/68
8-AB1-	2.2	8/20/68	8-AB3-	2.1	1/17/69	8-AB3-	25	3/ 1/68
8-AB1-	2.3	5/31/68	8-AB3-	2.2	8/28/68	8-AB3-	26	3/ 1/68
8-AB1-	3.1	8/20/68	8-AB3-	2.3	3/ 1/68	8-AB3-	27	3/ 1/68
8-AB1-	3.2	8/20/68	8-AB3-	2.4	3/ 1/68	8-AB3-	28	3/ 1/68
8-AB1-	4.1	1/28/69	8-AB3-	3.1	1/17/69	8-AB3-	29	3/ 1/68
8-AB1-	4.2	3/ 1/68	8-AB3-	3.2	3/ 1/68	8-AB3-	30	1/28/69
8-AB1-	5.1	1/28/69	8-AB3-	3.3	3/ 1/68	8-AB3-	31	3/ 1/68
8-AB1-	5.2	8/20/68	8-AB3-	4.1	3/ 1/68	8-AB3-	32	3/ 1/68
8-AB1-	5.3	3/ 1/68	8-AB3-	4.2	1/17/69	8-AB3-	33	3/ 1/68
8-AB1-	5.4	1/28/69	8-AB3-	4.3	1/28/69	8-AB3-	34.1	3/ 1/68
8-AB1-	6	1/28/69	8-AB3-	4.4	3/ 1/68	8-AB3-	34.2	3/ 1/68
8-AB1-	7.1	8/20/68	8-AB3-	4.5	3/ 1/68	8-AB3-	34.3	3/ 1/68
8-AB1-	7.2	8/20/68	8-AB3-	4.6	3/ 1/68	8-AB3-	47.1	5/31/68
8-AB1-	8	8/20/68	8-AB3-	5.1	2/11/69	8-AB3-	47.2	5/31/68
8-AB1-	9.1	1/28/69	8-AB3-	5.2	3/ 1/68	8-AB3-	47.3	1/28/69
8-AB1-	9.2	1/28/69	8-AB3-	5.3	1/28/69	8-AB3-	47.4	3/ 1/68
8-AB1-	10	8/20/68	8-AB3-	5.4	3/ 1/68	8-AB3-	47.5	3/ 1/68
8-AB1-	11	3/ 1/68	8-AB3-	6.1	3/ 1/68	8-AB3-	48	3/ 1/68
8-AB1-	12	5/31/68	8-AB3-	6.2	3/ 1/68	8-AB3-	50.1	5/31/68
8-AB1-	13	9/ 5/68	8-AB3-	6.3	3/ 1/68	8-AB3-	50.2	1/17/69
			8-AB3-	6.4	3/ 1/68	8-AB3-	51	3/ 1/68
			8-AB3-	6.5	1/28/69	8-AB3-	52	5/31/68
8-AB2-	1	3/ 3/69	8-AB3-	7.1	3/ 1/68	8-AB3-	53	1/17/69
8-AB2-	2.1	3/ 1/68	8-AB3-	7.2	1/28/69	8-AB3-	54	3/ 1/68
8-AB2-	2.2	5/31/68	8-AB3-	8.1	8/20/68	8-AB3-	55.1	3/ 1/68
8-AB2-	2.3	5/31/68	8-AB3-	8.2	8/20/68	8-AB3-	55.2	1/28/69
8-AB2-	2.4	5/31/68	8-AB3-	9	3/ 1/68	8-AB3-	55.3	12/16/68
8-AB2-	2.5	5/31/68	8-AB3-	10.1	3/ 1/68	8-AB3-	55.4	12/16/68
8-AB2-	2.6	3/ 1/68	8-AB3-	10.2	9/ 5/68	8-AB3-	55.5	12/16/68
8-AB2-	3.1	3/ 1/68	8-AB3-	11	3/ 1/68	8-AB3-	55.6	12/16/68
8-AB2-	3.2	3/ 1/68	8-AB3-	12.1	3/ 1/68	8-AB3-	56	3/ 1/68
8-AB2-	3.3	3/ 1/68	8-AB3-	12.2	1/28/69	8-AB3-	57	1/17/69
8-AB2-	3.4	5/31/68	8-AB3-	12.3	5/31/68			
8-AB2-	3.5	5/31/68	8-AB3-	13	3/ 1/68			
8-AB2-	4	3/ 1/68	8-AB3-	14	1/28/69			
8-AB2-	5	3/ 1/68	8-AB3-	15	3/ 1/68			
8-AB2-	6.1	3/ 1/68	8-AB3-	16.1	1/28/69			
8-AB2-	6.2	1/28/69	8-AB3-	16.2	3/ 1/68			
8-AB2-	7	3/ 1/68	8-AB3-	16.3	3/ 1/68			
8-AB2-	8	1/28/69	8-AB3-	17.1	3/ 1/68			
8-AB2-	10.1	1/28/69	8-AB3-	17.2	3/ 1/68			
8-AB2-	10.2	5/31/68	8-AB3-	17.3	3/ 1/68			
8-AB2-	10.3	3/ 1/68	8-AB3-	18	3/ 1/68			
8-AB2-	10.4	1/28/69	8-AB3-	19.1	2/11/69			
8-AB2-	10.5	9/ 5/68	8-AB3-	19.2	3/ 1/68			
8-AB2-	11	3/ 1/68	8-AB3-	20	3/ 1/68			
			8-AB3-	21	3/ 1/68			
			8-AB3-	22	3/ 1/68			

LICENSED PROFESSIONAL ENGINEER
LESLIE E. ROBERTSON
No. 34366
UNIVERSITY OF THE STATE OF NEW YORK

REVISIONS

MICRODEX CORRECTION GUIDE (M-9)

CORRECTION

The preceding document has been re-photographed to assure legibility and its image appears immediately hereafter.

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	DRAWING BOOK 8 - CONCRETE - REINFORCING	3/ 3/69

REVISIONS

8-AB1-	1	3/ 3/69	8-AB3-	1.1	3/ 3/69	8-AB3-	23	3/ 1/68
8-AB1-	2.1	1/22/69	8-AB3-	1.2	3/ 3/69	8-AB3-	24	3/ 1/68
8-AB1-	2.2	8/20/68	8-AB3-	2.1	1/17/69	8-AB3-	25	3/ 1/68
8-AB1-	2.3	5/31/68	8-AB3-	2.2	8/28/68	8-AB3-	26	3/ 1/68
8-AB1-	3.1	8/20/68	8-AB3-	2.3	3/ 1/68	8-AB3-	27	3/ 1/68
8-AB1-	3.2	8/20/68	8-AB3-	2.4	3/ 1/68	8-AB3-	28	3/ 1/68
8-AB1-	4.1	1/28/69	8-AB3-	3.1	1/17/69	8-AB3-	29	3/ 1/68
8-AB1-	4.2	3/ 1/68	8-AB3-	3.2	3/ 1/68	8-AB3-	30	1/28/69
8-AB1-	5.1	1/28/69	8-AB3-	3.3	3/ 1/68	8-AB3-	31	3/ 1/68
8-AB1-	5.2	8/20/68	8-AB3-	4.1	3/ 1/68	8-AB3-	32	3/ 1/68
8-AB1-	5.3	3/ 1/68	8-AB3-	4.2	1/17/69	8-AB3-	33	3/ 1/68
8-AB1-	5.4	1/28/69	8-AB3-	4.3	1/28/69	8-AB3-	34.1	3/ 1/68
8-AB1-	6	1/28/69	8-AB3-	4.4	3/ 1/68	8-AB3-	34.2	3/ 1/68
8-AB1-	7.1	8/20/68	8-AB3-	4.5	3/ 1/68	8-AB3-	34.3	3/ 1/68
8-AB1-	7.2	8/20/68	8-AB3-	4.6	3/ 1/68	8-AB3-	47.1	5/31/68
8-AB1-	8	8/20/68	8-AB3-	5.1	2/11/69	8-AB3-	47.2	5/31/68
8-AB1-	9.1	1/28/69	8-AB3-	5.2	3/ 1/68	8-AB3-	47.3	1/28/69
8-AB1-	9.2	1/28/69	8-AB3-	5.3	1/28/69	8-AB3-	47.4	3/ 1/68
8-AB1-	10	8/20/68	8-AB3-	5.4	3/ 1/68	8-AB3-	47.5	3/ 1/68
8-AB1-	11	3/ 1/68	8-AB3-	6.1	3/ 1/68	8-AB3-	48	3/ 1/68
8-AB1-	12	5/31/68	8-AB3-	6.2	3/ 1/68	8-AB3-	50.1	5/31/68
8-AB1-	13	9/ 5/68	8-AB3-	6.3	3/ 1/68	8-AB3-	50.2	1/17/69
			8-AB3-	6.4	3/ 1/68	8-AB3-	51	3/ 1/68
			8-AB3-	6.5	1/28/69	8-AB3-	52	5/31/68
8-AB2-	1	3/ 3/69	8-AB3-	7.1	3/ 1/68	8-AB3-	53	1/17/69
8-AB2-	2.1	3/ 1/68	8-AB3-	7.2	1/28/69	8-AB3-	54	3/ 1/68
8-AB2-	2.2	5/31/68	8-AB3-	8.1	8/20/68	8-AB3-	55.1	3/ 1/68
8-AB2-	2.3	5/31/68	8-AB3-	8.2	8/20/68	8-AB3-	55.2	1/28/69
8-AB2-	2.4	5/31/68	8-AB3-	9	3/ 1/68	8-AB3-	55.3	12/16/68
8-AB2-	2.5	5/31/68	8-AB3-	10.1	3/ 1/68	8-AB3-	55.4	12/16/68
8-AB2-	2.6	3/ 1/68	8-AB3-	10.2	9/ 5/68	8-AB3-	55.5	12/16/68
8-AB2-	3.1	3/ 1/68	8-AB3-	11	3/ 1/68	8-AB3-	55.6	12/16/68
8-AB2-	3.2	3/ 1/68	8-AB3-	12.1	3/ 1/68	8-AB3-	56	3/ 1/68
8-AB2-	3.3	3/ 1/68	8-AB3-	12.2	1/28/69	8-AB3-	57	1/17/69
8-AB2-	3.4	5/31/68	8-AB3-	12.3	5/31/68			
8-AB2-	3.5	5/31/68	8-AB3-	13	3/ 1/68			
8-AB2-	4	3/ 1/68	8-AB3-	14	1/28/69			
8-AB2-	5	3/ 1/68	8-AB3-	15	3/ 1/68			
8-AB2-	6.1	3/ 1/68	8-AB3-	16.1	1/28/69			
8-AB2-	6.2	1/28/69	8-AB3-	16.2	3/ 1/68			
8-AB2-	7	3/ 1/68	8-AB3-	16.3	3/ 1/68			
8-AB2-	8	1/28/69	8-AB3-	17.1	3/ 1/68			
8-AB2-	10.1	1/28/69	8-AB3-	17.2	3/ 1/68			
8-AB2-	10.2	5/31/68	8-AB3-	17.3	3/ 1/68			
8-AB2-	10.3	3/ 1/68	8-AB3-	18	3/ 1/68			
8-AB2-	10.4	1/28/69	8-AB3-	19.1	2/11/69			
8-AB2-	10.5	9/ 5/68	8-AB3-	19.2	3/ 1/68			
8-AB2-	11	3/ 1/68	8-AB3-	20	3/ 1/68			
			8-AB3-	21	3/ 1/68			
			8-AB3-	22	3/ 1/68			

LICENSED PROFESSIONAL ENGINEER — LESLIE E. ROBERTSON — No. 34260 — STATE OF NEW YORK

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	DRAWING BOOK 8 - CONCRETE - REINFORCING	2/ 3/69

REVISIONS

8-AB1-	1	2/ 3/69	8-AB3-	1.1	2/ 3/69	8-AB3-	23	3/ 1/68
8-AB1-	2.1	1/22/69	8-AB3-	1.2	2/ 3/69	8-AB3-	24	3/ 1/68
8-AB1-	2.2	8/20/68	8-AB3-	2.1	1/17/69	8-AB3-	25	3/ 1/68
8-AB1-	2.3	5/31/68	8-AB3-	2.2	8/20/68	8-AB3-	26	3/ 1/68
8-AB1-	3.1	8/20/68	8-AB3-	2.3	3/ 1/68	8-AB3-	27	3/ 1/68
8-AB1-	3.2	8/20/68	8-AB3-	2.4	3/ 1/68	8-AB3-	28	3/ 1/68
8-AB1-	4.1	1/28/69	8-AB3-	3.1	1/17/69	8-AB3-	29	3/ 1/68
8-AB1-	4.2	3/ 1/68	8-AB3-	3.2	3/ 1/68	8-AB3-	30	1/28/69
8-AB1-	5.1	1/28/69	8-AB3-	3.3	3/ 1/68	8-AB3-	31	3/ 1/68
8-AB1-	5.2	8/20/68	8-AB3-	4.1	3/ 1/68	8-AB3-	32	3/ 1/68
8-AB1-	5.3	3/ 1/68	8-AB3-	4.2	1/17/69	8-AB3-	33	3/ 1/68
8-AB1-	5.4	1/28/69	8-AB3-	4.3	1/28/69	8-AB3-	34.1	3/ 1/68
8-AB1-	6	1/28/69	8-AB3-	4.4	3/ 1/68	8-AB3-	34.2	3/ 1/68
8-AB1-	7.1	8/20/68	8-AB3-	4.5	3/ 1/68	8-AB3-	34.3	3/ 1/68
8-AB1-	7.2	8/20/68	8-AB3-	4.6	3/ 1/68	8-AB3-	47.1	5/31/68
8-AB1-	8	8/20/68	8-AB3-	5.1	3/ 1/68	8-AB3-	47.2	5/31/68
8-AB1-	9.1	1/28/69	8-AB3-	5.2	3/ 1/68	8-AB3-	47.3	1/28/69
8-AB1-	9.2	1/28/69	8-AB3-	5.3	1/28/69	8-AB3-	47.4	3/ 1/68
8-AB1-	10	8/20/68	8-AB3-	5.4	3/ 1/68	8-AB3-	47.5	3/ 1/68
8-AB1-	11	3/ 1/68	8-AB3-	6.1	3/ 1/68	8-AB3-	48	3/ 1/68
8-AB1-	12	5/31/68	8-AB3-	6.2	3/ 1/68	8-AB3-	50.1	5/31/68
8-AB1-	13	9/ 5/68	8-AB3-	6.3	3/ 1/68	8-AB3-	50.2	1/17/69
			8-AB3-	6.4	3/ 1/68	8-AB3-	51	3/ 1/68
			8-AB3-	6.5	1/28/69	8-AB3-	52	5/31/68
8-AB2-	1	2/ 3/69	8-AB3-	7.1	3/ 1/68	8-AB3-	53	1/17/69
8-AB2-	2.1	3/ 1/68	8-AB3-	7.2	1/28/69	8-AB3-	54	3/ 1/68
8-AB2-	2.2	5/31/68	8-AB3-	8.1	8/20/68	8-AB3-	55.1	3/ 1/68
8-AB2-	2.3	5/31/68	8-AB3-	8.2	8/20/68	8-AB3-	55.2	1/28/69
8-AB2-	2.4	5/31/68	8-AB3-	9	3/ 1/68	8-AB3-	55.3	12/16/68
8-AB2-	2.5	5/31/68	8-AB3-	10.1	3/ 1/68	8-AB3-	55.4	12/16/68
8-AB2-	2.6	3/ 1/68	8-AB3-	10.2	9/ 5/68	8-AB3-	55.5	12/16/68
8-AB2-	3.1	3/ 1/68	8-AB3-	11	3/ 1/68	8-AB3-	55.6	12/16/68
8-AB2-	3.2	3/ 1/68	8-AB3-	12.1	3/ 1/68	8-AB3-	56	3/ 1/68
8-AB2-	3.3	3/ 1/68	8-AB3-	12.2	1/28/69	8-AB3-	57	1/17/69
8-AB2-	3.4	5/31/68	8-AB3-	12.3	5/31/68			
8-AB2-	3.5	5/31/68	8-AB3-	13	3/ 1/68			
8-AB2-	4	3/ 1/68	8-AB3-	14	1/28/69			
8-AB2-	5	3/ 1/68	8-AB3-	15	3/ 1/68			
8-AB2-	6.1	3/ 1/68	8-AB3-	16.1	1/28/69			
8-AB2-	6.2	1/28/69	8-AB3-	16.2	3/ 1/68			
8-AB2-	7	3/ 1/68	8-AB3-	16.3	3/ 1/68			
8-AB2-	8	1/28/69	8-AB3-	17.1	3/ 1/68			
8-AB2-	10.1	1/28/69	8-AB3-	17.2	3/ 1/68			
8-AB2-	10.2	5/31/68	8-AB3-	17.3	3/ 1/68			
8-AB2-	10.3	3/ 1/68	8-AB3-	18	3/ 1/68			
8-AB2-	10.4	1/28/69	8-AB3-	19.1	1/28/69			
8-AB2-	10.5	9/ 5/68	8-AB3-	19.2	3/ 1/68			
8-AB2-	11	3/ 1/68	8-AB3-	20	3/ 1/68			
			8-AB3-	21	3/ 1/68			



SKILLING, HELLE, CHRISTIANSEN, ROBERTSON Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	DRAWING BOOK 8 - CONCRETE - REINFORCING	1/ 3/69

IRVISIONS

8-AB1-	1	1/ 3/69	8-AB3-	2.2	8/28/68	8-AB3-	26	3/ 1/68
8-AB1-	2.1	8/20/68	8-AB3-	2.3	3/ 1/68	8-AB3-	27	3/ 1/68
8-AB1-	2.2	8/20/68	8-AB3-	2.4	3/ 1/68	8-AB3-	28	3/ 1/68
8-AB1-	2.3	5/21/68	8-AB3-	3.1	3/ 1/68	8-AB3-	29	3/ 1/68
8-AB1-	3.1	8/20/68	8-AB3-	3.2	3/ 1/68	8-AB3-	30	3/ 1/68
8-AB1-	3.2	8/20/68	8-AB3-	3.3	3/ 1/68	8-AB3-	31	3/ 1/68
8-AB1-	4.1	3/ 1/68	8-AB3-	4.1	3/ 1/68	8-AB3-	32	3/ 1/68
8-AB1-	4.2	3/ 1/68	8-AB3-	4.2	3/ 1/68	8-AB3-	33	3/ 1/68
8-AB1-	5.1	3/ 1/68	8-AB3-	4.3	3/ 1/68	8-AB3-	34.1	3/ 1/68
8-AB1-	5.2	8/20/68	8-AB3-	4.4	3/ 1/68	8-AB3-	34.2	3/ 1/68
8-AB1-	5.3	3/ 1/68	8-AB3-	4.5	3/ 1/68	8-AB3-	34.3	3/ 1/68
8-AB1-	6	8/20/68	8-AB3-	4.6	3/ 1/68	8-AB3-	47.1	5/31/68
8-AB1-	7.1	8/20/68	8-AB3-	5.1	3/ 1/68	8-AB3-	47.2	5/31/68
8-AB1-	7.2	8/20/68	8-AB3-	5.2	3/ 1/68	8-AB3-	47.3	3/ 1/68
8-AB1-	8	8/20/68	8-AB3-	5.3	3/ 1/68	8-AB3-	47.4	3/ 1/68
8-AB1-	9	3/ 1/68	8-AB3-	5.4	3/ 1/68	8-AB3-	47.5	3/ 1/68
8-AB1-	10	8/20/68	8-AB3-	6.1	3/ 1/68	8-AB3-	48	3/ 1/68
8-AB1-	11	3/ 1/68	8-AB3-	6.2	3/ 1/68	8-AB3-	50.1	5/31/68
8-AB1-	12	5/21/68	8-AB3-	6.3	3/ 1/68	8-AB3-	50.2	5/31/68
8-AB1-	13	9/ 5/68	8-AB3-	6.4	3/ 1/68	8-AB3-	51	3/ 1/68
			8-AB3-	6.5	3/ 1/68	8-AB3-	52	5/31/68
			8-AB3-	7.1	3/ 1/68	8-AB3-	53	8/20/68
8-AB2-	1	1/ 3/69	8-AB3-	7.2	3/ 1/68	8-AB3-	54	3/ 1/68
8-AB2-	2.1	3/ 1/68	8-AB3-	8.1	8/20/68	8-AB3-	55	3/ 1/68
8-AB2-	2.2	5/31/68	8-AB3-	8.2	8/20/68	8-AB3-	55.2	11/19/68
8-AB2-	2.3	5/31/68	8-AB3-	9	3/ 1/68	8-AB3-	55.3	12/16/68
8-AB2-	2.4	5/31/68	8-AB3-	10.1	3/ 1/68	8-AB3-	55.4	12/16/68
8-AB2-	2.5	5/31/68	8-AB3-	10.2	9/ 5/68	8-AB3-	55.5	12/16/68
8-AB2-	2.6	3/ 1/68	8-AB3-	11	3/ 1/68	8-AB3-	55.6	12/16/68
8-AB2-	3.1	3/ 1/68	8-AB3-	12.1	3/ 1/68	8-AB3-	56	3/ 1/68
8-AB2-	3.2	3/ 1/68	8-AB3-	12.2	3/ 1/68	8-AB3-	57	3/ 1/68
8-AB2-	3.3	3/ 1/68	8-AB3-	12.3	5/31/68			
8-AB2-	3.4	5/31/68	8-AB3-	13	3/ 1/68			
8-AB2-	3.5	5/31/68	8-AB3-	14	3/ 1/68			
8-AB2-	4	3/ 1/68	8-AB3-	15	3/ 1/68			
8-AB2-	5	3/ 1/68	8-AB3-	16.1	3/ 1/68			
8-AB2-	6	3/ 1/68	8-AB3-	16.2	3/ 1/68			
8-AB2-	7	3/ 1/68	8-AB3-	16.3	3/ 1/68			
8-AB2-	8	3/ 1/68	8-AB3-	17.1	3/ 1/68			
8-AB2-	10.1	3/ 1/68	8-AB3-	17.2	3/ 1/68			
8-AB2-	10.2	5/31/68	8-AB3-	17.3	3/ 1/68			
8-AB2-	10.3	3/ 1/68	8-AB3-	18	3/ 1/68			
8-AB2-	10.4	3/ 1/68	8-AB3-	19.1	3/ 1/68			
8-AB2-	10.5	9/ 5/68	8-AB3-	19.2	3/ 1/68			
8-AB2-	11	3/ 1/68	8-AB3-	20	3/ 1/68			
			8-AB3-	21	3/ 1/68			
			8-AB3-	22	3/ 1/68			
8-AB3-	1.1	1/ 3/69	8-AB3-	23	3/ 1/68			
8-AB3-	1.2	1/ 3/69	8-AB3-	24	3/ 1/68			
8-AB3-	2.1	3/ 1/68	8-AB3-	25	3/ 1/68			

LICENSED PROFESSIONAL ENGINEER
LESLIE E. ROBERTSON
No. 34360
UNIVERSITY OF THE STATE OF NEW YORK

SKILLING-HELLE-CHRISTIANSEN-ROBERTSON — Civil & Structural Engineers

PROJECT: THE WORLD TRADE CENTER | TITLE: DRAWING BOOK 8 - CONCRETE - REINFORCING | DATE: 3/ 1/68

REVISIONS
5/31/68
6/3/68

8-AB1-	1	5/31/68	8-AB3-	2.4	3/ 1/68	8-AB3-	29	3/ 1/68
8-AB1-	2.1	3/ 1/68	8-AB3-	3.1	3/ 1/68	8-AB3-	30	3/ 1/68
8-AB1-	2.2	3/ 1/68	8-AB3-	3.2	3/ 1/68	8-AB3-	31	3/ 1/68
8-AB1-	2.3	5/31/68	8-AB3-	3.3	3/ 1/68	8-AB3-	32	3/ 1/68
8-AB1-	3.1	3/ 1/68	8-AB3-	4.1	3/ 1/68	8-AB3-	33	3/ 1/68
8-AB1-	3.2	3/ 1/68	8-AB3-	4.2	3/ 1/68	8-AB3-	34.1	3/ 1/68
8-AB1-	4.1	3/ 1/68	8-AB3-	4.3	3/ 1/68	8-AB3-	34.2	3/ 1/68
8-AB1-	4.2	3/ 1/68	8-AB3-	4.4	3/ 1/68	8-AB3-	34.3	3/ 1/68
8-AB1-	5.1	3/ 1/68	8-AB3-	4.5	3/ 1/68	8-AB3-	35	
8-AB1-	5.2	3/ 1/68	8-AB3-	4.6	3/ 1/68	THRU		NOT USED
8-AB1-	5.3	3/ 1/68	8-AB3-	5.1	3/ 1/68	8-AB3-	46	
8-AB1-	6	5/31/68	8-AB3-	5.2	3/ 1/68	8-AB3-	47.1	5/31/68
8-AB1-	7.1	3/ 1/68	8-AB3-	5.3	3/ 1/68	8-AB3-	47.2	5/31/68
8-AB1-	7.2	3/ 1/68	8-AB3-	5.4	3/ 1/68	8-AB3-	47.3	3/ 1/68
8-AB1-	8	3/ 1/68	8-AB3-	6.1	3/ 1/68	8-AB3-	47.4	3/ 1/68
8-AB1-	9	3/ 1/68	8-AB3-	6.2	3/ 1/68	8-AB3-	47.5	3/ 1/68
8-AB1-	10	3/ 1/68	8-AB3-	6.3	3/ 1/68	8-AB3-	48	3/ 1/68
8-AB1-	11	3/ 1/68	8-AB3-	6.4	3/ 1/68	8-AB3-	49	NOT USED
8-AB1-	12	5/31/68	8-AB3-	6.5	3/ 1/68	8-AB3-	50.1	5/31/68
			8-AB3-	7.1	3/ 1/68	8-AB3-	50.2	5/31/68
8-AB2-	1	3/ 1/68	8-AB3-	7.2	3/ 1/68	8-AB3-	51	3/ 1/68
8-AB2-	2.1	3/ 1/68	8-AB3-	8.1	3/ 1/68	8-AB3-	52	5/31/68
8-AB2-	2.2	5/31/68	8-AB3-	8.2	3/ 1/68	8-AB3-	53	3/ 1/68
8-AB2-	2.3	5/31/68	8-AB3-	9	3/ 1/68	8-AB3-	54	3/ 1/68
8-AB2-	2.4	5/31/68	8-AB3-	10	3/ 1/68	8-AB3-	55	3/ 1/68
8-AB2-	2.5	5/31/68	8-AB3-	11	3/ 1/68	8-AB3-	56	3/ 1/68
8-AB2-	2.6	3/ 1/68	8-AB3-	12.1	3/ 1/68	8-AB3-	57	3/ 1/68
8-AB2-	3.1	3/ 1/68	8-AB3-	12.2	3/ 1/68			
8-AB2-	3.2	3/ 1/68	8-AB3-	12.3	5/31/68			
8-AB2-	3.3	3/ 1/68	8-AB3-	13	3/ 1/68			
8-AB2-	3.4	5/31/68	8-AB3-	14	3/ 1/68			
8-AB2-	3.5	5/31/68	8-AB3-	15	3/ 1/68			
8-AB2-	4	3/ 1/68	8-AB3-	16.1	3/ 1/68			
8-AB2-	5	3/ 1/68	8-AB3-	16.2	3/ 1/68			
8-AB2-	6	3/ 1/68	8-AB3-	16.3	3/ 1/68			
8-AB2-	7	3/ 1/68	8-AB3-	17.1	3/ 1/68			
8-AB2-	8	3/ 1/68	8-AB3-	17.2	3/ 1/68			
8-AB2-	9	NOT USED	8-AB3-	17.3	3/ 1/68			
8-AB2-	10.1	3/ 1/68	8-AB3-	18	3/ 1/68			
8-AB2-	10.2	5/31/68	8-AB3-	19.1	3/ 1/68			
8-AB2-	10.3	3/ 1/68	8-AB3-	19.2	3/ 1/68			
8-AB2-	10.4	3/ 1/68	8-AB3-	20	3/ 1/68			
8-AB2-	11	3/ 1/68	8-AB3-	21	3/ 1/68			
			8-AB3-	22	3/ 1/68			
			8-AB3-	23	3/ 1/68			
8-AB3-	1.1	3/ 1/68	8-AB3-	24	3/ 1/68			
8-AB3-	1.2	3/ 1/68	8-AB3-	25	3/ 1/68			
8-AB3-	2.1	3/ 1/68	8-AB3-	26	3/ 1/68			
8-AB3-	2.2	5/31/68	8-AB3-	27	3/ 1/68			

LESLIE E. ROBERTSON — LICENSED PROFESSIONAL ENGINEER — No. 34300 — UNIVERSITY OF THE STATE OF NEW YORK

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	DRAWING BOOK 8 - CONCRETE - REINFORCING	11/26/71

REVISIONS

8-AB4-	1.1	5/ 1/69	8-AB4-	12.8	8/ 5/69
8-AB4-	1.2	6/ 2/69	8-AB4-	12.9	8/ 5/69
8-AB4-	2.1	5/ 9/69	8-AB4-	13.1	7/11/69
8-AB4-	2.2	5/ 1/68	8-AB4-	13.2	12/ 9/68
8-AB4-	2.3	5/ 9/69	8-AB4-	13.3	8/20/68
8-AB4-	2.4	5/ 9/69	8-AB4-	13.4	8/20/68
8-AB4-	2.5	5/ 6/69	8-AB4-	13.5	5/ 1/68
8-AB4-	2.6	12/12/69	8-AB4-	13.6	5/ 1/68
8-AB4-	2.7	1/ 2/70	8-AB4-	13.7	7/11/69
8-AB4-	3.1	5/ 1/68	8-AB4-	13.8	7/11/69
8-AB4-	3.2	5/ 1/68	8-AB4-	14.1	7/11/69
8-AB4-	4.1	12/10/68	8-AB4-	14.2	10/21/68
8-AB4-	4.2	5/ 1/68	8-AB4-	14.3	5/ 1/68
8-AB4-	4.3	5/ 1/68	8-AB4-	14.4	1/ 2/70
8-AB4-	5	5/ 1/68	8-AB4-	14.5	1/17/69
8-AB4-	6.1	5/ 1/68	8-AB4-	14.6	7/11/69
8-AB4-	6.2	5/ 9/69	8- B4-	19.1	3/25/69
8-AB4-	6.3	5/ 9/69	8- B4-	19.2	3/25/69
8-AB4-	6.4	4/11/69	8- B4-	19.3	3/25/69
8-AB4-	7	5/ 1/68	8- B4-	19.4	3/25/69
8-AB4-	8.1	5/ 1/68	8- B4-	19.5	3/25/69
8-AB4-	8.2	5/ 1/68	8- B4-	19.6	3/25/69
8-AB4-	8.3	5/ 1/68	8- B4-	19.7	3/25/69
8-AB4-	8.4	5/ 1/68	8-AB4-	20.1	4/25/69
8-AB4-	9.1	5/ 9/69	8-AB4-	20.2	8/ 5/69
8-AB4-	9.2	1/17/69	8-AB4-	20.3	4/25/69
8-AB4-	9.3	1/17/69	8-AB4-	21.1	8/20/68
8-AB4-	10.1	5/ 9/69	8-AB4-	21.2	8/20/68
8-AB4-	10.2	4/ 9/69	8-AB4-	22	8/20/68
8-AB4-	10.3	1/17/69			
8-AB4-	10.4	8/ 5/69			
8-AB4-	10.5	1/22/69			
8-AB4-	10.6	8/ 5/69			
8-AB4-	10.7	8/ 5/69			
8-AB4-	10.8	8/ 5/69			
8-AB4-	10.9	8/ 5/69			
8-AB4-	11.1	5/ 9/69			
8-AB4-	11.2	5/ 9/69			
8-AB4-	11.3	1/22/69			
8-AB4-	11.4	1/14/69			
8-AB4-	11.5	6/ 3/69			
8-AB4-	11.6	8/ 5/69			
8-AB4-	11.7	8/ 5/69			
8-AB4-	12.1	8/ 5/69			
8-AB4-	12.2	6/ 3/69			
8-AB4-	12.3	1/28/69			
8-AB4-	12.4	1/28/69			
8-AB4-	12.5	1/28/69			
8-AB4-	12.6	1/28/69			
8-AB4-	12.7	1/28/69			

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON - Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	DRAWING BOOK B - CONCRETE - REINFORCING	2/02/70

REVISIONS

B-AB4-	1.1	5/ 1/69	B-AB4-	12.8	8/ 5/69
B-AB4-	1.2	6/ 2/69	B-AB4-	12.9	8/ 5/69
B-AB4-	2.1	5/ 9/69	B-AB4-	13.1	7/11/69
B-AB4-	2.2	5/ 1/68	B-AB4-	13.2	12/ 9/68
B-AB4-	2.3	5/ 1/69	B-AB4-	13.3	8/20/68
B-AB4-	2.4	5/ 9/69	B-AB4-	13.4	8/20/68
B-AB4-	2.5	5/ 6/69	B-AB4-	13.5	5/ 1/68
B-AB4-	2.6	12/12/69	B-AB4-	13.6	5/ 1/68
B-AB4-	2.7	1/ 2/70	B-AB4-	13.7	7/11/69
B-AB4-	3.1	5/ 1/68	B-AB4-	13.8	7/11/69
B-AB4-	3.2	5/ 1/68	B-AB4-	14.1	7/11/69
B-AB4-	4.1	12/18/68	B-AB4-	14.2	10/21/68
B-AB4-	4.2	5/ 1/68	B-AB4-	14.3	5/ 1/68
B-AB4-	4.3	5/ 1/68	B-AB4-	14.4	1/ 2/70
B-AB4-	5	5/ 1/68	B-AB4-	14.5	1/11/69
B-AB4-	6.1	5/ 1/68	B-AB4-	14.6	7/11/69
B-AB4-	6.2	5/ 9/69	B- B4-	19.1	3/25/69
B-AB4-	6.3	5/ 9/69	B- B4-	19.2	3/25/69
B-AB4-	6.4	4/11/69	B- B4-	19.3	3/25/69
B-AB4-	7	5/ 1/68	B- B4-	19.4	3/25/69
B-AB4-	8.1	5/ 1/68	B- B4-	19.5	3/25/69
B-AB4-	8.2	5/ 1/68	B- B4-	19.6	3/25/69
B-AB4-	8.3	5/ 1/68	B- B4-	19.7	3/25/69
B-AB4-	8.4	5/ 1/68	B-AB4-	20.1	4/25/69
B-AB4-	9.1	5/ 9/69	B-AB4-	20.2	8/ 5/69
B-AB4-	9.2	1/17/69	B-AB4-	20.3	4/25/69
B-AB4-	9.3	1/17/69	B-AB4-	21.1	8/20/68
B-AB4-	10.1	5/ 9/69	B-AB4-	21.2	8/20/68
B-AB4-	10.2	4/ 9/69	B-AB4-	22	8/20/68
B-AB4-	10.3	1/17/69			
B-AB4-	10.4	8/ 5/69			
B-AB4-	10.5	1/22/69			
B-AB4-	10.6	8/ 5/69			
B-AB4-	10.7	8/ 5/69			
B-AB4-	10.8	8/ 5/69			
B-AB4-	10.9	8/ 5/69			
B-AB4-	11.1	5/ 9/69			
B-AB4-	11.2	5/ 9/69			
B-AB4-	11.3	1/22/69			
B-AB4-	11.4	1/14/69			
B-AB4-	11.5	6/ 3/69			
B-AB4-	11.6	8/ 5/69			
B-AB4-	11.7	8/ 5/69			
B-AB4-	12.1	8/ 5/69			
B-AB4-	12.2	6/ 3/69			
B-AB4-	12.3	1/28/69			
B-AB4-	12.4	1/28/69			
B-AB4-	12.5	1/22/69			
B-AB4-	12.6	1/28/69			

REGISTERED PROFESSIONAL ENGINEER
LESLIE E. ROBERTSON
No. 34360
STATE OF NEW YORK

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	DRAWING BOOK B - CONCRETE - REINFORCING	1/02/70

REVISIONS

B-AB4-	1.1	5/ 1/69	B-AB4-	12.8	8/ 5/69
B-AB4-	1.2	6/ 2/69	B-AB4-	12.9	8/ 5/69
B-AB4-	2.1	5/ 9/69	B-AB4-	13.1	7/11/69
B-AB4-	2.2	5/ 1/68	B-AB4-	13.2	12/ 9/68
B-AB4-	2.3	5/ 9/69	B-AB4-	13.3	8/20/68
B-AB4-	2.4	5/ 9/69	B-AB4-	13.4	8/20/68
B-AB4-	2.5	5/ 6/69	B-AB4-	13.5	5/ 1/68
B-AB4-	2.6	12/12/69	B-AB4-	13.6	5/ 1/68
B-AB4-	2.7	1/ 2/70	B-AB4-	13.7	7/11/69
B-AB4-	3.1	5/ 1/68	B-AB4-	13.8	7/11/69
B-AB4-	3.2	5/ 1/68	B-AB4-	14.1	7/11/69
B-AB4-	4.1	12/18/68	B-AB4-	14.2	10/21/68
B-AB4-	4.2	5/ 1/68	B-AB4-	14.3	5/ 1/68
B-AB4-	4.3	5/ 1/68	B-AB4-	14.4	11/19/68
B-AB4-	5	5/ 1/68	B-AB4-	14.5	1/17/69
B-AB4-	6.1	5/ 1/68	B-AB4-	14.6	7/11/69
B-AB4-	6.2	5/ 9/69	B- B4-	19.1	3/25/69
B-AB4-	6.3	5/ 9/69	B- B4-	19.2	3/25/69
B-AB4-	6.4	4/11/69	B- B4-	19.3	3/25/69
B-AB4-	7	5/ 1/68	B- B4-	19.4	3/25/69
B-AB4-	8.1	5/ 1/68	B- B4-	19.5	3/25/69
B-AB4-	8.2	5/ 1/68	B- B4-	19.6	3/25/69
B-AB4-	8.3	5/ 1/68	B- B4-	19.7	3/25/69
B-AB4-	8.4	5/ 1/68	B-AB4-	20.1	4/25/69
B-AB4-	9.1	5/ 9/69	B-AB4-	20.2	8/ 5/69
B-AB4-	9.2	1/17/69	B-AB4-	20.3	4/25/69
B-AB4-	9.3	1/17/69	B-AB4-	21.1	8/20/68
B-AB4-	10.1	5/ 9/69	B-AB4-	21.2	8/20/68
B-AB4-	10.2	4/ 9/69	B-AB4-	22	8/20/68
B-AB4-	10.3	1/17/69			
B-AB4-	10.4	8/ 5/69			
B-AB4-	10.5	1/27/69			
B-AB4-	10.6	8/ 5/69			
B-AB4-	10.7	8/ 5/69			
B-AB4-	10.8	8/ 5/69			
B-AB4-	10.9	8/ 5/69			
B-AB4-	11.1	5/ 9/69			
B-AB4-	11.2	5/ 9/69			
B-AB4-	11.3	1/27/69			
B-AB4-	11.4	1/14/69			
B-AB4-	11.5	6/ 3/69			
B-AB4-	11.6	8/ 5/69			
B-AB4-	11.7	8/ 5/69			
B-AB4-	12.1	8/ 5/69			
B-AB4-	12.2	6/ 3/69			
B-AB4-	12.3	1/28/69			
B-AB4-	12.4	1/28/69			
B-AB4-	12.5	1/28/69			
B-AB4-	12.6	1/28/69			
B-AB4-	12.7	1/28/69			

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	DRAWING BOOK 8 - CONCRETE - REINFORCING	10/ 1/69

REVISIONS

8-AB4-	1.1	5/ 1/69	8-AB4-	12.9	8/ 5/69
8-AB4-	1.2	6/ 2/69	8-AB4-	13.1	7/11/69
8-AB4-	2.1	5/ 9/69	8-AB4-	13.2	12/ 9/68
8-AB4-	2.2	5/ 1/68	8-AB4-	13.3	8/20/68
8-AB4-	2.3	5/ 9/69	8-AB4-	13.4	8/20/68
8-AB4-	2.4	5/ 9/69	8-AB4-	13.5	5/ 1/68
8-AB4-	2.5	5/ 6/69	8-AB4-	13.6	5/ 1/68
8-AB4-	2.6	5/ 1/68	8-AB4-	13.7	7/11/69
8-AB4-	3.1	5/ 1/68	8-AB4-	13.8	7/11/69
8-AB4-	3.2	5/ 1/68	8-AB4-	14.1	7/11/69
8-AB4-	4.1	12/13/68	8-AB4-	14.2	10/21/68
8-AB4-	4.2	5/ 1/68	8-AB4-	14.3	5/ 1/68
8-AB4-	4.3	5/ 1/68	8-AB4-	14.4	11/19/68
8-AB4-	5	5/ 1/68	8-AB4-	14.5	1/17/69
8-AB4-	6.1	5/ 1/68	8-AB4-	14.6	7/11/69
8-AB4-	6.2	5/ 9/69	8- B4-	19.1	3/25/69
8-AB4-	6.3	5/ 9/69	8- B4-	19.2	3/25/69
8-AB4-	6.4	4/11/69	8- B4-	19.3	3/25/69
8-AB4-	7	5/ 1/68	8- B4-	19.4	3/25/69
8-AB4-	8.1	5/ 1/68	8- B4-	19.5	3/25/69
8-AB4-	8.2	5/ 1/68	8- B4-	19.6	3/25/69
8-AB4-	8.3	5/ 1/68	8- B4-	19.7	3/25/69
8-AB4-	8.4	5/ 1/68	8-AB4-	20.1	4/25/69
8-AB4-	9.1	5/ 9/69	8-AB4-	20.2	8/ 5/69
8-AB4-	9.2	1/17/69	8-AB4-	20.3	4/25/69
8-AB4-	9.3	1/17/69	8-AB4-	21.1	8/20/68
8-AB4-	10.1	5/ 9/69	8-AB4-	21.2	8/20/68
8-AB4-	10.2	4/ 9/69	8-AB4-	22	8/20/68
8-AB4-	10.3	1/17/69			
8-AB4-	10.4	8/ 5/69			
8-AB4-	10.5	1/22/69			
8-AB4-	10.6	8/ 5/69			
8-AB4-	10.7	8/ 5/69			
8-AB4-	10.8	8/ 5/69			
8-AB4-	10.9	8/ 5/69			
8-AB4-	11.1	5/ 9/69			
8-AB4-	11.2	5/ 9/69			
8-AB4-	11.3	1/22/69			
8-AB4-	11.4	1/14/69			
8-AB4-	11.5	6/ 3/69			
8-AB4-	11.6	8/ 5/69			
8-AB4-	11.7	8/ 5/69			
8-AB4-	12.1	8/ 5/69			
8-AB4-	12.2	6/ 3/69			
8-AB4-	12.3	1/28/69			
8-AB4-	12.4	1/28/69			
8-AB4-	12.5	1/28/69			
8-AB4-	12.6	1/28/69			
8-AB4-	12.7	1/28/69			
8-AB4-	12.8	8/ 5/69			

LICENSED PROFESSIONAL ENGINEER
LESLIE E. ROBERTSON
No. 34360
UNIVERSITY OF THE STATE OF NEW YORK

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	DRAWING BOOK 8 - CONCRETE - REINFORCING	9/ 2/69

REVISIONS

B-AB4-	1.1	5/ 1/69	B-AB4-	12.9	8/ 5/69
B-AB4-	1.2	6/ 2/69	B-AB4-	13.1	7/11/69
B-AB4-	2.1	5/ 9/69	B-AB4-	13.2	12/ 9/68
B-AB4-	2.2	5/ 1/68	B-AB4-	13.3	8/20/68
B-AB4-	2.3	5/ 9/69	B-AB4-	13.4	8/20/68
B-AB4-	2.4	5/ 9/69	B-AB4-	13.5	5/ 1/68
B-AB4-	2.5	5/ 6/69	B-AB4-	13.6	5/ 1/68
B-AB4-	2.6	5/ 1/68	B-AB4-	13.7	7/11/69
B-AB4-	3.1	5/ 1/68	B-AB4-	13.8	7/11/69
B-AB4-	3.2	5/ 1/68	B-AB4-	14.1	7/11/69
B-AB4-	4.1	12/18/68	B-AB4-	14.2	10/21/68
B-AB4-	4.2	5/ 1/68	B-AB4-	14.3	5/ 1/68
B-AB4-	4.3	5/ 1/68	B-AB4-	14.4	11/19/68
B-AB4-	5	5/ 1/68	B-AB4-	14.5	1/17/69
B-AB4-	6.1	5/ 1/68	B-AB4-	14.6	7/11/69
B-AB4-	6.2	5/ 9/69	B- B4-	19.1	3/25/69
B-AB4-	6.3	5/ 9/69	B- B4-	19.2	3/25/69
B-AB4-	6.4	4/11/69	B- B4-	19.3	3/25/69
B-AB4-	7	5/ 1/68	B- B4-	19.4	3/25/69
B-AB4-	8.1	5/ 1/68	B- B4-	19.5	3/25/69
B-AB4-	8.2	5/ 1/68	B- B4-	19.6	3/25/69
B-AB4-	8.3	5/ 1/68	B- B4-	19.7	3/25/69
B-AB4-	8.4	5/ 1/68	B-AB4-	20.1	4/25/69
B-AB4-	9.1	5/ 9/69	B-AB4-	20.2	8/ 5/69
B-AB4-	9.2	1/17/69	B-AB4-	20.3	4/25/69
B-AB4-	9.3	1/17/69	B-AB4-	21.1	8/20/68
B-AB4-	10.1	5/ 9/69	B-AB4-	21.2	8/20/68
B-AB4-	10.2	4/ 9/69	B-AB4-	22	8/20/68
B-AB4-	10.3	1/17/69			
B-AB4-	10.4	8/ 5/69			
B-AB4-	10.5	1/22/69			
B-AB4-	10.6	8/ 5/69			
B-AB4-	10.7	8/ 5/69			
B-AB4-	10.8	8/ 5/69			
B-AB4-	10.9	8/ 5/69			
B-AB4-	11.1	5/ 9/69			
B-AB4-	11.2	5/ 9/69			
B-AB4-	11.3	1/22/69			
B-AB4-	11.4	1/14/69			
B-AB4-	11.5	8/ 3/69			
B-AB4-	11.6	8/ 5/69			
B-AB4-	11.7	8/ 5/69			
B-AB4-	12.1	8/ 5/69			
B-AB4-	12.2	8/ 3/69			
B-AB4-	12.3	1/28/69			
B-AB4-	12.4	1/28/69			
B-AB4-	12.5	1/28/69			
B-AB4-	12.6	1/28/69			
B-AB4-	12.7	1/28/69			
B-AB4-	12.8	8/ 5/69			

LICENSED PROFESSIONAL ENGINEER
LESLIE E. ROBERTSON
No. 34360
UNIVERSITY OF THE STATE OF NEW YORK

SKILLING-HELLE-CHRISTIANSEN-ROBERTSON — Civil & Structural Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	DRAWING BOOK 8 - CONCRETE - REINFORCING	7/ 1/69

REVISIONS

8-AB4-	1.1	5/ 1/69	8-AB4-	13.6	5/ 1/68
8-AB4-	1.2	6/ 2/69	8-AB4-	13.7	5/ 1/68
8-AB4-	2.1	5/ 9/69	8-AB4-	13.8	5/ 1/68
8-AB4-	2.2	5/ 1/68	8-AB4-	14.1	5/ 1/68
8-AB4-	2.3	5/ 9/69	8-AB4-	14.2	10/21/68
8-AB4-	2.4	5/ 9/69	8-AB4-	14.3	5/ 1/68
8-AB4-	2.5	5/ 6/69	8-AB4-	14.4	11/19/68
8-AB4-	2.6	5/ 1/68	8-AB4-	14.5	1/17/69
8-AB4-	3.1	5/ 1/68	8- B4-	19.1	3/25/69
8-AB4-	3.2	5/ 1/68	8- B4-	19.2	3/25/69
8-AB4-	4.1	12/18/68	8- B4-	19.3	3/25/69
8-AB4-	4.2	5/ 1/68	8- B4-	19.4	3/25/69
8-AB4-	4.3	5/ 1/68	8- B4-	19.5	3/25/69
8-AB4-	5	5/ 1/68	8- B4-	19.6	3/25/69
8-AB4-	6.1	5/ 1/68	8- B4-	19.7	3/25/69
8-AB4-	6.2	5/ 9/69	8-AB4-	20.1	4/25/69
8-AB4-	6.3	5/ 9/69	8-AB4-	20.2	4/25/69
8-AB4-	6.4	4/11/69	8-AB4-	20.3	4/25/69
8-AB4-	7	5/ 1/68	8-AB4-	21.1	8/20/68
8-AB4-	8.1	5/ 1/68	8-AB4-	21.2	8/20/68
8-AB4-	8.2	5/ 1/68	8-AB4-	22	8/20/68
8-AB4-	8.3	5/ 1/68			
8-AB4-	8.4	5/ 1/68			
8-AB4-	9.1	5/ 9/69			
8-AB4-	9.2	1/17/69			
8-AB4-	9.3	1/17/69			
8-AB4-	10.1	5/ 9/69			
8-AB4-	10.2	4/ 9/69			
8-AB4-	10.3	1/17/69			
8-AB4-	10.4	1/17/69			
8-AB4-	10.5	1/22/69			
8-AB4-	10.6	4/25/69			
8-AB4-	10.7	6/ 3/69			
8-AB4-	11.1	5/ 4/69			
8-AB4-	11.2	5/ 9/69			
8-AB4-	11.3	1/22/69			
8-AB4-	11.4	1/14/69			
8-AB4-	11.5	6/ 3/69			
8-AB4-	12.1	5/ 1/68			
8-AB4-	12.2	6/ 3/69			
8-AB4-	12.3	1/28/69			
8-AB4-	12.4	1/28/69			
8-AB4-	12.5	1/28/69			
8-AB4-	12.6	1/28/69			
8-AB4-	12.7	1/28/69			
8-AB4-	13.1	6/ 3/69			
8-AB4-	13.2	12/ 9/68			
8-AB4-	13.3	8/20/68			
8-AB4-	13.4	8/20/68			
8-AB4-	13.5	5/ 1/68			

LICENSED PROFESSIONAL ENGINEER
LESLIE E. ROBERTSON
No. 34360
UNIVERSITY OF THE STATE OF NEW YORK

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT: THE WORLD TRADE CENTER | TITLE: DRAWING BOOK B - CONCRETE - REINFORCING | DATE: 5/ 1/69

REVISIONS

B-AB4-	1.1	5/ 1/69	B-AB4-	13.5	5/ 1/68
B-AB4-	1.2	5/ 1/69	B-AB4-	13.6	5/ 1/68
B-AB4-	2.1	5/ 1/68	B-AB4-	13.7	5/ 1/68
B-AB4-	2.2	5/ 1/68	B-AB4-	13.8	5/ 1/68
B-AB4-	2.3	8/28/68	B-AB4-	14.1	5/ 1/68
B-AB4-	2.4	5/ 1/68	B-AB4-	14.2	10/21/68
B-AB4-	2.5	5/ 1/68	B-AB4-	14.3	5/ 1/68
B-AB4-	2.6	5/ 1/68	B-AB4-	14.4	11/19/68
B-AB4-	3.1	5/ 1/68	B-AB4-	14.5	1/17/69
B-AB4-	3.2	5/ 1/68	B-AB4-	20.1	4/25/69
B-AB4-	4.1	12/10/68	B-AB4-	20.2	4/25/69
B-AB4-	4.2	5/ 1/68	B-AB4-	20.3	4/25/69
B-AB4-	4.3	5/ 1/68	B-AB4-	21.1	8/20/68
B-AB4-	5	5/ 1/68	B-AB4-	21.2	8/20/68
B-AB4-	6.1	5/ 1/68	B-AB4-	22	8/20/68
B-AB4-	6.2	5/ 1/68			
B-AB4-	6.3	5/ 1/68			
B-AB4-	6.4	5/ 1/68			
B-AB4-	7	5/ 1/68			
B-AB4-	8.1	5/ 1/68			
B-AB4-	8.2	5/ 1/68			
B-AB4-	8.3	5/ 1/68			
B-AB4-	8.4	5/ 1/68			
B-AB4-	9.1	1/17/69			
B-AB4-	9.2	1/17/69			
B-AB4-	9.3	1/17/69			
B-AB4-	10.1	1/17/69			
B-AB4-	10.2	4/ 9/69			
B-AB4-	10.3	1/17/69			
B-AB4-	10.4	1/17/69			
B-AB4-	10.5	1/22/69			
B-AB4-	10.6	4/25/69			
B-AB4-	10.7	VOID			
B-AB4-	10.8	VOID			
B-AB4-	11.1	1/22/69			
B-AB4-	11.2	1/22/69			
B-AB4-	11.3	1/22/69			
B-AB4-	11.4	8/20/68			
B-AB4-	11.5	1/28/69			
B-AB4-	12.1	5/ 1/68			
B-AB4-	12.2	5/ 1/68			
B-AB4-	12.3	1/20/69			
B-AB4-	12.4	1/28/69			
B-AB4-	12.5	1/28/69			
B-AB4-	12.6	1/20/69			
B-AB4-	12.7	1/28/69			
B-AB4-	13.1	5/ 1/68			
B-AB4-	13.2	12/ 9/68			
B-AB4-	13.3	8/20/68			
B-AB4-	13.4	8/20/68			

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT	THE WORLD TRADE CENTER	TITLE	DRAWING BOOK 8 - CONCRETE - REINFORCING	DATE	4/ 1/69

REVISIONS

8-AB4-	1.1	4/ 1/69	8-AB4-	13.5	5/ 1/68
8-AB4-	1.2	4/ 1/69	8-AB4-	13.6	5/ 1/68
8-AB4-	2.1	5/ 1/68	8-AB4-	13.7	5/ 1/68
8-AB4-	2.2	5/ 1/68	8-AB4-	13.8	5/ 1/68
8-AB4-	2.3	8/29/68	8-AB4-	14.1	5/ 1/68
8-AB4-	2.4	5/ 1/68	8-AB4-	14.2	10/21/68
8-AB4-	2.5	5/ 1/68	8-AB4-	14.3	5/ 1/68
8-AB4-	2.6	5/ 1/68	8-AB4-	14.4	11/19/68
8-AB4-	3.1	5/ 1/68	8-AB4-	14.5	1/17/69
8-AB4-	3.2	5/ 1/68	8-AB4-	20.1	8/20/68
8-AB4-	4.1	12/18/68	8-AB4-	20.2	5/ 1/68
8-AB4-	4.2	5/ 1/68	8-AB4-	21.1	8/20/68
8-AB4-	4.3	5/ 1/68	8-AB4-	21.2	8/20/68
8-AB4-	5	5/ 1/68	8-AB4-	22	8/20/68
8-AB4-	6.1	5/ 1/68			
8-AB4-	6.2	5/ 1/68			
8-AB4-	6.3	5/ 1/68			
8-AB4-	6.4	5/ 1/68			
8-AB4-	7	5/ 1/68			
8-AB4-	8.1	5/ 1/68			
8-AB4-	8.2	5/ 1/68			
8-AB4-	8.3	5/ 1/68			
8-AB4-	8.4	5/ 1/68			
8-AB4-	9.1	1/17/69			
8-AB4-	9.2	1/17/69			
8-AB4-	9.3	1/17/69			
8-AB4-	10.1	1/17/69			
8-AB4-	10.2	1/17/69			
8-AB4-	10.3	1/17/69			
8-AB4-	10.4	1/17/69			
8-AB4-	10.5	1/22/69			
8-AB4-	10.6	HOLD			
8-AB4-	10.7	HOLD			
8-AB4-	10.8	HOLD			
8-AB4-	11.1	1/22/69			
8-AB4-	11.2	1/22/69			
8-AB4-	11.3	1/22/69			
8-AB4-	11.4	8/20/68			
8-AB4-	11.5	1/28/69			
8-AB4-	12.1	5/ 1/68			
8-AB4-	12.2	5/ 1/68			
8-AB4-	12.3	1/28/69			
8-AB4-	12.4	1/28/69			
8-AB4-	12.5	1/28/69			
8-AB4-	12.6	1/28/69			
8-AB4-	12.7	1/28/69			
8-AB4-	13.1	5/ 1/68			
8-AB4-	13.2	12/ 9/68			
8-AB4-	13.3	8/20/68			
8-AB4-	13.4	8/20/68			



SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT	THE WORLD TRADE CENTER	TITLE	DRAWING BOOK 6 - CONCRETE - REINFORCING	DATE	3/ 3/69

REVISIONS

8-AB4-	1.1	3/ 3/69	8-AB4-	13.5	5/ 1/68
8-AB4-	1.2	3/ 3/69	8-AB4-	13.6	5/ 1/68
8-AB4-	2.1	5/ 1/68	8-AB4-	13.7	5/ 1/68
8-AB4-	2.2	5/ 1/68	8-AB4-	13.8	5/ 1/68
8-AB4-	2.3	8/29/68	8-AB4-	14.1	5/ 1/68
8-AB4-	2.4	5/ 1/68	8-AB4-	14.2	10/21/68
8-AB4-	2.5	5/ 1/68	8-AB4-	14.3	5/ 1/68
8-AB4-	2.6	5/ 1/68	8-AB4-	14.4	11/19/68
8-AB4-	3.1	5/ 1/68	8-AB4-	14.5	1/17/69
8-AB4-	3.2	5/ 1/68	8-AB4-	20.1	8/20/68
8-AB4-	4.1	12/18/68	8-AB4-	20.2	5/ 1/68
8-AB4-	4.2	5/ 1/68	8-AB4-	21.1	8/20/68
8-AB4-	4.3	5/ 1/68	8-AB4-	21.2	8/20/68
8-AB4-	5	5/ 1/68	8-AB4-	22	8/20/68
8-AB4-	6.1	5/ 1/68			
8-AB4-	6.2	5/ 1/68			
8-AB4-	6.3	5/ 1/68			
8-AB4-	6.4	5/ 1/68			
8-AB4-	7	5/ 1/68			
8-AB4-	8.1	5/ 1/68			
8-AB4-	8.2	5/ 1/68			
8-AB4-	8.3	5/ 1/68			
8-AB4-	8.4	5/ 1/68			
8-AB4-	9.1	1/17/69			
8-AB4-	9.2	1/17/69			
8-AB4-	9.3	1/17/69			
8-AB4-	10.1	1/17/69			
8-AB4-	10.2	1/17/69			
8-AB4-	10.3	1/17/69			
8-AB4-	10.4	1/17/69			
8-AB4-	10.5	1/22/69			
8-AB4-	10.6	HOLD			
8-AB4-	10.7	HOLD			
8-AB4-	10.8	HOLD			
8-AB4-	11.1	1/22/69			
8-AB4-	11.2	1/22/69			
8-AB4-	11.3	1/22/69			
8-AB4-	11.4	8/20/68			
8-AB4-	11.5	1/28/69			
8-AB4-	12.1	5/ 1/68			
8-AB4-	12.2	5/ 1/68			
8-AB4-	12.3	1/28/69			
8-AB4-	12.4	1/28/69			
8-AB4-	12.5	1/28/69			
8-AB4-	12.6	1/28/69			
8-AB4-	12.7	1/28/69			
8-AB4-	13.1	5/ 1/68			
8-AB4-	13.2	12/ 9/68			
8-AB4-	13.3	8/20/68			
8-AB4-	13.4	8/20/68			

LESLIE E. ROBERTSON — REGISTERED PROFESSIONAL ENGINEER — No. 54360 — UNIVERSITY OF THE STATE OF NEW YORK

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	DRAWING BOOK 8 - CONCRETE - REINFORCING	2/ 3/69

REVISIONS

8-AB4-	1.1	2/ 3/69	8-AB4-	13.7	5/ 1/68
8-AB4-	1.2	2/ 3/69	8-AB4-	13.8	5/ 1/68
8-AB4-	2.1	5/ 1/68	8-AB4-	14.1	5/ 1/68
8-AB4-	2.2	5/ 1/68	8-AB4-	14.2	10/21/68
8-AB4-	2.3	8/29/68	8-AB4-	14.3	5/ 1/68
8-AB4-	2.4	5/ 1/68	8-AB4-	14.4	11/19/68
8-AB4-	2.5	5/ 1/68	8-AB4-	14.5	1/17/69
8-AB4-	2.6	5/ 1/68	8-AB4-	20.1	8/20/68
8-AB4-	3.1	5/ 1/68	8-AB4-	20.2	5/ 1/68
8-AB4-	3.2	5/ 1/68	8-AB4-	21.1	8/20/68
8-AB4-	4.1	12/18/68	8-AB4-	21.2	8/20/68
8-AB4-	4.2	5/ 1/68	8-AB4-	22	8/20/68
8-AB4-	4.3	5/ 1/68			
8-AB4-	5	5/ 1/68			
8-AB4-	6.1	5/ 1/68			
8-AB4-	6.2	5/ 1/68			
8-AB4-	6.3	5/ 1/68			
8-AB4-	6.4	5/ 1/68			
8-AB4-	7	5/ 1/68			
8-AB4-	8.1	5/ 1/68			
8-AB4-	8.2	5/ 1/68			
8-AB4-	8.3	5/ 1/68			
8-AB4-	8.4	5/ 1/68			
8-AB4-	9.1	1/17/69			
8-AB4-	9.2	1/17/69			
8-AB4-	9.3	1/17/69			
8-AB4-	10.1	1/17/69			
8-AB4-	10.2	1/17/69			
8-AB4-	10.3	1/17/69			
8-AB4-	10.4	1/17/69			
8-AB4-	10.5	1/17/69			
8-AB4-	10.6	5/ 1/68			
8-AB4-	10.7	5/ 1/68			
8-AB4-	10.8	5/ 1/68			
8-AB4-	11.1	5/ 1/68			
8-AB4-	11.2	5/ 1/68			
8-AB4-	11.3	5/ 1/68			
8-AB4-	11.4	8/20/68			
8-AB4-	12.1	5/ 1/68			
8-AB4-	12.2	5/ 1/68			
8-AB4-	12.3	5/ 1/68			
8-AB4-	12.4	5/ 1/68			
8-AB4-	12.5	5/ 1/68			
8-AB4-	12.6	5/ 1/68			
8-AB4-	13.1	5/ 1/68			
8-AB4-	13.2	12/ 9/68			
8-AB4-	13.3	8/20/68			
8-AB4-	13.4	8/20/68			
8-AB4-	13.5	5/ 1/68			

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	DRAWING BOOK 8 - CONCRETE - REINFORCING	1/ 3/69

REVISIONS

8-AB4-	1.1	1/ 3/69	8-AB4-	13.7	5/ 1/68
8-AB4-	1.2	1/ 3/69	8-AB4-	13.8	5/ 1/68
8-AB4-	2.1	5/ 1/68	8-AB4-	14.1	5/ 1/68
8-AB4-	2.2	5/ 1/68	8-AB4-	14.2	10/21/68
8-AB4-	2.3	8/29/68	8-AB4-	14.3	5/ 1/68
8-AB4-	2.4	5/ 1/68	8-AB4-	14.4	11/19/68
8-AB4-	2.5	5/ 1/68	8-AB4-	14.5	12/ 9/68
8-AB4-	2.6	5/ 1/68	8-AB4-	20.1	8/20/68
8-AB4-	3.1	5/ 1/68	8-AB4-	20.2	5/ 1/68
8-AB4-	3.2	5/ 1/68	8-AB4-	21.1	8/20/68
8-AB4-	4.1	12/18/68	8-AB4-	21.2	8/20/68
8-AB4-	4.2	5/ 1/68	8-AB4-	22	8/20/68
8-AB4-	4.3	5/ 1/68			
8-AB4-	5	5/ 1/68			
8-AB4-	6.1	5/ 1/68			
8-AB4-	6.2	5/ 1/68			
8-AB4-	6.3	5/ 1/68			
8-AB4-	6.4	5/ 1/68			
8-AB4-	7	5/ 1/68			
8-AB4-	8.1	5/ 1/68			
8-AB4-	8.2	5/ 1/68			
8-AB4-	8.3	5/ 1/68			
8-AB4-	8.4	5/ 1/68			
8-AB4-	9.1	5/ 1/68			
8-AB4-	9.2	5/ 1/68			
8-AB4-	9.3	5/ 1/68			
8-AB4-	10.1	5/ 1/68			
8-AB4-	10.2	5/ 1/68			
8-AB4-	10.3	5/ 1/68			
8-AB4-	10.4	5/ 1/68			
8-AB4-	10.5	5/ 1/68			
8-AB4-	10.6	5/ 1/68			
8-AB4-	10.7	5/ 1/68			
8-AB4-	10.8	5/ 1/68			
8-AB4-	11.1	5/ 1/68			
8-AB4-	11.2	5/ 1/68			
8-AB4-	11.3	5/ 1/68			
8-AB4-	11.4	8/20/68			
8-AB4-	12.1	5/ 1/68			
8-AB4-	12.2	5/ 1/68			
8-AB4-	12.3	5/ 1/68			
8-AB4-	12.4	5/ 1/68			
8-AB4-	12.5	5/ 1/68			
8-AB4-	12.6	5/ 1/68			
8-AB4-	13.1	5/ 1/68			
8-AB4-	13.2	12/ 9/68			
8-AB4-	13.3	8/20/68			
8-AB4-	13.4	8/20/68			
8-AB4-	13.5	5/ 1/68			
8-AB4-	13.6	5/ 1/68			

LICENSED PROFESSIONAL ENGINEER
LESLIE E. ROBERTSON
No. 34360
UNIVERSITY OF THE STATE OF NEW YORK

SKILLING-HELLE-CHRISTIANSEN-ROBERTSON — Civil & Structural Engineers

PROJECT: THE WORLD TRADE CENTER | TITLE: DRAWING BOOK 8 - CONCRETE - REINFURCING | DATE: 5/ 1/68

REVISIONS

8-AB4-	1.1	5/ 1/68	8-AB4-	13.7	5/ 1/68	8-JK6-	11.2	5/ 1/68	8-JK8-	19	5/ 1/68	
8-AB4-	1.2	5/ 1/68	8-AB4-	13.8	5/ 1/68	8-JK6-	11.3	5/ 1/68	8-JK8-	20.1	5/ 1/68	
8-AB4-	2.1	5/ 1/68	8-AB4-	14.1	5/ 1/68				8-JK8-	20.2	5/ 1/68	
8-AB4-	2.2	5/ 1/68	8-AB4-	14.2	5/ 1/68				8-JK8-	20.3	5/ 1/68	
8-AB4-	2.3	5/ 1/68	8-AB4-	14.3	5/ 1/68	8-JK7-	1	5/ 1/68	8-JK8-	20.4	5/ 1/68	
8-AB4-	2.4	5/ 1/68	8-AB4-	14.4	5/ 1/68	8-JK7-	3.1	5/ 1/68	8-JK8-	20.5	5/ 1/68	
8-AB4-	2.5	5/ 1/68	8-AB4-	20.1	5/ 1/68	8-JK7-	3.2	5/ 1/68	8-JK8-	20.6	5/ 1/68	
8-AB4-	2.6	5/ 1/68	8-AB4-	20.2	5/ 1/68	8-JK7-	4.1	5/ 1/68				
8-AB4-	3.1	5/ 1/68	8-AB4-	21.1	5/ 1/68	8-JK7-	4.2	5/ 1/68				
8-AB4-	3.2	5/ 1/68	8-AB4-	21.2	5/ 1/68	8-JK7-	6.1	5/ 1/68	8-AK9-	1	5/ 1/68	
8-AB4-	4.1	5/ 1/68	8-AB4-	22	5/ 1/68	8-JK7-	6.2	5/ 1/68	8-AK9-	2	5/ 1/68	
8-AB4-	4.2	5/ 1/68				8-JK7-	6.3	5/ 1/68	8-AK9-	3.1	5/ 1/68	
8-AB4-	4.3	5/ 1/68				8-JK7-	7.1	5/ 1/68	8-AK9-	3.2	5/ 1/68	
8-AB4-	5	5/ 1/68	8-JK5-	1	5/ 1/68	8-JK7-	7.2	5/ 1/68	8-AK9-	3.3	5/ 1/68	
8-AB4-	6.1	5/ 1/68	8-JK5-	2	5/ 1/68	8-JK7-	7.3	5/ 1/68	8-AK9-	4	5/ 1/68	
8-AB4-	6.2	5/ 1/68	8-JK5-	3.1	5/ 1/68	8-JK7-	7.4	5/ 1/68				
8-AB4-	6.3	5/ 1/68	8-JK5-	3.2	5/ 1/68	8-JK7-	7.5	5/ 1/68				
8-AB4-	6.4	5/ 1/68	8-JK5-	4.1	5/ 1/68	8-JK7-	7.6	5/ 1/68				
8-AB4-	7	5/ 1/68	8-JK5-	4.2	5/ 1/68	8-JK7-	10	5/ 1/68				
8-AB4-	8.1	5/ 1/68	8-JK5-	4.3	5/ 1/68							
8-AB4-	8.2	5/ 1/68	8-JK5-	5.1	5/ 1/68							
8-AB4-	8.3	5/ 1/68	8-JK5-	5.2	5/ 1/68	8-JK8-	1	5/ 1/68				
8-AB4-	8.4	5/ 1/68	8-JK5-	6	5/ 1/68	8-JK8-	2	5/ 1/68				
8-AB4-	9.1	5/ 1/68	8-JK5-	7.1	5/ 1/68	8-JK8-	3	5/ 1/68				
8-AB4-	9.2	5/ 1/68	8-JK5-	7.2	5/ 1/68	8-JK8-	4.2	5/ 1/68				
8-AB4-	9.3	5/ 1/68	8-JK5-	9	5/ 1/68	8-JK8-	4.3	5/ 1/68				
8-AB4-	10.1	5/ 1/68	8-JK5-	10	5/ 1/68	8-JK8-	5.1	5/ 1/68				
8-AB4-	10.2	5/ 1/68	8-JK5-	11.1	5/ 1/68	8-JK8-	5.2	5/ 1/68				
8-AB4-	10.3	5/ 1/68	8-JK5-	11.2	5/ 1/68	8-JK8-	5.3	5/ 1/68				
8-AB4-	10.4	5/ 1/68	8-JK5-	11.3	5/ 1/68	8-JK8-	5.4	5/ 1/68				
8-AB4-	10.5	5/ 1/68	8-JK5-	11.4	5/ 1/68	8-JK8-	5.5	5/ 1/68				
8-AB4-	10.6	5/ 1/68	8-JK5-	11.5	5/ 1/68	8-JK8-	5.6	5/ 1/68				
8-AB4-	10.7	5/ 1/68	8-JK5-	12	5/ 1/68	8-JK8-	5.7	5/ 1/68				
8-AB4-	10.8	5/ 1/68	8-JK5-	13	5/ 1/68	8-JK8-	6	5/ 1/68				
8-AB4-	11.1	5/ 1/68	8-JK5-	14.1	5/ 1/68	8-JK8-	10	5/ 1/68				
8-AB4-	11.2	5/ 1/68	8-JK5-	14.2	5/ 1/68	8-JK8-	12.1	5/ 1/68				
8-AB4-	11.3	5/ 1/68	8-JK5-	21	5/ 1/68	8-JK8-	12.2	5/ 1/68				
8-AB4-	11.4	5/ 1/68				8-JK8-	12.3	5/ 1/68				
8-AB4-	12.1	5/ 1/68				8-JK8-	12.4	5/ 1/68				
8-AB4-	12.2	5/ 1/68	8-JK6-	1	5/ 1/68	8-JK8-	12.5	5/ 1/68				
8-AB4-	12.3	5/ 1/68	8-JK6-	2.1	5/ 1/68	8-JK8-	12.6	5/ 1/68				
8-AB4-	12.4	5/ 1/68	8-JK6-	2.2	5/ 1/68	8-JK8-	12.7	5/ 1/68				
8-AB4-	12.5	5/ 1/68	8-JK6-	2.3	5/ 1/68	8-JK8-	13	5/ 1/68				
8-AB4-	12.6	5/ 1/68	8-JK6-	3	5/ 1/68	8-JK8-	14	5/ 1/68				
8-AB4-	13.1	5/ 1/68	8-JK6-	4	5/ 1/68	8-JK8-	15.1	5/ 1/68				
8-AB4-	13.2	5/ 1/68	8-JK6-	5	5/ 1/68	8-JK8-	15.2	5/ 1/68				
8-AB4-	13.3	5/ 1/68	8-JK6-	6	5/ 1/68	8-JK8-	15.3	5/ 1/68				
8-AB4-	13.4	5/ 1/68	8-JK6-	7	5/ 1/68	8-JK8-	15.4	5/ 1/68				
8-AB4-	13.6	5/ 1/68	8-JK6-	10	5/ 1/68	8-JK8-	16	5/ 1/68				

LICENSED PROFESSIONAL ENGINEER
No. 34340
UNIVERSITY OF THE STATE OF NEW YORK

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT: THE WORLD TRADE CENTER | TITLE: DRAWING BOOK 0 - CONCRETE - REINFORCING | DATE: 11/26/7

REVISIONS

8-JK5- 1.1	9/ 1/70	8-JK5- 14.3	6/13/69	8-JK6- 3	5/ 5/69	8-JK7- 5.15	12/22/69	8-JK8- 1.4	9/ 1/70
8-JK5- 1.2	9/ 1/70	8-JK5- 14.4	4/21/69	8-JK6- 5	10/24/69	8-JK7- 5.16	3/ 4/70	8-JK8- 1.5	9/ 1/70
8-JK5- 2	4/ 9/69	8-JK5- 14.5	5/21/69	8-JK6- 6	5/12/69	8-JK7- 5.17	3/ 4/70	8-JK8- 1.6	9/ 1/70
8-JK5- 2.1	2/13/69	8-JK5- 14.6	5/21/69	8-JK6- 7	3/25/69	8-JK7- 5.18	12/22/69	8-JK8- 1.7	9/ 1/70
8-JK5- 2.2	3/28/69	8-JK5- 14.7	1/16/70	8-JK6- 8	10/21/68	8-JK7- 5.19	12/22/69	8-JK8- 4.1	7/18/69
8-JK5- 2.3	4/ 9/69	8-JK5- 15	10/21/68	8-JK6- 9	11/ 4/69	8-JK7- 6.3	5/ 5/69	8-JK8- 4.2	7/ 1/69
8-JK5- 2.4	4/24/70	8-JK5- 16	10/21/68	8-JK6- 10.1	7/16/69	8-JK7- 6.5	5/ 5/69	8-JK8- 4.3	7/23/69
8-JK5- 2.5	5/26/69	8-JK5- 17	10/21/68	8-JK6- 10.2	11/ 4/69	8-JK7- 6.9	4/21/69	8-JK8- 4.4	7/ 1/69
8-JK5- 2.6	4/29/69	8-JK5- 21	12/18/68	8-JK6- 10.3	11/ 4/69	8-JK7- 6.10	4/21/69	8-JK8- 4.5	7/18/69
8-JK5- 2.7	7/22/69	8-JK5- 22.1	6/25/70	8-JK6- 10.4	6/11/70	8-JK7- 6.11	5/28/70	8-JK8- 4.6	7/18/69
8-JK5- 2.8	4/24/70	8-JK5- 22.2	4/ 8/70	8-JK6- 10.5	1/23/70	8-JK7- 6.12	5/28/70	8-JK8- 4.7	7/18/69
8-JK5- 2.9	6/17/70	8-JK5- 22.3	7/16/69	8-JK6- 10.6	4/16/69	8-JK7- 6.13	12/22/69	8-JK8- 4.8	9/26/69
8-JK5- 2.10	6/17/70	8-JK5- 22.4	8/27/70	8-JK6- 10.7	4/16/69	8-JK7- 6.14	2/25/70	8-JK8- 4.9	7/18/69
8-JK5- 2.11	8/11/70	8-JK5- 22.5	2/27/70	8-JK6- 10.8	1/23/70	8-JK7- 6.15	2/25/70	8-JK8- 4.10	7/23/69
8-JK5- 2.12	8/11/70	8-JK5- 22.6	4/ 9/70	8-JK6- 11.1	4/ 9/69	8-JK7- 6.16	3/ 4/70	8-JK8- 4.11	7/23/69
8-JK5- 3.1	2/14/69	8-JK5- 22.7	1/23/70	8-JK6- 11.2	5/ 1/68	8-JK7- 6.17	3/25/71	8-JK8- 4.12	7/23/69
8-JK5- 3.2	1/22/69	8-JK5- 22.27	12/10/69	8-JK6- 11.3	5/ 1/68	8-JK7- 6.18	3/13/70	8-JK8- 4.13	11/25/69
8-JK5- 3.3	12/18/68	8-JK5- 22.29	12/22/69			8-JK7- 6.19	3/25/70	8-JK8- 5.1	5/12/69
8-JK5- 4.1	3/ 7/69	8-JK5- 22.30	1/16/69	8-JK7- 1.1	9/ 1/70	8-JK7- 7.6	7/10/69	8-JK8- 5.2	5/12/69
8-JK5- 4.2	12/18/68	8-JK5- 22.31	2/25/70	8-JK7- 1.2	9/ 1/70	8-JK7- 7.7	2/25/69	8-JK8- 5.3	5/12/69
8-JK5- 4.3	5/ 1/68	8-JK5- 22.32	1/16/69	8-JK7- 3.1	10/24/69	8-JK7- 7.8	7/10/69	8-JK8- 5.4	5/12/69
8-JK5- 5.1	5/ 1/68	8-JK5- 22.33	3/ 4/70	8-JK7- 3.2	12/12/69	8-JK7- 7.9	4/ 9/69	8-JK8- 5.5	10/21/68
8-JK5- 5.2	8/23/68	8-JK5- 22.52	12/18/68	8-JK7- 3.3	11/ 7/69	8-JK7- 7.10	4/ 9/69	8-JK8- 5.6	10/21/68
8-JK5- 6	6/ 6/69	8-JK5- 22.54	12/18/68	8-JK7- 3.4	11/ 7/69	8-JK7- 7.11	6/26/69	8-JK8- 5.7	5/12/69
8-JK5- 7.1	7/23/69	8-JK5- 22.56	1/31/69	8-JK7- 3.5	11/ 7/69	8-JK7- 7.12	7/10/69	8-JK8- 5.8	5/12/69
8-JK5- 7.2	10/21/68	8-JK5- 22.57	8/25/69	8-JK7- 3.6	11/ 7/69	8-JK7- 7.13	6/13/69	8-JK8- 5.9	5/12/69
8-JK5- 7.3	5/ 5/69	8-JK5- 22.58	2/16/70	8-JK7- 3.7	12/10/69	8-JK7- 7.14	8/13/69	8-JK8- 5.10	7/16/69
8-JK5- 9	10/15/69	8-JK5- 22.60	3/16/70	8-JK7- 3.8	1/ 8/70	8-JK7- 7.15	4/ 8/70	8-JK8- 5.11	6/11/69
8-JK5- 10.1	10/ 6/69	8-JK5- 22.62	7/18/69	8-JK7- 3.9	1/30/70	8-JK7- 8.1	9/17/69	8-JK8- 5.12	6/11/69
8-JK5- 10.2	10/ 6/69	8-JK5- 22.64	12/12/69	8-JK7- 3.10	1/30/70	8-JK7- 8.2	9/17/69	8-JK8- 5.13	6/11/69
8-JK5- 10.3	12/12/69	8-JK5- 22.65	12/18/68	8-JK7- 3.11	1/30/70	8-JK7- 8.3	11/ 5/69	8-JK8- 5.14	6/11/69
8-JK5- 10.4	12/12/69	8-JK5- 22.67	5/16/69	8-JK7- 3.12	3/25/70	8-JK7- 8.4	11/ 5/69	8-JK8- 5.15	6/11/69
8-JK5- 10.5	10/20/69	8-JK5- 22.68	4/ 2/69	8-JK7- 4.1	3/12/70	8-JK7- 8.5	2/25/70	8-JK8- 5.16	6/11/69
8-JK5- 10.6	12/12/69	8-JK5- 22.69	12/18/68	8-JK7- 4.2	12/10/69	8-JK7- 8.6	2/25/70	8-JK8- 5.17	6/11/69
8-JK5- 10.7	4/22/71	8-JK5- 22.70	12/12/69	8-JK7- 4.3	12/10/69	8-JK7- 8.7	2/25/70	8-JK8- 5.18	6/11/69
8-JK5- 10.8	4/22/71	8-JK5- 22.71	3/ 6/70	8-JK7- 4.4	12/10/69	8-JK7- 8.8	4/ 8/70	8-JK8- 7.1	10/ 1/69
8-JK5- 10.9	4/22/71	8-JK5- 22.73	3/16/70	8-JK7- 5.1	2/10/70	8-JK7- 8.9	3/20/70	8-JK8- 7.2	6/11/69
8-JK5- 10.10	4/ 1/71	8-JK5- 22.79	12/18/68	8-JK7- 5.2	12/10/69	8-JK7- 10.1	3/31/70	8-JK8- 7.3	10/ 1/69
8-JK5- 10.11	4/ 1/71	8-JK5- 22.81	12/18/68	8-JK7- 5.3	12/10/69	8-JK7- 10.2	10/ 8/69	8-JK8- 9.1	4/ 2/69
8-JK5- 10.12	4/ 1/71	8-JK5- 22.83	12/18/68	8-JK7- 5.4	12/10/69	8-JK7- 10.3	3/31/70	8-JK8- 9.2	5/ 6/69
8-JK5- 10.13	4/22/71	8-JK5- 22.85	11/ 7/69	8-JK7- 5.5	12/10/69	8-JK7- 10.4	10/ 8/69	8-JK8- 9.3	1/16/69
8-JK5- 11.1	1/22/69	8-JK5- 22.87	3/19/70	8-JK7- 5.6	12/10/69	8-JK7- 11.1	3/31/70	8-JK8- 9.4	8/ 8/69
8-JK5- 11.2	1/22/69	8-JK5- 22.89	3/19/70	8-JK7- 5.7	12/10/69	8-JK7- 11.2	10/ 8/69	8-JK8- 10.1	10/13/69
8-JK5- 11.3	1/22/69	8-JK5- 23	12/18/68	8-JK7- 5.8	12/30/69	8-JK7- 11.3	3/31/70	8-JK8- 10.2	12/18/68
8-JK5- 11.4	5/ 1/68			8-JK7- 5.9	12/22/69	8-JK7- 12.1	5/ 6/70	8-JK8- 10.3	9/15/69
8-JK5- 11.5	5/ 1/68			8-JK7- 5.10	12/22/69			8-JK8- 10.4	5/21/69
8-JK5- 12	10/21/68	8-JK6- 1	9/ 1/70	8-JK7- 5.11	12/30/69			8-JK8- 12.1	3/25/70
8-JK5- 13	9/ 1/68	8-JK6- 2.1	5/ 1/68	8-JK7- 5.12	12/30/69	8-JK8- 1.1	9/ 1/70	8-JK8- 12.2	3/13/70
8-JK5- 14.1	5/21/69	8-JK6- 2.2	12/18/68	8-JK7- 5.13	12/30/69	8-JK8- 1.2	9/ 1/70	8-JK8- 12.3	3/12/70
		8-JK6- 2.3	3/25/69	8-JK7- 5.14	12/22/69	8-JK8- 1.3	9/ 1/70		

REGISTERED PROFESSIONAL ENGINEER LESLIE E. ROBERTSON

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT: THE WORLD TRADE CENTER | TITLE: DRAWING BOOK 8 - CONCRETE - REINFORCING | DATE: 3/ 6/70

REVISIONS

8-JK5-	1	6/ 2/69	8-JK5-	22.4	2/27/70	8-JK6-	11.1	4/ 9/69	8-JK7-	6.16	3/ 4/70	8-JK8-	5.4	5/12/69	
8-JK5-	2	4/ 9/69	8-JK5-	22.5	2/27/70	8-JK6-	11.2	5/ 1/68	8-JK7-	7.1	5/ 1/68	8-JK8-	5.5	10/21/68	
8-JK5-	2.1	2/13/69	8-JK5-	22.6	1/23/70	8-JK6-	11.3	5/ 1/68	8-JK7-	7.2	5/ 1/68	8-JK8-	5.6	10/21/68	
8-JK5-	2.2	3/26/69	8-JK5-	22.7	1/23/70	8-JK7-	1	6/ 2/69	8-JK7-	7.3	5/ 1/68	8-JK8-	5.7	5/12/69	
8-JK5-	2.3	4/ 9/69	8-JK5-	22.27	12/10/69	8-JK7-	3.1	10/24/69	8-JK7-	7.4	9/ 4/68	8-JK8-	5.8	5/12/69	
8-JK5-	2.4	3/ 2/70	8-JK5-	22.29	12/22/69	8-JK7-	3.2	12/12/69	8-JK7-	7.5	5/ 1/68	8-JK8-	5.9	5/12/69	
8-JK5-	2.5	5/26/69	8-JK5-	22.30	1/16/69	8-JK7-	3.3	11/ 7/69	8-JK7-	7.6	7/10/69	8-JK8-	5.10	7/16/69	
8-JK5-	2.6	4/29/69	8-JK5-	22.31	2/25/70	8-JK7-	3.4	11/ 7/69	8-JK7-	7.7	2/25/69	8-JK8-	5.11	6/11/69	
8-JK5-	2.7	7/22/69	8-JK5-	22.32	1/16/69	8-JK7-	3.5	11/ 7/69	8-JK7-	7.8	7/10/69	8-JK8-	5.12	6/11/69	
8-JK5-	2.8	3/ 2/70	8-JK5-	22.33	3/ 4/70	8-JK7-	3.6	11/ 7/69	8-JK7-	7.9	4/ 9/69	8-JK8-	5.13	6/11/69	
8-JK5-	3.1	2/14/69	8-JK5-	22.52	12/18/68	8-JK7-	3.7	12/10/69	8-JK7-	7.10	4/ 9/69	8-JK8-	5.14	6/11/69	
8-JK5-	3.2	1/27/69	8-JK5-	22.54	12/18/68	8-JK7-	3.8	1/ 8/70	8-JK7-	7.11	6/26/69	8-JK8-	5.15	6/11/69	
8-JK5-	3.3	12/18/68	8-JK5-	22.56	1/31/69	8-JK7-	3.9	1/30/70	8-JK7-	7.12	7/10/69	8-JK8-	5.16	6/11/69	
8-JK5-	4.1	3/ 7/69	8-JK5-	22.57	8/25/69	8-JK7-	3.10	1/30/70	8-JK7-	7.13	8/13/69	8-JK8-	5.17	6/11/69	
8-JK5-	4.2	12/18/68	8-JK5-	22.58	2/16/70	8-JK7-	3.11	1/30/70	8-JK7-	7.14	8/13/69	8-JK8-	5.18	6/11/69	
8-JK5-	4.3	5/ 1/68	8-JK5-	22.60	2/24/70	8-JK7-	4.1	3/ 4/70	8-JK7-	8.1	9/17/69	8-JK8-	6	5/ 1/68	
8-JK5-	5.1	5/ 1/68	8-JK5-	22.62	1/16/69	8-JK7-	4.1A	3/ 4/70	8-JK7-	8.2	9/17/69	8-JK8-	7.1	10/ 1/69	
8-JK5-	5.2	8/23/68	8-JK5-	22.64	12/12/69	8-JK7-	4.2	12/10/69	8-JK7-	8.3	11/ 5/69	8-JK8-	7.2	6/11/69	
8-JK5-	6	6/ 6/69	8-JK5-	22.65	12/16/68	8-JK7-	4.3	12/10/69	8-JK7-	8.4	11/ 5/69	8-JK8-	7.3	10/ 1/69	
8-JK5-	7.1	7/23/69	8-JK5-	22.67	5/16/69	8-JK7-	4.4	12/10/69	8-JK7-	8.5	2/25/70	8-JK8-	9.1	4/ 2/69	
8-JK5-	7.2	10/21/68	8-JK5-	22.68	4/ 2/69	8-JK7-	5.1	2/10/70	8-JK7-	8.6	2/25/70	8-JK8-	9.2	5/ 6/69	
8-JK5-	7.3	5/ 5/69	8-JK5-	22.69	12/18/68	8-JK7-	5.2	12/10/69	8-JK7-	8.7	2/25/70	8-JK8-	9.3	1/16/69	
8-JK5-	9	10/15/69	8-JK5-	22.70	12/12/69	8-JK7-	5.3	12/10/69	8-JK7-	10.1	10/ 8/69	8-JK8-	9.4	8/ 8/69	
8-JK5-	10.1	10/ 6/69	8-JK5-	22.71	3/ 6/70	8-JK7-	5.4	12/10/69	8-JK7-	10.2	10/ 8/69	8-JK8-	10.1	10/13/69	
8-JK5-	10.2	10/ 6/69	8-JK5-	22.79	12/18/68	8-JK7-	5.5	12/10/69	8-JK7-	10.3	10/ 8/69	8-JK8-	10.2	12/18/68	
8-JK5-	10.3	12/12/69	8-JK5-	22.81	12/18/68	8-JK7-	5.6	12/10/69	8-JK7-	10.4	10/ 8/69	8-JK8-	10.3	9/15/69	
8-JK5-	10.4	12/12/69	8-JK5-	22.83	12/18/68	8-JK7-	5.7	12/10/69	8-JK7-	11.1	10/ 8/69	8-JK8-	10.4	5/21/69	
8-JK5-	10.5	10/20/69	8-JK5-	22.85	11/ 7/69	8-JK7-	5.8	12/30/69	8-JK7-	11.2	10/ 8/69	8-JK8-	12.1	5/ 1/68	
8-JK5-	10.6	12/12/69	8-JK5-	23	12/18/68	8-JK7-	5.9	12/22/69	8-JK7-	11.3	10/ 8/69	8-JK8-	12.2	5/ 1/68	
8-JK5-	11.1	1/22/69				8-JK7-	5.10	12/22/69				8-JK8-	12.3	3/ 4/70	
8-JK5-	11.2	1/22/69				8-JK7-	5.11	12/30/69				8-JK8-	12.4	12/22/69	
8-JK5-	11.3	1/22/69	8-JK6-	1	5/ 1/69	8-JK7-	5.12	12/30/69	8-JK8-	1	6/ 2/69	8-JK8-	12.5	10/24/69	
8-JK5-	11.4	5/ 1/68	8-JK6-	2.1	5/ 1/68	8-JK7-	5.13	12/30/69	8-JK8-	2	5/ 1/68	8-JK8-	12.6	10/24/69	
8-JK5-	11.5	5/ 1/68	8-JK6-	2.2	12/18/68	8-JK7-	5.14	12/22/69	8-JK8-	3	VOID.	8-JK8-	12.7	10/24/69	
8-JK5-	12	10/21/68	8-JK6-	2.3	3/25/69	8-JK7-	5.15	12/22/69	8-JK8-	4.1	7/18/69	8-JK8-	12.8	10/24/69	
8-JK5-	13	5/ 1/68	8-JK6-	3	5/ 5/69	8-JK7-	5.16	3/ 4/70	8-JK8-	4.2	7/ 1/69	8-JK8-	12.9	12/22/69	
8-JK5-	14.1	5/21/69	8-JK6-	4	5/ 1/68	8-JK7-	5.17	3/ 4/70	8-JK8-	4.3	7/23/69	8-JK8-	12.10	3/ 4/70	
8-JK5-	14.2	2/27/69	8-JK6-	5	10/24/69	8-JK7-	5.18	12/22/69	8-JK8-	4.4	7/ 1/69	8-JK8-	13.1	10/24/69	
8-JK5-	14.3	6/13/69	8-JK6-	6	5/12/69	8-JK7-	5.19	12/22/69	8-JK8-	4.5	7/18/69	8-JK8-	13.2	10/24/69	
8-JK5-	14.4	4/21/69	8-JK6-	7	3/25/69	8-JK7-	6.1	7/ 9/68	8-JK8-	4.6	7/18/69	8-JK8-	13.3	12/10/69	
8-JK5-	14.5	5/21/69	8-JK6-	8	10/21/68	8-JK7-	6.2	7/ 9/68	8-JK8-	4.7	7/18/69	8-JK8-	13.4	10/24/69	
8-JK5-	14.6	5/21/69	8-JK6-	9	11/ 4/69	8-JK7-	6.3	5/ 5/69	8-JK8-	4.8	9/26/69	8-JK8-	13.5	10/24/69	
8-JK5-	14.7	1/16/70	8-JK6-	10.1	7/16/69	8-JK7-	6.5	5/ 5/69	8-JK8-	4.9	7/18/69	8-JK8-	13.6	1/ 9/70	
8-JK5-	15	10/21/68	8-JK6-	10.2	11/ 4/69	8-JK7-	6.9	4/21/69	8-JK8-	4.10	7/23/69	8-JK8-	14	5/ 1/68	
8-JK5-	16	10/21/68	8-JK6-	10.3	11/ 4/69	8-JK7-	6.10	4/21/69	8-JK8-	4.11	7/23/69	8-JK8-	15.1	9/12/69	
8-JK5-	17	10/21/68	8-JK6-	10.4	3/ 7/69	8-JK7-	6.11	12/22/69	8-JK8-	4.12	7/23/69	8-JK8-	15.2	7/ 8/69	
8-JK5-	21	12/18/68	8-JK6-	10.5	1/23/70	8-JK7-	6.12	12/22/69	8-JK8-	4.13	11/25/69	8-JK8-	15.3	9/26/69	
8-JK5-	22.1	7/ 9/68	8-JK6-	10.6	4/16/69	8-JK7-	6.13	12/22/69	8-JK8-	5.1	5/12/69	8-JK8-	15.4	10/28/69	
8-JK5-	22.2	10/30/69	8-JK6-	10.7	4/16/69	8-JK7-	6.14	2/25/70	8-JK8-	5.2	5/12/69	8-JK8-	15.5	12/15/69	
8-JK5-	22.3	7/16/69	8-JK6-	10.8	1/23/70	8-JK7-	6.15	2/25/70	8-JK8-	5.3	5/12/69	8-JK8-	15.6	9/12/69	

LICENSED PROFESSIONAL ENGINEER
LESLIE E. ROBERTSON
No. 34360
UNIVERSITY OF THE STATE OF NEW YORK

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT THE WORLD TRADE CENTER | TITLE DRAWING BOOK B - CONCRETE - REINFORCING | DATE 2/02/70

REVISIONS

B-JK1-	1	6/ 2/69	B-JK5-	22.4	7/ 9/68	B-JK7-	1	6/ 2/69	B-JK7-	7.7	2/25/69	B-JK8-	5.14	6/11/69	
B-JK1-	2	4/ 9/69	B-JK5-	22.5	7/ 9/68	B-JK7-	3.1	10/24/69	B-JK7-	7.8	7/10/69	B-JK8-	5.15	6/11/69	
B-JK5-	2.1	2/14/69	B-JK5-	22.6	1/23/70	B-JK7-	3.2	12/12/69	B-JK7-	7.9	4/ 9/69	B-JK8-	5.16	6/11/69	
B-JK5-	2.2	3/28/69	B-JK5-	22.7	1/23/70	B-JK7-	3.3	11/ 7/69	B-JK7-	7.10	4/ 9/69	B-JK8-	5.17	6/11/69	
B-JK5-	2.3	4/ 9/69	B-JK5-	22.2712/10/69		B-JK7-	3.4	11/ 7/69	B-JK7-	7.11	6/26/69	B-JK8-	5.18	6/11/69	
B-JK5-	2.4	5/26/69	B-JK5-	22.2812/22/69		B-JK7-	3.5	11/ 7/69	B-JK7-	7.12	7/10/69	B-JK8-	6	5/ 1/68	
B-JK5-	2.5	5/26/69	B-JK5-	22.30 1/16/69		B-JK7-	3.6	11/ 7/69	B-JK7-	7.13	8/13/69	B-JK8-	7.1	10/ 1/69	
B-JK5-	2.6	4/29/69	B-JK5-	22.32 1/16/69		B-JK7-	3.7	12/10/69	B-JK7-	7.14	6/13/69	B-JK8-	7.2	6/11/69	
B-JK5-	2.7	7/22/69	B-JK5-	22.5212/18/68		B-JK7-	3.8	1/ 8/70	B-JK7-	8.1	9/17/69	B-JK8-	7.3	10/ 1/69	
B-JK5-	2.8	7/22/69	B-JK5-	22.5412/18/68		B-JK7-	3.9	1/30/70	B-JK7-	8.2	9/17/69	B-JK8-	9.1	4/ 2/69	
B-JK5-	3.1	2/14/69	B-JK5-	22.56 1/31/69		B-JK7-	3.10	1/30/70	B-JK7-	8.3	11/ 5/69	B-JK8-	9.2	5/ 6/69	
B-JK5-	3.2	1/22/69	B-JK5-	22.57 8/25/69		B-JK7-	3.11	1/30/70	B-JK7-	8.4	11/ 5/69	B-JK8-	9.3	1/16/69	
B-JK5-	3.3	12/18/68	B-JK5-	22.58 8/25/69		B-JK7-	4.1	1/14/70	B-JK7-	10.1	10/ 8/69	B-JK8-	9.4	8/ 8/69	
B-JK5-	4.1	3/ 7/69	B-JK5-	22.62 7/18/69		B-JK7-	4.2	12/10/69	B-JK7-	10.2	10/ 8/69	B-JK8-	10.1	10/13/69	
B-JK5-	4.2	12/18/68	B-JK5-	22.6412/12/69		B-JK7-	4.3	12/10/69	B-JK7-	10.3	10/ 8/69	B-JK8-	10.2	12/18/68	
B-JK5-	4.3	5/ 1/68	B-JK5-	22.6612/18/68		B-JK7-	4.4	12/10/69	B-JK7-	10.4	10/ 8/69	B-JK8-	10.3	9/15/69	
B-JK5-	5.1	5/ 1/68	B-JK5-	22.67 5/16/69		B-JK7-	5.1	10/31/69	B-JK7-	11.1	10/ 8/69	B-JK8-	10.4	5/21/69	
B-JK5-	5.2	8/21/68	B-JK5-	22.68 4/ 2/69		B-JK7-	5.2	12/10/69	B-JK7-	11.2	10/ 8/69	B-JK8-	12.1	5/ 1/68	
B-JK5-	6	5/ 6/69	B-JK5-	22.6912/18/68		B-JK7-	5.3	12/10/69	B-JK7-	11.3	10/ 8/69	B-JK8-	12.2	5/ 1/68	
B-JK5-	7.1	7/23/69	B-JK5-	22.7012/12/69		B-JK7-	5.4	12/10/69				B-JK8-	12.3	5/ 1/68	
B-JK5-	7.2	10/21/68	B-JK5-	22.71 8/29/69		B-JK7-	5.5	12/10/69				B-JK8-	12.4	12/22/69	
B-JK5-	7.3	5/ 5/69	B-JK5-	22.7912/18/68		B-JK7-	5.6	12/10/69	B-JK8-	1	6/ 2/69	B-JK8-	12.5	10/24/69	
B-JK5-	9	10/15/69	B-JK5-	22.8112/18/68		B-JK7-	5.7	12/10/69	B-JK8-	2	5/ 1/68	B-JK8-	12.6	10/24/69	
B-JK5-	10.1	10/ 6/69	B-JK5-	22.8312/18/68		B-JK7-	5.8	12/30/69	B-JK8-	3	VOID.	B-JK8-	12.7	10/24/69	
B-JK5-	10.2	10/ 6/69	B-JK5-	22.8511/ 7/69		B-JK7-	5.9	12/22/69	B-JK8-	4.1	7/18/69	B-JK8-	12.8	10/24/69	
B-JK5-	10.3	12/12/69	B-JK5-	23	12/18/68	B-JK7-	5.10	12/22/69	B-JK8-	4.2	7/ 1/69	B-JK8-	12.9	12/22/69	
B-JK5-	10.4	12/17/69				B-JK7-	5.11	12/30/69	B-JK8-	4.3	7/23/69	B-JK8-	13.1	10/24/69	
B-JK5-	10.5	10/20/69				B-JK7-	5.12	12/30/69	B-JK8-	4.4	7/ 1/69	B-JK8-	13.2	10/24/69	
B-JK5-	10.6	12/12/69	B-JK6-	1	5/ 1/69	B-JK7-	5.13	12/30/69	B-JK8-	4.5	7/18/69	B-JK8-	13.3	12/10/69	
B-JK5-	11.1	1/22/69	B-JK6-	2.1	5/ 1/68	B-JK7-	5.14	12/22/69	B-JK8-	4.6	7/18/69	B-JK8-	13.4	10/24/69	
B-JK5-	11.2	1/22/69	B-JK6-	2.2	12/18/68	B-JK7-	5.15	12/22/69	B-JK8-	4.7	7/18/69	B-JK8-	13.5	10/24/69	
B-JK5-	11.3	1/27/69	B-JK6-	2.3	3/25/69	B-JK7-	5.16	12/30/69	B-JK8-	4.8	9/26/69	B-JK8-	13.6	1/ 9/70	
B-JK5-	11.4	5/ 1/68	B-JK6-	3	5/ 5/69	B-JK7-	5.17	12/30/69	B-JK8-	4.9	7/10/69	B-JK8-	14	5/ 1/68	
B-JK5-	11.5	5/ 1/68	B-JK6-	4	5/ 1/68	B-JK7-	5.18	12/22/69	B-JK8-	4.10	7/23/69	B-JK8-	15.1	9/12/69	
B-JK5-	12	10/21/68	B-JK6-	5	10/24/69	B-JK7-	5.19	12/22/69	B-JK8-	4.11	7/23/69	B-JK8-	15.2	7/ 8/69	
B-JK5-	13	5/ 1/68	B-JK6-	6	5/12/69	B-JK7-	6.1	7/ 9/68	B-JK8-	4.12	7/23/69	B-JK8-	15.3	9/26/69	
B-JK5-	14.1	5/21/69	B-JK6-	7	3/25/69	B-JK7-	6.2	7/ 1/68	B-JK8-	4.13	11/25/69	B-JK8-	15.4	10/28/69	
B-JK5-	14.2	2/27/69	B-JK6-	8	10/21/68	B-JK7-	6.3	5/ 5/69	B-JK8-	5.1	5/12/69	B-JK8-	15.5	12/15/69	
B-JK5-	14.3	6/13/69	B-JK6-	9	11/ 4/69	B-JK7-	6.5	5/ 5/69	B-JK8-	5.2	5/12/69	B-JK8-	15.6	9/12/69	
B-JK5-	14.4	4/21/69	B-JK6-	10.1	7/16/69	B-JK7-	6.9	4/21/69	B-JK8-	5.3	5/12/69	B-JK8-	16	5/ 1/68	
B-JK5-	14.5	5/21/69	B-JK6-	10.2	11/ 4/69	B-JK7-	6.10	4/21/69	B-JK8-	5.4	5/12/69	B-JK8-	17.1	7/ 1/69	
B-JK5-	14.6	5/21/69	B-JK6-	10.3	11/ 4/69	B-JK7-	6.11	12/22/69	B-JK8-	5.5	10/21/68	B-JK8-	17.2	7/ 1/69	
B-JK5-	14.7	1/16/70	B-JK6-	10.4	5/ 7/69	B-JK7-	6.12	12/22/69	B-JK8-	5.6	10/21/68	B-JK8-	17.3	7/ 1/69	
B-JK5-	15	10/21/68	B-JK6-	10.5	1/23/70	B-JK7-	6.13	12/22/69	B-JK8-	5.7	5/12/69	B-JK8-	17.4	7/ 1/69	
B-JK5-	16	10/21/68	B-JK6-	10.6	4/16/69	B-JK7-	7.1	5/ 1/68	B-JK8-	5.8	5/12/69	B-JK8-	19	9/ 3/69	
B-JK5-	17	10/21/68	B-JK6-	10.7	4/16/69	B-JK7-	7.2	5/ 1/68	B-JK8-	5.9	5/12/69	B-JK8-	20.1	5/ 1/68	
B-JK5-	21	12/18/68	B-JK6-	10.8	1/23/70	B-JK7-	7.3	5/ 1/68	B-JK8-	5.10	7/16/69	B-JK8-	20.2	5/ 1/68	
B-JK5-	22.1	7/ 9/68	B-JK6-	11.1	4/ 9/69	B-JK7-	7.4	9/ 4/68	B-JK8-	5.11	6/11/69	B-JK8-	20.3	5/ 1/68	
B-JK5-	22.2	10/30/69	B-JK6-	11.2	5/ 1/68	B-JK7-	7.5	5/ 1/68	B-JK8-	5.12	6/11/69	B-JK8-	20.4	5/ 1/68	
B-JK5-	22.3	7/14/69	B-JK6-	11.3	5/ 1/68	B-JK7-	7.6	7/10/69	B-JK8-	5.13	6/11/69	B-JK8-	20.5	5/ 1/68	

LICENSED PROFESSIONAL ENGINEER — LESLIE E. ROBERTSON — No. 34360 — STATE OF NEW YORK

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT: THE WORLD TRADE CENTER | TITLE: DRAWING BOOK 8 - CONCRETE - REINFORCING | DATE: 1/02/70

REVISIONS

8-JK5-	1	6/ 2/69	8-JK5-	22.5	7/ 9/68	8-JK7-	1	6/ 2/69	8-JK7-	7.10	4/ 9/69	8-JK8-	5.17	6/11/69	
8-JK5-	2	4/ 9/69	8-JK5-	22.6	4/16/69	8-JK7-	3.1	10/24/69	8-JK7-	7.11	6/26/69	8-JK8-	5.18	6/11/69	
8-JK5-	2.1	2/13/69	8-JK5-	22.7	7/ 9/68	8-JK7-	3.2	12/12/69	8-JK7-	7.12	7/10/69	8-JK8-	6	5/ 1/68	
8-JK5-	2.2	3/28/69	8-JK5-	22.27	12/10/69	8-JK7-	3.3	11/ 7/69	8-JK7-	7.13	8/13/69	8-JK8-	7.1	10/ 1/69	
8-JK5-	2.3	4/ 9/69	8-JK5-	22.29	12/22/69	8-JK7-	3.4	11/ 7/69	8-JK7-	7.14	8/13/69	8-JK8-	7.2	6/11/69	
8-JK5-	2.4	5/26/69	8-JK5-	22.30	1/16/69	8-JK7-	3.5	11/ 7/69	8-JK7-	8.1	9/17/69	8-JK8-	7.3	10/ 1/69	
8-JK5-	2.5	5/26/69	8-JK5-	22.32	1/16/69	8-JK7-	3.6	11/ 7/69	8-JK7-	8.2	9/17/69	8-JK8-	9.1	4/ 2/69	
8-JK5-	2.6	4/29/69	8-JK5-	22.52	12/18/68	8-JK7-	3.7	12/10/69	8-JK7-	8.3	11/ 5/69	8-JK8-	9.2	5/ 6/69	
8-JK5-	2.7	7/22/69	8-JK5-	22.54	12/18/68	8-JK7-	3.8	12/10/69	8-JK7-	8.4	11/ 5/69	8-JK8-	9.3	1/16/69	
8-JK5-	2.8	7/22/69	8-JK5-	22.56	1/31/69	8-JK7-	4.1	12/10/69	8-JK7-	10.1	10/ 8/69	8-JK8-	9.4	8/ 8/69	
8-JK5-	3.1	2/14/69	8-JK5-	22.57	8/25/69	8-JK7-	4.2	12/10/69	8-JK7-	10.2	10/ 8/69	8-JK8-	10.1	10/13/69	
8-JK5-	3.2	1/22/69	8-JK5-	22.58	8/25/69	8-JK7-	4.3	12/10/69	8-JK7-	10.3	10/ 8/69	8-JK8-	10.2	12/18/68	
8-JK5-	3.3	12/18/68	8-JK5-	22.62	7/10/69	8-JK7-	4.4	12/10/69	8-JK7-	10.4	10/ 8/69	8-JK8-	10.3	9/15/69	
8-JK5-	4.1	3/ 7/69	8-JK5-	22.64	12/12/69	8-JK7-	5.1	10/31/69	8-JK7-	11.1	10/ 8/69	8-JK8-	10.4	5/21/69	
8-JK5-	4.2	12/18/68	8-JK5-	22.65	12/18/68	8-JK7-	5.2	12/10/69	8-JK7-	11.2	10/ 8/69	8-JK8-	12.1	5/ 1/68	
8-JK5-	4.3	5/ 1/68	8-JK5-	22.67	5/16/69	8-JK7-	5.3	12/10/69	8-JK7-	11.3	10/ 8/69	8-JK8-	12.2	5/ 1/68	
8-JK5-	5.1	5/ 1/68	8-JK5-	22.68	4/ 2/69	8-JK7-	5.4	12/10/69				8-JK8-	12.3	5/ 1/68	
8-JK5-	5.2	8/23/68	8-JK5-	22.69	12/18/68	8-JK7-	5.5	12/10/69				8-JK8-	12.4	12/22/69	
8-JK5-	6	6/ 6/69	8-JK5-	22.70	12/12/69	8-JK7-	5.6	12/10/69	8-JK8-	1	6/ 2/69	8-JK8-	12.5	10/24/69	
8-JK5-	7.1	7/23/69	8-JK5-	22.71	8/29/69	8-JK7-	5.7	12/10/69	8-JK8-	2	5/ 1/68	8-JK8-	12.6	10/24/69	
8-JK5-	7.2	10/21/68	8-JK5-	22.79	12/18/68	8-JK7-	5.8	12/30/69	8-JK8-	3	VOID.	8-JK8-	12.7	10/24/69	
8-JK5-	7.3	5/ 5/69	8-JK5-	22.81	12/18/68	8-JK7-	5.9	12/22/69	8-JK8-	4.1	7/18/69	8-JK8-	12.8	10/24/69	
8-JK5-	9	10/15/69	8-JK5-	22.83	12/18/68	8-JK7-	5.10	12/22/69	8-JK8-	4.2	7/ 1/69	8-JK8-	12.9	12/22/69	
8-JK5-	10.1	10/ 6/69	8-JK5-	22.85	11/ 7/69	8-JK7-	5.11	12/30/69	8-JK8-	4.3	7/23/69	8-JK8-	13.1	10/24/69	
8-JK5-	10.2	10/ 6/69	8-JK5-	23	12/18/68	8-JK7-	5.12	12/30/69	8-JK8-	4.4	7/ 1/69	8-JK8-	13.2	10/24/69	
8-JK5-	10.3	12/12/69				8-JK7-	5.13	12/30/69	8-JK8-	4.5	7/18/69	8-JK8-	13.3	12/10/69	
8-JK5-	10.4	12/12/69				8-JK7-	5.14	12/22/69	8-JK8-	4.6	7/18/69	8-JK8-	13.4	10/24/69	
8-JK5-	10.5	10/20/69				8-JK7-	5.15	12/22/69	8-JK8-	4.7	7/18/69	8-JK8-	13.5	10/24/69	
8-JK5-	10.6	12/12/69	8-JK6-	1	5/ 1/69	8-JK7-	5.16	12/30/69	8-JK8-	4.8	9/26/69	8-JK8-	14	5/ 1/68	
8-JK5-	11.1	1/22/69	8-JK6-	2.1	5/ 1/68	8-JK7-	5.17	12/30/69	8-JK8-	4.9	7/10/69	8-JK8-	15.1	9/12/69	
8-JK5-	11.2	1/22/69	8-JK6-	2.2	12/18/68	8-JK7-	5.18	12/22/69	8-JK8-	4.10	7/23/69	8-JK8-	15.2	7/ 8/69	
8-JK5-	11.3	1/22/69	8-JK6-	2.3	3/25/69	8-JK7-	5.19	12/22/69	8-JK8-	4.11	7/23/69	8-JK8-	15.3	9/26/69	
8-JK5-	11.4	5/ 1/68	8-JK6-	3	5/ 5/69	8-JK7-	6.1	7/ 9/68	8-JK8-	4.12	7/23/69	8-JK8-	15.4	10/28/69	
8-JK5-	11.5	5/ 1/68	8-JK6-	4	5/ 1/68	8-JK7-	6.2	7/ 9/68	8-JK8-	4.13	11/25/69	8-JK8-	15.5	12/15/69	
8-JK5-	12	10/21/68	8-JK6-	5	10/24/69	8-JK7-	6.3	5/ 5/69	8-JK8-	5.1	5/12/69	8-JK8-	15.6	9/12/69	
8-JK5-	13	5/ 1/68	8-JK6-	6	5/12/69	8-JK7-	6.5	5/ 5/69	8-JK8-	5.2	5/12/69	8-JK8-	16	5/ 1/68	
8-JK5-	14.1	5/21/69	8-JK6-	7	3/25/69	8-JK7-	6.9	4/21/69	8-JK8-	5.3	5/12/69	8-JK8-	17.1	7/ 1/69	
8-JK5-	14.2	2/27/69	8-JK6-	8	10/21/68	8-JK7-	6.10	4/21/69	8-JK8-	5.4	5/12/69	8-JK8-	17.2	7/ 1/69	
8-JK5-	14.3	6/13/69	8-JK6-	9	11/ 4/69	8-JK7-	6.11	12/22/69	8-JK8-	5.5	10/21/68	8-JK8-	17.3	7/ 1/69	
8-JK5-	14.4	4/21/69	8-JK6-	10.1	7/16/69	8-JK7-	6.12	12/22/69	8-JK8-	5.6	10/21/68	8-JK8-	17.4	7/ 1/69	
8-JK5-	14.5	5/21/69	8-JK6-	10.2	11/ 4/69	8-JK7-	6.13	12/22/69	8-JK8-	5.7	5/12/69	8-JK8-	19	9/ 3/69	
8-JK5-	14.6	5/21/69	8-JK6-	10.3	11/ 4/69	8-JK7-	7.1	5/ 1/68	8-JK8-	5.8	5/12/69	8-JK8-	20.1	5/ 1/68	
8-JK5-	15	10/21/68	8-JK6-	10.4	3/ 7/69	8-JK7-	7.2	5/ 1/68	8-JK8-	5.9	5/12/69	8-JK8-	20.2	5/ 1/68	
8-JK5-	16	10/21/68	8-JK6-	10.5	4/16/69	8-JK7-	7.3	5/ 1/68	8-JK8-	5.10	7/16/69	8-JK8-	20.3	5/ 1/68	
8-JK5-	17	10/21/68	8-JK6-	10.6	4/16/69	8-JK7-	7.4	9/ 4/68	8-JK8-	5.11	6/11/69	8-JK8-	20.4	5/ 1/68	
8-JK5-	21	12/18/68	8-JK6-	10.7	4/16/69	8-JK7-	7.5	5/ 1/68	8-JK8-	5.12	6/11/69	8-JK8-	20.5	5/ 1/68	
8-JK5-	22.1	7/ 9/68	8-JK6-	10.8	4/16/69	8-JK7-	7.6	7/10/69	8-JK8-	5.13	6/11/69	8-JK8-	20.6	5/ 1/68	
8-JK5-	22.2	10/30/69	8-JK6-	11.1	4/ 9/69	8-JK7-	7.7	2/25/69	8-JK8-	5.14	6/11/69	8-JK8-	20.7	3/ 5/69	
8-JK5-	22.3	7/16/69	8-JK6-	11.2	5/ 1/68	8-JK7-	7.8	7/10/69	8-JK8-	5.15	6/11/69	8-JK8-	21.1	4/16/69	
8-JK5-	22.4	7/ 9/68	8-JK6-	11.3	5/ 1/68	8-JK7-	7.9	4/ 9/69	8-JK8-	5.16	6/11/69	8-JK8-	21.2	4/16/69	

LICENSED PROFESSIONAL ENGINEER
LESLIE E. ROBERTSON
No. 34360
UNIVERSITY OF THE STATE OF NEW YORK

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT: THE WORLD TRADE CENTER | TITLE: DRAWING BOOK 8 - CONCRETE - REINFORCING | DATE: 11/ 3/69

REVISIONS

8-JK5-	1	6/ 2/69	8-JK5-	22.6	4/16/69	8-JK7-	3.2	7/ 9/68	8-JK8-	4.12	7/23/69	8-JK8- 15.5	7/23/69
8-JK5-	2	4/ 9/69	8-JK5-	22.7	7/ 9/68	8-JK7-	4.1	7/ 9/68	8-JK8-	5.1	5/12/69	8-JK8- 15.6	9/12/69
8-JK5-	2.1	2/13/69	8-JK5-	22.30	1/16/69	8-JK7-	4.2	5/ 1/68	8-JK8-	5.2	5/12/69	8-JK8- 16	5/ 1/68
8-JK5-	2.2	3/28/69	8-JK5-	22.32	1/16/69	8-JK7-	5	VOID	8-JK8-	5.3	5/12/69	8-JK8- 17.1	7/ 1/69
8-JK5-	2.3	4/ 9/69	8-JK5-	22.52	12/18/68	8-JK7-	5.1	10/31/69	8-JK8-	5.4	5/12/69	8-JK8- 17.2	7/ 1/69
8-JK5-	2.4	5/26/69	8-JK5-	22.54	12/18/68	8-JK7-	6.1	7/ 9/68	8-JK8-	5.5	10/21/68	8-JK8- 17.3	7/ 1/69
8-JK5-	2.5	5/26/69	8-JK5-	22.56	1/31/69	8-JK7-	6.2	7/ 9/68	8-JK8-	5.6	10/21/68	8-JK8- 17.4	7/ 1/69
8-JK5-	2.6	4/29/69	8-JK5-	22.57	8/25/69	8-JK7-	6.3	5/ 5/69	8-JK8-	5.7	5/12/69	8-JK8- 19	9/ 3/69
8-JK5-	2.7	7/22/69	8-JK5-	22.58	8/25/69	8-JK7-	6.5	5/ 5/69	8-JK8-	5.8	5/12/69	8-JK8- 20.1	5/ 1/68
8-JK5-	2.8	7/22/69	8-JK5-	22.62	7/18/69	8-JK7-	6.9	4/21/69	8-JK8-	5.9	5/12/69	8-JK8- 20.2	5/ 1/68
8-JK5-	3.1	2/14/69	8-JK5-	22.64	12/18/68	8-JK7-	6.10	4/21/69	8-JK8-	5.10	7/16/69	8-JK8- 20.3	5/ 1/68
8-JK5-	3.2	1/22/69	8-JK5-	22.65	12/18/68	8-JK7-	7.1	5/ 1/68	8-JK8-	5.11	6/11/69	8-JK8- 20.4	5/ 1/68
8-JK5-	3.3	12/18/68	8-JK5-	22.67	5/16/69	8-JK7-	7.2	5/ 1/68	8-JK8-	5.12	6/11/69	8-JK8- 20.5	5/ 1/68
8-JK5-	4.1	3/ 7/69	8-JK5-	22.68	4/ 2/69	8-JK7-	7.3	5/ 1/68	8-JK8-	5.13	6/11/69	8-JK8- 20.6	5/ 1/68
8-JK5-	4.2	12/18/68	8-JK5-	22.69	12/18/68	8-JK7-	7.4	9/ 4/68	8-JK8-	5.14	6/11/69	8-JK8- 20.7	3/ 5/69
8-JK5-	4.3	5/ 1/68	8-JK5-	22.70	8/29/69	8-JK7-	7.5	5/ 1/68	8-JK8-	5.15	6/11/69	8-JK8- 21.1	4/16/69
8-JK5-	5.1	5/ 1/68	8-JK5-	22.71	8/29/69	8-JK7-	7.6	7/10/69	8-JK8-	5.16	6/11/69	8-JK8- 21.2	4/16/69
8-JK5-	5.2	8/23/68	8-JK5-	22.79	12/18/68	8-JK7-	7.7	2/25/69	8-JK8-	5.17	6/11/69	8-JK8- 21.3	4/16/69
8-JK5-	6	6/ 6/69	8-JK5-	22.81	12/18/68	8-JK7-	7.8	7/10/69	8-JK8-	5.18	6/11/69	8-JK8- 21.4	4/16/69
8-JK5-	7.1	7/23/69	8-JK5-	22.83	12/18/68	8-JK7-	7.9	4/ 9/69	8-JK8-	6	5/ 1/68	8-JK8- 21.5	4/16/69
8-JK5-	7.2	10/21/68	8-JK5-	22.85	9/ 3/69	8-JK7-	7.10	4/ 9/69	8-JK8-	7.1	10/ 1/69	8-JK8- 21.6	4/16/69
8-JK5-	7.3	5/ 5/69	8-JK5-	23	12/18/68	8-JK7-	7.11	6/26/69	8-JK8-	7.2	6/11/69	8-JK8- 21.7	4/16/69
8-JK5-	9	10/15/69				8-JK7-	7.12	7/10/69	8-JK8-	7.3	10/ 1/69	8-JK8- 21.8	4/16/69
8-JK5-	10.1	10/ 6/69				8-JK7-	7.13	8/13/69	8-JK8-	9.1	4/ 2/69	8-JK8- 21.9	4/16/69
8-JK5-	10.2	10/ 6/69	8-JK6-	1	5/ 1/69	8-JK7-	7.14	8/13/69	8-JK8-	9.2	5/ 6/69	8-JK8- 22.1	10/30/69
8-JK5-	10.3	10/ 6/69	8-JK6-	2.1	5/ 1/68	8-JK7-	8.1	9/17/69	8-JK8-	9.3	1/16/69	8-JK8- 22.2	7/16/69
8-JK5-	10.4	10/ 6/69	8-JK6-	2.2	12/18/68	8-JK7-	8.2	9/17/69	8-JK8-	9.4	8/ 8/69	8-JK8- 22.3	10/30/69
8-JK5-	10.5	10/20/69	8-JK6-	2.3	3/25/69	8-JK7-	10.1	10/ 8/69	8-JK8-	10.1	10/13/69	8-JK8- 22.4	10/30/69
8-JK5-	11.1	1/22/69	8-JK6-	3	5/ 5/69	8-JK7-	10.2	10/ 8/69	8-JK8-	10.2	12/18/68	8-JK8- 22.5	3/ 7/69
8-JK5-	11.2	1/22/69	8-JK6-	4	5/ 1/68	8-JK7-	10.3	10/ 8/69	8-JK8-	10.3	9/15/69	8-JK8- 22.6	3/ 7/69
8-JK5-	11.3	1/22/69	8-JK6-	5	10/24/69	8-JK7-	10.4	10/ 8/69	8-JK8-	10.4	5/21/69	8-JK8- 22.7	8/ 8/69
8-JK5-	11.4	5/ 1/68	8-JK6-	6	5/12/69	8-JK7-	11.1	10/ 8/69	8-JK8-	12.1	5/ 1/68	8-JK8- 22.8	8/ 8/69
8-JK5-	11.5	5/ 1/68	8-JK6-	7	3/25/69	8-JK7-	11.2	10/ 8/69	8-JK8-	12.2	5/ 1/68	8-JK8- 22.9	3/ 7/69
8-JK5-	12	10/21/68	8-JK6-	8	10/21/68	8-JK7-	11.3	10/ 8/69	8-JK8-	12.3	5/ 1/68	8-JK8- 22.10	4/21/69
8-JK5-	13	5/ 1/68	8-JK6-	9	3/ 7/69				8-JK8-	12.4	5/ 1/68	8-JK8- 22.11	10/17/69
8-JK5-	14.1	5/21/69	8-JK6-	10.1	7/16/69				8-JK8-	12.5	10/24/69	8-JK8- 22.12	10/30/69
8-JK5-	14.2	2/27/69	8-JK6-	10.2	3/ 7/69	8-JK8-	1	6/ 2/69	8-JK8-	12.6	10/24/69	8-JK8- 22.13	10/30/69
8-JK5-	14.3	6/13/69	8-JK6-	10.3	3/ 7/69	8-JK8-	2	5/ 1/68	8-JK8-	12.7	10/24/69	8-JK8- 22.14	10/30/69
8-JK5-	14.4	4/21/69	8-JK6-	10.4	3/ 7/69	8-JK8-	3	VOID.	8-JK8-	12.8	10/24/69	8-JK8- 23	10/21/68
8-JK5-	14.5	5/21/69	8-JK6-	10.5	4/16/69	8-JK8-	4.1	7/18/69	8-JK8-	13	VOID	8-JK8- 24	10/21/68
8-JK5-	14.6	5/21/69	8-JK6-	10.6	4/16/69	8-JK8-	4.2	7/ 1/69	8-JK8-	13.1	10/24/69	8-JK8- 24.1	3/11/69
8-JK5-	15	10/21/68	8-JK6-	10.7	4/16/69	8-JK8-	4.3	7/23/69	8-JK8-	13.2	10/24/69	8-JK8- 25	5/ 5/69
8-JK5-	16	10/21/68	8-JK6-	10.8	4/16/69	8-JK8-	4.4	7/ 1/69	8-JK8-	13.3	10/24/69	8-JK8- 28	10/21/68
8-JK5-	17	10/21/68	8-JK6-	11.1	4/ 9/69	8-JK8-	4.5	7/18/69	8-JK8-	13.4	10/24/69	8-JK8- 29	10/21/68
8-JK5-	21	12/18/68	8-JK6-	11.2	5/ 1/68	8-JK8-	4.6	7/18/69	8-JK8-	13.5	10/24/69	8-JK8- 31	12/ 9/68
8-JK5-	22.1	7/ 9/68	8-JK6-	11.3	5/ 1/68	8-JK8-	4.7	7/18/69	8-JK8-	14	5/ 1/68	8-JK8- 32	2/27/69
8-JK5-	22.2	10/30/69				8-JK8-	4.8	9/26/69	8-JK8-	15.1	9/12/69	8-JK8- 33.1	2/14/69
8-JK5-	22.3	7/16/69				8-JK8-	4.9	7/18/69	8-JK8-	15.2	7/ 8/69	8-JK8- 33.2	12/18/68
8-JK5-	22.4	7/ 9/68	8-JK7-	1	6/ 2/69	8-JK8-	4.10	7/23/69	8-JK8-	15.3	9/26/69	8-JK8- 34	2/14/69
8-JK5-	22.5	7/ 9/68	8-JK7-	3.1	10/24/69								

LICENSED PROFESSIONAL ENGINEER — LESLIE E. ROBERTSON — No. 34360 — UNIVERSITY OF THE STATE OF NEW YORK

SKILLING; HELLE, CHRISTIANSEN; ROBERTSON — Structural & Civil Engineers

PROJECT: THE WORLD TRADE CENTER | TITLE: DRAWING BOOK 8 - CONCRETE - REINFORCING | DATE: 10/ 1/69

REVISIONS

8-JK5-	1	6/ 2/69	8-JK5-	22.52	12/18/68	8-JK7-	6.1	7/ 9/68	8-JK8-	5.5	10/21/68	8-JK8-	20.5	5/ 1/68					
8-JK5-	2	4/ 9/69	8-JK5-	22.54	12/18/68	8-JK7-	6.2	7/ 9/68	8-JK8-	5.6	10/21/68	8-JK8-	20.6	5/ 1/68					
8-JK5-	2.1	2/13/69	8-JK5-	22.56	1/31/69	8-JK7-	6.3	5/ 5/69	8-JK8-	5.7	5/12/69	8-JK8-	20.7	3/ 5/69					
8-JK5-	2.2	3/28/69	8-JK5-	22.57	8/25/69	8-JK7-	6.5	5/ 5/69	8-JK8-	5.8	5/12/69	8-JK8-	21.1	4/16/69					
8-JK5-	2.3	4/ 9/69	8-JK5-	22.58	8/25/69	8-JK7-	6.9	4/21/69	8-JK8-	5.9	5/12/69	8-JK8-	21.2	4/16/69					
8-JK5-	2.4	5/26/69	8-JK5-	22.62	7/18/69	8-JK7-	6.10	4/21/69	8-JK8-	5.10	7/16/69	8-JK8-	21.3	4/16/69					
8-JK5-	2.5	5/26/69	8-JK5-	22.64	12/18/68	8-JK7-	7.1	5/ 1/68	8-JK8-	5.11	6/11/69	8-JK8-	21.4	4/16/69					
8-JK5-	2.6	4/29/69	8-JK5-	22.65	12/18/68	8-JK7-	7.2	5/ 1/68	8-JK8-	5.12	6/11/69	8-JK8-	21.5	4/16/69					
8-JK5-	2.7	7/22/69	8-JK5-	22.67	5/16/69	8-JK7-	7.3	5/ 1/68	8-JK8-	5.13	6/11/69	8-JK8-	21.6	4/16/69					
8-JK5-	2.8	7/22/69	8-JK5-	22.68	4/ 2/69	8-JK7-	7.4	9/ 4/68	8-JK8-	5.14	6/11/69	8-JK8-	21.7	4/16/69					
8-JK5-	3.1	2/14/69	8-JK5-	22.69	12/18/68	8-JK7-	7.5	5/ 1/68	8-JK8-	5.15	6/11/69	8-JK8-	21.8	4/16/69					
8-JK5-	3.2	1/22/69	8-JK5-	22.70	8/29/69	8-JK7-	7.6	7/10/69	8-JK8-	5.16	6/11/69	8-JK8-	21.9	4/16/69					
8-JK5-	3.3	12/18/68	8-JK5-	22.71	8/29/69	8-JK7-	7.7	2/25/69	8-JK8-	5.17	6/11/69	8-JK8-	22.1	7/16/69					
8-JK5-	4.1	3/ 7/69	8-JK5-	22.79	12/18/68	8-JK7-	7.8	7/10/69	8-JK8-	5.18	6/11/69	8-JK8-	22.2	7/16/69					
8-JK5-	4.2	12/18/68	8-JK5-	22.81	12/18/68	8-JK7-	7.9	4/ 9/69	8-JK8-	6	5/ 1/68	8-JK8-	22.3	3/ 7/69					
8-JK5-	4.3	5/ 1/68	8-JK5-	22.83	12/18/68	8-JK7-	7.10	4/ 9/69	8-JK8-	7.1	6/11/69	8-JK8-	22.4	7/16/69					
8-JK5-	5.1	5/ 1/68	8-JK5-	22.85	9/ 3/69	8-JK7-	7.11	6/26/69	8-JK8-	7.2	6/11/69	8-JK8-	22.5	3/ 7/69					
8-JK5-	5.2	8/23/68	8-JK5-	23	12/18/68	8-JK7-	7.12	7/10/69	8-JK8-	9.1	4/ 2/69	8-JK8-	22.6	3/ 7/69					
8-JK5-	6	6/ 6/69				8-JK7-	7.13	8/13/69	8-JK8-	9.2	5/ 6/69	8-JK8-	22.7	8/ 8/69					
8-JK5-	7.1	7/23/69				8-JK7-	7.14	8/13/69	8-JK8-	9.3	1/16/69	8-JK8-	22.8	8/ 8/69					
8-JK5-	7.2	10/21/68	8-JK6-	1	5/ 1/69	8-JK7-	8.1	7/17/69	8-JK8-	9.4	8/ 8/69	8-JK8-	22.9	3/ 7/69					
8-JK5-	7.3	5/ 5/69	8-JK6-	2.1	5/ 1/68	8-JK7-	8.2	9/17/69	8-JK8-	10.1	5/21/69	8-JK8-	22.10	4/21/69					
8-JK5-	9	5/ 1/68	8-JK6-	2.2	12/18/68	8-JK7-	10.1	9/29/69	8-JK8-	10.2	12/18/68	8-JK8-	23	10/21/68					
8-JK5-	10	5/ 1/68	8-JK6-	2.3	3/25/69	8-JK7-	10.2	9/29/69	8-JK8-	10.3	9/15/69	8-JK8-	24	10/21/68					
8-JK5-	11.1	1/22/69	8-JK6-	3	5/ 5/69	8-JK7-	10.3	9/29/69	8-JK8-	10.4	5/21/69	8-JK8-	24.1	3/11/69					
8-JK5-	11.2	1/22/69	8-JK6-	4	5/ 1/68	8-JK7-	10.4	9/29/69	8-JK8-	12.1	5/ 1/68	8-JK8-	25	5/ 5/69					
8-JK5-	11.3	1/22/69	8-JK6-	5	5/ 1/68	8-JK7-	11.1	9/29/69	8-JK8-	12.2	5/ 1/68	8-JK8-	28	10/21/68					
8-JK5-	11.4	5/ 1/68	8-JK6-	6	5/12/69	8-JK7-	11.2	9/29/69	8-JK8-	12.3	5/ 1/68	8-JK8-	29	10/21/68					
8-JK5-	11.5	5/ 1/68	8-JK6-	7	3/25/69	8-JK7-	11.3	9/29/69	8-JK8-	12.4	5/ 1/68	8-JK8-	31	12/ 9/68					
8-JK5-	12	10/21/68	8-JK6-	8	10/21/68				8-JK8-	12.5	5/ 1/68	8-JK8-	32	2/27/69					
8-JK5-	13	5/ 1/68	8-JK6-	9	3/ 7/69				8-JK8-	12.6	5/ 1/68	8-JK8-	33.1	2/14/69					
8-JK5-	14.1	5/21/69	8-JK6-	10.1	7/16/69	8-JK6-	1	6/ 2/69	8-JK8-	12.7	5/ 1/68	8-JK8-	33.2	12/18/68					
8-JK5-	14.2	2/27/69	8-JK6-	10.2	3/ 7/69	8-JK8-	2	5/ 1/68	8-JK8-	13	5/ 1/68	8-JK8-	34	2/14/69					
8-JK5-	14.3	6/13/69	8-JK6-	10.3	3/ 7/69	8-JK8-	3	VOID.	8-JK8-	14	5/ 1/68	8-JK8-	35	10/21/68					
8-JK5-	14.4	4/21/69	8-JK6-	10.4	3/ 7/69	8-JK8-	4.1	7/18/69	8-JK8-	15.1	9/12/69	8-JK8-	36	1/17/69					
8-JK5-	14.5	5/21/69	8-JK6-	10.5	4/16/69	8-JK8-	4.2	7/ 1/69	8-JK8-	15.2	7/ 8/69	8-JK8-	37.1	12/18/68					
8-JK5-	14.6	5/21/69	8-JK6-	10.6	4/16/69	8-JK8-	4.3	7/23/69	8-JK8-	15.3	9/26/69	8-JK8-	37.2	2/19/69					
8-JK5-	15	10/21/68	8-JK6-	10.7	4/16/69	8-JK8-	4.4	7/ 1/69	8-JK8-	15.4	5/ 1/68	8-JK8-	38	12/ 9/68					
8-JK5-	16	10/21/68	8-JK6-	10.8	4/16/69	8-JK8-	4.5	7/18/69	8-JK8-	15.5	7/23/69	8-JK8-	39.1	5/27/69					
8-JK5-	17	10/21/68	8-JK6-	11.1	4/ 9/69	8-JK8-	4.6	7/18/69	8-JK8-	15.6	9/12/69	8-JK8-	39.2	5/27/69					
8-JK5-	21	12/18/68	8-JK6-	11.2	5/ 1/68	8-JK8-	4.7	7/18/69	8-JK8-	16	5/ 1/68	8-JK8-	39.3	5/27/69					
8-JK5-	22.1	7/ 9/68	8-JK6-	11.3	5/ 1/68	8-JK8-	4.8	9/26/69	8-JK8-	17.1	7/ 1/69	8-JK8-	39.4	12/18/68					
8-JK5-	22.2	7/ 9/68				8-JK8-	4.9	7/18/69	8-JK8-	17.2	7/ 1/69	8-JK8-	39.5	12/18/68					
8-JK5-	22.3	7/16/69				8-JK8-	4.10	7/23/69	8-JK8-	17.3	7/ 1/69	8-JK8-	39.6	12/18/68					
8-JK5-	22.4	7/ 9/68	8-JK7-	1	6/ 2/69	8-JK8-	4.11	7/23/69	8-JK8-	17.4	7/ 1/69	8-JK8-	41.1	5/12/69					
8-JK5-	22.5	7/ 9/68	8-JK7-	3.1	7/ 9/68	8-JK8-	4.12	7/23/69	8-JK8-	19	9/ 3/69	8-JK8-	41.2	5/12/69					
8-JK5-	22.6	4/16/69	8-JK7-	3.2	7/ 9/68	8-JK8-	5.1	5/12/69	8-JK8-	20.1	5/ 1/68	8-JK8-	41.3	12/18/68					
8-JK5-	22.7	7/ 9/68	8-JK7-	4.1	7/ 9/68	8-JK8-	5.2	5/12/69	8-JK8-	20.2	5/ 1/68	8-JK8-	41.4	5/12/69					
8-JK5-	22.30	1/16/69	8-JK7-	4.2	5/ 1/68	8-JK8-	5.3	5/12/69	8-JK8-	20.3	5/ 1/68	8-JK8-	41.5	5/12/69					
8-JK5-	22.32	1/16/69	8-JK7-	5	7/ 9/68	8-JK8-	5.4	5/12/69	8-JK8-	20.4	5/ 1/68	8-JK8-	41.6	5/12/69					

LICENSED PROFESSIONAL ENGINEER
LESLIE E. ROBERTSON
No. 34360
STATE OF NEW YORK

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT: THE WORLD TRADE CENTER | TITLE: DRAWING BOOK B - CONCRETE - REINFORCING | DATE: 9/ 2/69

REVISIONS

B-JK5-	1	6/ 2/69	B-JK5-	22.52	12/18/68	B-JK7-	6.1	7/ 9/68	B-JK8-	5.7	5/12/69
B-JK5-	2	4/ 9/69	B-JK5-	22.54	12/18/68	B-JK7-	6.2	7/ 9/68	B-JK8-	5.8	5/12/69
B-JK5-	2.1	2/13/69	B-JK5-	22.56	1/31/69	B-JK7-	6.3	5/ 5/69	B-JK8-	5.9	5/12/69
B-JK5-	2.2	3/28/69	B-JK5-	22.57	8/25/69	B-JK7-	6.5	5/ 5/69	B-JK8-	5.10	7/16/69
B-JK5-	2.3	4/ 9/69	B-JK5-	22.58	8/25/69	B-JK7-	6.9	4/21/69	B-JK8-	5.11	6/11/69
B-JK5-	2.4	5/26/69	B-JK5-	22.62	7/10/69	B-JK7-	6.10	4/21/69	B-JK8-	5.12	6/11/69
B-JK5-	2.5	5/26/69	B-JK5-	22.64	12/18/68	B-JK7-	7.1	5/ 1/68	B-JK8-	5.13	6/11/69
B-JK5-	2.6	4/29/69	B-JK5-	22.65	12/18/68	B-JK7-	7.2	5/ 1/68	B-JK8-	5.14	6/11/69
B-JK5-	2.7	7/22/69	B-JK5-	22.67	5/16/69	B-JK7-	7.3	5/ 1/68	B-JK8-	5.15	6/11/69
B-JK5-	2.8	7/22/69	B-JK5-	22.68	4/ 2/69	B-JK7-	7.4	9/ 4/68	B-JK8-	5.16	6/11/69
B-JK5-	3.1	2/14/69	B-JK5-	22.69	12/18/68	B-JK7-	7.5	5/ 1/68	B-JK8-	5.17	6/11/69
B-JK5-	3.2	1/22/69	B-JK5-	22.70	8/29/69	B-JK7-	7.6	7/10/69	B-JK8-	5.18	6/11/69
B-JK5-	3.3	12/18/68	B-JK5-	22.71	8/29/69	B-JK7-	7.7	2/25/69	B-JK8-	6	5/ 1/68
B-JK5-	4.1	3/ 7/69	B-JK5-	22.79	12/18/68	B-JK7-	7.8	7/10/69	B-JK8-	7.1	6/11/69
B-JK5-	4.2	12/18/68	B-JK5-	22.81	12/18/68	B-JK7-	7.9	4/ 9/69	B-JK8-	7.2	6/11/69
B-JK5-	4.3	5/ 1/68	B-JK5-	22.83	12/18/68	B-JK7-	7.10	4/ 9/69	B-JK8-	9.1	4/ 2/69
B-JK5-	5.1	5/ 1/68	B-JK5-	22.85	12/18/68	B-JK7-	7.11	6/26/69	B-JK8-	9.2	5/ 6/69
B-JK5-	5.2	8/23/68	B-JK5-	23	12/18/68	B-JK7-	7.12	7/10/69	B-JK8-	9.3	1/16/69
B-JK5-	6	6/ 6/69				B-JK7-	7.13	8/13/69	B-JK8-	9.4	8/ 8/69
B-JK5-	7.1	7/23/69				B-JK7-	7.14	8/13/69	B-JK8-	10.1	5/21/69
B-JK5-	7.2	10/21/68	B-JK6-	1	5/ 1/69	B-JK7-	10.1	5/26/69	B-JK8-	10.2	12/18/68
B-JK5-	7.3	5/ 5/69	B-JK6-	2.1	5/ 1/68	B-JK7-	10.2	4/29/69	B-JK8-	10.3	5/21/69
B-JK5-	9	5/ 1/68	B-JK6-	2.2	12/18/68	B-JK7-	10.3	5/26/69	B-JK8-	10.4	5/21/69
B-JK5-	10	5/ 1/68	B-JK6-	2.3	3/25/69	B-JK7-	10.4	5/26/69	B-JK8-	12.1	5/ 1/68
B-JK5-	11.1	1/22/69	B-JK6-	3	5/ 5/69	B-JK7-	11.1	5/29/69	B-JK8-	12.2	5/ 1/68
B-JK5-	11.2	1/22/69	B-JK6-	4	5/ 1/68	B-JK7-	11.2	5/29/69	B-JK8-	12.3	5/ 1/68
B-JK5-	11.3	1/22/69	B-JK6-	5	5/ 1/68	B-JK7-	11.3	5/29/69	B-JK8-	12.4	5/ 1/68
B-JK5-	11.4	5/ 1/68	B-JK6-	6	5/12/69				B-JK8-	12.5	5/ 1/68
B-JK5-	11.5	5/ 1/68	B-JK6-	7	3/25/69				B-JK8-	12.6	5/ 1/68
B-JK5-	12	10/21/68	B-JK6-	8	10/21/68	B-JK8-	1	6/ 2/69	B-JK8-	12.7	5/ 1/68
B-JK5-	13	5/ 1/68	B-JK6-	9	3/ 7/69	B-JK8-	2	5/ 1/68	B-JK8-	13	5/ 1/68
B-JK5-	14.1	5/21/69	B-JK6-	10.1	7/16/69	B-JK8-	3	VOID.	B-JK8-	14	5/ 1/68
B-JK5-	14.2	2/27/69	B-JK6-	10.2	3/ 7/69	B-JK8-	4.1	7/10/69	B-JK8-	15.1	7/ 8/69
B-JK5-	14.3	6/13/69	B-JK6-	10.3	3/ 7/69	B-JK8-	4.2	7/ 1/69	B-JK8-	15.2	7/ 8/69
B-JK5-	14.4	4/21/69	B-JK6-	10.4	3/ 7/69	B-JK8-	4.3	7/23/69	B-JK8-	15.3	5/ 1/68
B-JK5-	14.5	5/21/69	B-JK6-	10.5	4/16/69	B-JK8-	4.4	7/ 1/69	B-JK8-	15.4	5/ 1/68
B-JK5-	14.6	5/21/69	B-JK6-	10.6	4/16/69	B-JK8-	4.5	7/18/69	B-JK8-	15.5	7/23/69
B-JK5-	15	10/21/68	B-JK6-	10.7	4/16/69	B-JK8-	4.6	7/18/69	B-JK8-	16	5/ 1/68
B-JK5-	16	10/21/68	B-JK6-	10.8	4/16/69	B-JK8-	4.7	7/18/69	B-JK8-	17.1	7/ 1/69
B-JK5-	17	10/21/68	B-JK6-	11.1	4/ 9/69	B-JK8-	4.8	8/ 8/69	B-JK8-	17.2	7/ 1/69
B-JK5-	21	12/18/68	B-JK6-	11.2	5/ 1/68	B-JK8-	4.9	7/18/69	B-JK8-	17.3	7/ 1/69
B-JK5-	22.1	7/ 9/68	B-JK6-	11.3	5/ 1/68	B-JK8-	4.10	7/23/69	B-JK8-	17.4	7/ 1/69
B-JK5-	22.2	7/ 9/68				B-JK8-	4.11	7/23/69	B-JK8-	19	5/ 1/68
B-JK5-	22.3	7/14/69				B-JK8-	4.12	7/23/69	B-JK8-	20.1	5/ 1/68
B-JK5-	22.4	7/ 9/68	B-JK7-	1	6/ 2/69	B-JK8-	5.1	5/12/69	B-JK8-	20.2	5/ 1/68
B-JK5-	22.5	7/ 9/68	B-JK7-	3.1	7/ 9/68	B-JK8-	5.2	5/12/69	B-JK8-	20.3	5/ 1/68
B-JK5-	22.6	4/16/69	B-JK7-	3.2	7/ 9/68	B-JK8-	5.3	5/12/69	B-JK8-	20.4	5/ 1/68
B-JK5-	22.7	7/ 9/68	B-JK7-	4.1	7/ 9/68	B-JK8-	5.4	5/12/69	B-JK8-	20.5	5/ 1/68
B-JK5-	22.30	1/16/69	B-JK7-	4.2	5/ 1/68	B-JK8-	5.5	10/21/68	B-JK8-	20.6	5/ 1/68
B-JK5-	22.32	1/16/69	B-JK7-	5	7/ 9/68	B-JK8-	5.6	10/21/68	B-JK8-	20.7	3/ 5/69

B-JK8-	21.1	4/16/69									
B-JK8-	21.2	4/16/69									
B-JK8-	21.3	4/16/69									
B-JK8-	21.4	4/16/69									
B-JK8-	21.5	4/16/69									
B-JK8-	21.6	4/16/69									
B-JK8-	21.7	4/16/69									
B-JK8-	21.8	4/16/69									
B-JK8-	21.9	4/16/69									
B-JK8-	22.1	7/16/69									
B-JK8-	22.2	7/16/69									
B-JK8-	22.3	3/ 7/69									
B-JK8-	22.4	7/16/69									
B-JK8-	22.5	3/ 7/69									
B-JK8-	22.6	3/ 7/69									
B-JK8-	22.7	8/ 8/69									
B-JK8-	22.8	8/ 8/69									
B-JK8-	22.9	3/ 7/69									
B-JK8-	22.10	4/21/69									
B-JK8-	23	10/21/68									
B-JK8-	24	10/21/68									
B-JK8-	24.1	3/11/69									
B-JK8-	25	5/ 5/69									
B-JK8-	28	10/21/68									
B-JK8-	29	10/21/68									
B-JK8-	31	12/ 9/68									
B-JK8-	32	2/27/69									
B-JK8-	33.1	2/14/69									
B-JK8-	33.2	12/18/68									
B-JK8-	34	2/14/69									
B-JK8-	35	10/21/68									
B-JK8-	36	1/17/69									
B-JK8-	37.1	12/18/68									
B-JK8-	37.2	2/19/69									
B-JK8-	38	12/ 9/68									
B-JK8-	39.1	5/27/69									
B-JK8-	39.2	5/27/69									
B-JK8-	39.3	5/27/69									
B-JK8-	39.4	12/18/68									
B-JK8-	39.5	12/18/68									
B-JK8-	39.6	12/18/68									
B-JK8-	41.1	5/12/69									
B-JK8-	41.2	5/12/69									
B-JK8-	41.3	12/18/68									
B-JK8-	41.4	5/12/69									
B-JK8-	41.5	5/12/69									
B-JK8-	41.6	5/12/69									
B-JK8-	41.7	5/12/69									
B-JK8-	41.8	5/12/69									
B-JK8-	41.9	5/12/69									

LICENSED PROFESSIONAL ENGINEER — LESLIE E. ROBERTSON — No. 34360 — UNIVERSITY OF THE STATE OF NEW YORK

SKILLING-HELLE-CHRISTIANSEN-ROBERTSON — Civil & Structural Engineers

PROJECT: THE WORLD TRADE CENTER | TITLE: DRAWING BOOK 8 - CONCRETE - REINFORCING | DATE: 7/ 1/69

REVISIONS

8-JK5-	1	6/ 2/69	8-JK5-	22.54	12/18/68	8-JK7-	6.5	5/ 5/69	8-JK8-	7.2	7/ 9/68	8-JK8-	22.6	3/ 7/69
8-JK5-	2	4/ 9/69	8-JK5-	22.56	1/31/69	8-JK7-	6.9	4/21/69	8-JK8-	8	VOID	8-JK8-	22.7	3/ 7/69
8-JK5-	2.1	2/13/69	8-JK5-	22.57	1/31/69	8-JK7-	6.10	4/21/69	8-JK8-	9.1	4/ 2/69	8-JK8-	22.8	3/ 7/69
8-JK5-	2.2	3/28/69	8-JK5-	22.62	12/18/68	8-JK7-	7.1	5/ 1/68	8-JK8-	9.2	5/ 6/69	8-JK8-	22.9	3/ 7/69
8-JK5-	2.3	4/ 9/69	8-JK5-	22.64	12/18/68	8-JK7-	7.2	5/ 1/68	8-JK8-	9.3	1/16/69	8-JK8-	22.10	4/21/69
8-JK5-	2.4	5/26/69	8-JK5-	22.65	12/18/68	8-JK7-	7.3	5/ 1/68	8-JK8-	10.1	5/21/69	8-JK8-	23	10/21/68
8-JK5-	2.5	5/26/69	8-JK5-	22.67	5/16/69	8-JK7-	7.4	9/ 4/68	8-JK8-	10.2	12/18/68	8-JK8-	24	10/21/68
8-JK5-	2.6	4/29/69	8-JK5-	22.68	4/ 2/69	8-JK7-	7.5	5/ 1/68	8-JK8-	10.3	5/21/69	8-JK8-	24.1	3/11/69
8-JK5-	2.7	5/26/69	8-JK5-	22.69	12/18/68	8-JK7-	7.6	5/ 1/68	8-JK8-	10.4	5/21/69	8-JK8-	25	5/ 5/69
8-JK5-	3.1	2/14/69	8-JK5-	22.70	12/18/68	8-JK7-	7.7	2/25/69	8-JK8-	12.1	5/ 1/68	8-JK8-	28	10/21/68
8-JK5-	3.2	1/22/69	8-JK5-	22.79	12/18/68	8-JK7-	7.8	4/ 2/69	8-JK8-	12.2	5/ 1/68	8-JK8-	29	10/21/68
8-JK5-	3.3	12/18/68	8-JK5-	22.81	12/18/68	8-JK7-	7.9	4/ 9/69	8-JK8-	12.3	5/ 1/68	8-JK8-	31	12/ 9/68
8-JK5-	4.1	3/ 7/69	8-JK5-	22.83	12/18/68	8-JK7-	7.10	4/ 9/69	8-JK8-	12.4	5/ 1/68	8-JK8-	32	2/27/69
8-JK5-	4.2	12/18/68	8-JK5-	22.85	12/18/68	8-JK7-	7.11	6/26/69	8-JK8-	12.5	5/ 1/68	8-JK8-	33.1	2/14/69
8-JK5-	4.3	5/ 1/68	8-JK5-	23	12/18/68	8-JK7-	10.1	5/26/69	8-JK8-	12.6	5/ 1/68	8-JK8-	33.2	12/18/68
8-JK5-	5.1	5/ 1/68				8-JK7-	10.2	4/29/69	8-JK8-	12.7	5/ 1/68	8-JK8-	34	2/14/69
8-JK5-	5.2	8/23/68				8-JK7-	10.3	5/26/69	8-JK8-	13	5/ 1/68	8-JK8-	35	10/21/68
8-JK5-	6	6/ 6/69	8-JK6-	1	5/ 1/69	8-JK7-	10.4	5/26/69	8-JK8-	14	5/ 1/68	8-JK8-	36	1/17/69
8-JK5-	7.1	5/ 1/68	8-JK6-	2.1	5/ 1/68	8-JK7-	11.1	5/29/69	8-JK8-	15.1	5/ 1/68	8-JK8-	37.1	12/18/68
8-JK5-	7.2	10/21/68	8-JK6-	2.2	12/18/68	8-JK7-	11.2	5/29/69	8-JK8-	15.2	5/ 1/68	8-JK8-	37.2	2/19/69
8-JK5-	7.3	5/ 5/69	8-JK6-	2.3	3/25/69	8-JK7-	11.3	5/29/69	8-JK8-	15.3	5/ 1/68	8-JK8-	38	12/ 9/68
8-JK5-	9	5/ 1/68	8-JK6-	3	5/ 5/69				8-JK8-	15.4	5/ 1/68	8-JK8-	39.1	5/27/69
8-JK5-	10	5/ 1/68	8-JK6-	4	5/ 1/68				8-JK8-	16	5/ 1/68	8-JK8-	39.2	5/27/69
8-JK5-	11.1	1/22/69	8-JK6-	5	5/ 1/68	8-JK8-	1	6/ 2/69	8-JK8-	17	VOID	8-JK8-	39.3	5/27/69
8-JK5-	11.2	1/22/69	8-JK6-	6	5/12/69	8-JK8-	2	5/ 1/68	8-JK8-	17.1	7/ 1/69	8-JK8-	39.4	12/18/68
8-JK5-	11.3	1/22/69	8-JK6-	7	3/25/69	8-JK8-	3	5/ 1/68	8-JK8-	17.2	7/ 1/69	8-JK8-	39.5	12/18/68
8-JK5-	11.4	5/ 1/68	8-JK6-	8	10/21/68	8-JK8-	4.1	7/ 1/69	8-JK8-	17.3	7/ 1/69	8-JK8-	39.6	12/18/68
8-JK5-	11.5	5/ 1/68	8-JK6-	9	3/ 7/69	8-JK8-	4.2	7/ 1/69	8-JK8-	17.4	7/ 1/69	8-JK8-	41.1	5/12/69
8-JK5-	12	10/21/68	8-JK6-	10.1	3/ 7/69	8-JK8-	4.3	7/ 1/69	8-JK8-	19	5/ 1/68	8-JK8-	41.2	5/12/69
8-JK5-	13	5/ 1/68	8-JK6-	10.2	3/ 7/69	8-JK8-	4.4	7/ 1/69	8-JK8-	20.1	5/ 1/68	8-JK8-	41.3	12/18/68
8-JK5-	14.1	5/21/69	8-JK6-	10.3	3/ 7/69	8-JK8-	5.1	5/12/69	8-JK8-	20.2	5/ 1/68	8-JK8-	41.4	5/12/69
8-JK5-	14.2	2/27/69	8-JK6-	10.4	3/ 7/69	8-JK8-	5.2	5/12/69	8-JK8-	20.3	5/ 1/68	8-JK8-	41.5	5/12/69
8-JK5-	14.3	6/13/69	8-JK6-	10.5	4/16/69	8-JK8-	5.3	5/12/69	8-JK8-	20.4	5/ 1/68	8-JK8-	41.6	5/12/69
8-JK5-	14.4	4/21/69	8-JK6-	10.6	4/16/69	8-JK8-	5.4	5/12/69	8-JK8-	20.5	5/ 1/68	8-JK8-	41.7	5/12/69
8-JK5-	14.5	5/21/69	8-JK6-	10.7	4/16/69	8-JK8-	5.5	10/21/68	8-JK8-	20.6	5/ 1/68	8-JK8-	41.8	5/12/69
8-JK5-	14.6	5/21/69	8-JK6-	10.8	4/16/69	8-JK8-	5.6	10/21/68	8-JK8-	20.7	3/ 5/69	8-JK8-	41.9	5/12/69
8-JK5-	15	10/21/68	8-JK6-	11.1	4/ 9/69	8-JK8-	5.7	5/12/69	8-JK8-	21.1	4/16/69	8-JK8-	41.10	5/12/69
8-JK5-	16	10/21/68	8-JK6-	11.2	5/ 1/68	8-JK8-	5.8	5/12/69	8-JK8-	21.2	4/16/69	8-JK8-	41.11	5/12/69
8-JK5-	17	10/21/68	8-JK6-	11.3	5/ 1/68	8-JK8-	5.9	5/12/69	8-JK8-	21.3	4/16/69	8-JK8-	41.12	5/12/69
8-JK5-	21	12/18/68				8-JK8-	5.10	5/12/69	8-JK8-	21.4	4/16/69	8-JK8-	41.13	5/12/69
8-JK5-	22.1	7/ 9/68				8-JK8-	5.11	6/11/69	8-JK8-	21.5	4/16/69	8-JK8-	41.14	1/17/69
8-JK5-	22.2	7/ 9/68	8-JK7-	1	6/ 2/69	8-JK8-	5.12	6/11/69	8-JK8-	21.6	4/16/69	8-JK8-	41.15	1/31/69
8-JK5-	22.3	3/ 7/69	8-JK7-	3.1	7/ 9/68	8-JK8-	5.13	6/11/69	8-JK8-	21.7	4/16/69	8-JK8-	41.16	5/12/69
8-JK5-	22.4	7/ 9/68	8-JK7-	3.2	7/ 9/68	8-JK8-	5.14	6/11/69	8-JK8-	21.8	4/16/69	8-JK8-	42	12/18/68
8-JK5-	22.5	7/ 9/68	8-JK7-	4.1	7/ 9/68	8-JK8-	5.15	6/11/69	8-JK8-	21.9	4/16/69	8-JK8-	43	12/18/68
8-JK5-	22.6	4/16/69	8-JK7-	4.2	5/ 1/68	8-JK8-	5.16	6/11/69	8-JK8-	22.1	3/ 7/69	8-JK8-	44	12/ 9/68
8-JK5-	22.7	7/ 9/68	8-JK7-	5	7/ 9/68	8-JK8-	5.17	6/11/69	8-JK8-	22.2	3/ 7/69	8-JK8-	45	1/27/69
8-JK5-	22.30	1/16/69	8-JK7-	6.1	7/ 9/68	8-JK8-	5.18	6/11/69	8-JK8-	22.3	3/ 7/69	8-JK8-	46.1	12/18/68
8-JK5-	22.32	1/16/69	8-JK7-	6.2	7/ 9/68	8-JK8-	6	5/ 1/68	8-JK8-	22.4	3/ 7/69	8-JK8-	46.2	2/20/69
8-JK5-	22.52	12/18/68	8-JK7-	6.3	5/ 5/69	8-JK8-	7.1	7/ 9/68	8-JK8-	22.5	3/ 7/69	8-JK8-	46.3	4/ 2/69

LICENSED PROFESSIONAL ENGINEER ★ LESLIE E. ROBERTSON ★ No. 34360 ★ UNIVERSITY OF THE STATE OF NEW YORK

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT: THE WORLD TRADE CENTER | TITLE: DRAWING BOOK 8 - CONCRETE - REINFURCING | DATE: 5/ 1/69

REVISIONS

8-JK5-	1	5/ 1/69	8-JK5-	22.62	12/18/68	8-JK7-	7.1	5/ 1/68	8-JK8-	15.3	5/ 1/68	8-JK8-	39.5	12/18/68		
8-JK5-	2	4/ 9/69	8-JK5-	22.64	12/18/68	8-JK7-	7.2	5/ 1/68	8-JK8-	15.4	5/ 1/68	8-JK8-	39.6	12/18/68		
8-JK5-	2.1	2/13/69	8-JK5-	22.65	12/18/68	8-JK7-	7.3	5/ 1/68	8-JK8-	16	5/ 1/68	8-JK8-	41.1	12/18/68		
8-JK5-	2.2	3/28/69	8-JK5-	22.67	12/18/68	8-JK7-	7.4*	9/ 4/68	8-JK8-	17	5/ 1/68	8-JK8-	41.2	12/18/68		
8-JK5-	2.3	4/ 9/69	8-JK5-	22.68	5/ 2/69	8-JK7-	7.5	5/ 1/68	8-JK8-	19	5/ 1/68	8-JK8-	41.3	12/18/68		
8-JK5-	2.4	4/29/69	8-JK5-	22.69	12/18/68	8-JK7-	7.6	5/ 1/68	8-JK8-	20.1	5/ 1/68	8-JK8-	41.14	1/17/69		
8-JK5-	2.5	4/29/69	8-JK5-	22.70	12/18/68	8-JK7-	7.7	2/25/69	8-JK8-	20.2	5/ 1/68	8-JK8-	41.15	1/31/69		
8-JK5-	2.6	4/29/69	8-JK5-	22.71	12/18/68	8-JK7-	7.8	4/ 2/69	8-JK8-	20.3	5/ 1/68	8-JK8-	42	12/18/68		
8-JK5-	3.1	2/14/69	8-JK5-	22.81	12/18/68	8-JK7-	7.9	4/ 9/69	8-JK8-	20.4	5/ 1/68	8-JK8-	43	12/18/68		
8-JK5-	3.2	1/22/69	8-JK5-	22.83	12/18/68	8-JK7-	7.10	4/ 9/69	8-JK8-	20.5	5/ 1/68	8-JK8-	44	12/ 9/68		
8-JK5-	3.3	12/18/68	8-JK5-	22.85	12/18/68	8-JK7-	10.1	4/29/69	8-JK8-	20.6	5/ 1/68	8-JK8-	45	1/27/69		
8-JK5-	4.1	3/ 7/69	8-JK5-	23	12/18/68	8-JK7-	10.2	4/29/69	8-JK8-	20.7	3/ 5/69	8-JK8-	46.1	12/18/68		
8-JK5-	4.2	12/18/68				8-JK7-	10.3	4/29/69	8-JK8-	21.1	4/16/69	8-JK8-	46.2	2/20/69		
8-JK5-	4.3	5/ 1/68				8-JK7-	10.4	4/29/69	8-JK8-	21.2	4/16/69	8-JK8-	46.3	4/ 2/69		
8-JK5-	5.1	5/ 1/68	8-JK6-	1	5/ 1/69				8-JK8-	21.3	4/16/69	8-JK8-	47.1	4/21/69		
8-JK5-	5.2	8/23/68	8-JK6-	2.1	5/ 1/68				8-JK8-	21.4	4/16/69	8-JK8-	47.2	12/18/68		
8-JK5-	6	12/18/68	8-JK6-	2.2	12/18/68	8-JK8-	1	5/ 1/69	8-JK8-	21.5	4/16/69	8-JK8-	47.3	4/ 2/69		
8-JK5-	7.1	5/ 1/68	8-JK6-	2.3	3/25/69	8-JK8-	2	5/ 1/68	8-JK8-	21.6	4/16/69	8-JK8-	47.4	4/21/69		
8-JK5-	7.2	10/21/68	8-JKA-	3	12/18/68	8-JK8-	3	5/ 1/68	8-JK8-	21.7	4/16/69	8-JK8-	48.1	4/21/69		
8-JK5-	7.3	12/18/68	8-JK6-	4	5/ 1/68	8-JK8-	4.2	5/ 1/68	8-JK8-	21.8	4/16/69	8-JK8-	48.2	3/ 7/69		
8-JK5-	9	5/ 1/68	8-JK6-	5	5/ 1/68	8-JK8-	4.3	5/ 1/68	8-JK8-	21.9	4/16/69	8-JK8-	48.3	12/18/68		
8-JK5-	10	5/ 1/68	8-JK6-	6	4/ 2/69	8-JK8-	5.1*	9/ 4/68	8-JK8-	22.1	3/ 7/69	8-JK8-	48.4	12/18/68		
8-JK5-	11.1	1/22/69	8-JK6-	7	3/25/69	8-JK8-	5.2*	9/ 4/68	8-JK8-	22.2	3/ 7/69	8-JK8-	48.5	4/21/69		
8-JK5-	11.2	1/22/69	8-JK6-	8	10/21/68	8-JK8-	5.3*	9/ 4/68	8-JK8-	22.3	3/ 7/69	8-JK8-	48.6	4/21/69		
8-JK5-	11.3	1/27/69	8-JK6-	9	3/ 7/69	8-JK8-	5.4*	9/ 4/68	8-JK8-	22.4	3/ 7/69	8-JK8-	48.7	4/21/69		
8-JK5-	11.4	5/ 1/68	8-JK6-	10.1	3/ 7/69	8-JK8-	5.5	10/21/68	8-JK8-	22.5	3/ 7/69	8-JK8-	48.8	1/31/69		
8-JK5-	11.5	5/ 1/68	8-JK6-	10.2	3/ 7/69	8-JK8-	5.6	10/21/68	8-JK8-	22.6	3/ 7/69	8-JK8-	48.9	2/ 6/69		
8-JK5-	12	10/21/68	8-JK6-	10.3	3/ 7/69	8-JK8-	5.7	5/ 1/68	8-JK8-	22.7	3/ 7/69	8-JK8-	51.1	1/31/69		
8-JK5-	13	5/ 1/68	8-JK6-	10.4	3/ 7/69	8-JK8-	6	5/ 1/68	8-JK8-	22.8	3/ 7/69	8-JK8-	51.2	4/ 2/69		
8-JK5-	14.1	3/28/69	8-JK6-	10.5	4/16/69	8-JK8-	7.1	7/ 9/68	8-JK8-	22.9	3/ 7/69	8-JK8-	51.3	4/21/69		
8-JK5-	14.2	2/27/69	8-JK6-	10.6	4/16/69	8-JK8-	7.2	7/ 9/68	8-JK8-	22.10	4/21/69	8-JK8-	52.1	4/29/69		
8-JK5-	14.3	2/27/69	8-JK6-	10.7	4/16/69	8-JK8-	8	7/ 9/68	8-JK8-	23	10/21/68					
8-JK5-	14.4	4/21/69	8-JK6-	10.8	4/16/69	8-JK8-	9.1	4/ 2/69	8-JK8-	24	10/21/68					
8-JK5-	15	10/21/68	8-JK6-	11.1	4/ 9/69	8-JK8-	9.2*	4/ 2/69	8-JK8-	24.1	3/11/69	8-AK9-	1	4/ 1/69		
8-JK5-	16	10/21/68	8-JK6-	11.2	5/ 1/68	8-JK8-	9.3	1/10/69	8-JK8-	25	8/23/68	8-AK9-	2	5/ 1/68		
8-JK5-	17	10/21/68	8-JK6-	11.3	5/ 1/68	8-JK8-	10.1	12/18/68	8-JK8-	28	10/21/68	8-AK9-	3.1	5/ 1/68		
8-JK5-	21	12/18/68				8-JK8-	10.2	12/18/68	8-JK8-	29	10/21/68	8-AK9-	3.2	5/ 1/68		
8-JK5-	22.1	7/ 9/68				8-JK8-	10.3	12/18/68	8-JK8-	31	12/ 9/68	8-AK9-	3.3	5/ 1/68		
8-JK5-	22.2	7/ 9/68	8-JK7-	1	5/ 1/69	8-JK8-	10.4	12/18/68	8-JK8-	32	2/27/69	8-AK9-	4	5/ 1/68		
8-JK5-	22.3	3/ 7/69	8-JK7-	3.1	7/ 9/68	8-JK8-	12.1	5/ 1/68	8-JK8-	33.1	2/14/69					
8-JK5-	22.4	7/ 9/68	8-JK7-	3.2	7/ 9/68	8-JK8-	12.2	5/ 1/68	8-JK8-	33.2	12/18/68					
8-JK5-	22.5	7/ 9/68	8-JK7-	4.1	7/ 9/68	8-JK8-	12.3	5/ 1/68	8-JK8-	34	2/14/69					
8-JK5-	22.6	4/15/69	8-JK7-	4.2	5/ 1/68	8-JK8-	12.4	5/ 1/68	8-JK8-	35	10/21/68					
8-JK5-	22.7	7/ 9/68	8-JK7-	5	7/ 9/68	8-JK8-	12.5	5/ 1/68	8-JK8-	36	1/17/69					
8-JK5-	22.30	1/16/69	8-JK7-	6.1	7/ 9/68	8-JK8-	12.6	5/ 1/68	8-JK8-	37.1	12/18/68	* 9/ 4/68 DATE HERE				
8-JK5-	22.32	1/16/69	8-JK7-	6.2	7/ 9/68	8-JK8-	12.7	5/ 1/68	8-JK8-	37.2	2/19/69	NOT ISSUED TO				
8-JK5-	22.52	12/18/68	8-JK7-	6.3	12/18/68	8-JK8-	13	5/ 1/68	8-JK8-	38	12/ 9/68	BIDDERS (PONYA ONLY)				
8-JK5-	22.54	12/18/68	8-JK7-	6.5	12/18/68	8-JK8-	14	5/ 1/68	8-JK8-	39.2	12/18/68					
8-JK5-	22.56	1/31/69	8-JK7-	6.9	4/21/69	8-JK8-	15.1	5/ 1/68	8-JK8-	39.3	12/18/68					
8-JK5-	22.57	1/31/69	8-JK7-	6.10	4/21/69	8-JK8-	15.2	5/ 1/68	8-JK8-	39.4	12/18/68					

LICENSED PROFESSIONAL ENGINEER
LESLIE E. ROBERTSON
No. 34360
UNIVERSITY OF THE STATE OF NEW YORK

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT: THE WORLD TRADE CENTER | TITLE: DRAWING BOOK 8 - CONCRETE - REINFORCING | DATE: 4/ 1/69

REVISIONS

8-JK5-	1	4/ 1/69	8-JK5-	22.69	12/18/68	8-JK7-	10	5/ 1/68	8-JK8-	21.2	7/ 9/68	8-JK8-	48.2	3/ 7/69	
8-JK5-	2	2/ 6/69	8-JK5-	22.70	12/18/68				8-JK8-	21.3	7/ 9/68	8-JK8-	48.3	12/18/68	
8-JK5-	2.1	2/13/69	8-JK5-	22.79	12/18/68				8-JK8-	21.4	7/ 9/68	8-JK8-	48.4	12/18/68	
8-JK5-	2.2	3/28/69	8-JK5-	22.81	12/18/68	8-JK8-	1	4/ 1/69	8-JK8-	21.5	7/ 9/68	8-JK8-	48.5	1/31/69	
8-JK5-	3.1	2/14/69	8-JK5-	22.83	12/18/68	8-JK8-	2	5/ 1/68	8-JK8-	21.6	7/ 9/68	8-JK8-	48.6	2/20/69	
8-JK5-	3.2	1/22/69	8-JK5-	22.85	12/18/68	8-JK8-	3	5/ 1/68	8-JK8-	21.7	7/ 9/68	8-JK8-	48.7	1/31/69	
8-JK5-	3.3	12/18/68	8-JK5-	23	12/18/68	8-JK8-	4.2	5/ 1/68	8-JK8-	22.1	3/ 7/69	8-JK8-	48.8	1/31/69	
8-JK5-	4.1	3/ 7/69				8-JK8-	4.3	5/ 1/68	8-JK8-	22.2	3/ 7/69	8-JK8-	48.9	2/ 6/69	
8-JK5-	4.2	12/18/68				8-JK8-	5.1*	9/ 4/68	8-JK8-	22.3	3/ 7/69	8-JK8-	51.1	1/31/69	
8-JK5-	4.3	5/ 1/68	8-JK6-	1	4/ 1/69	8-JK8-	5.2*	9/ 4/68	8-JK8-	22.4	3/ 7/69				
8-JK5-	5.1	5/ 1/68	8-JK6-	2.1	5/ 1/68	8-JK8-	5.3*	9/ 4/68	8-JK8-	22.5	3/ 7/69				
8-JK5-	5.2	8/23/68	8-JK6-	2.2	12/18/68	8-JK8-	5.4*	9/ 4/68	8-JK8-	22.6	3/ 7/69	8-AK9-	1	4/ 1/69	
8-JK5-	6	12/18/68	8-JK6-	2.3	3/25/69	8-JK8-	5.5	10/21/68	8-JK8-	22.7	3/ 7/69	8-AK9-	2	5/ 1/68	
8-JK5-	7.1	5/ 1/68	8-JK6-	3	12/18/68	8-JK8-	5.6	10/21/68	8-JK8-	22.8	3/ 7/69	8-AK9-	3.1	5/ 1/68	
8-JK5-	7.2	10/21/68	8-JK6-	4	5/ 1/68	8-JK8-	5.7	5/ 1/68	8-JK8-	22.9	3/ 7/69	8-AK9-	3.2	5/ 1/68	
8-JK5-	7.3	12/10/68	8-JK6-	5	5/ 1/68	8-JK8-	6	5/ 1/68	8-JK8-	23	10/21/68	8-AK9-	3.3	5/ 1/68	
8-JK5-	9	5/ 1/68	8-JK6-	6	1/17/69	8-JK8-	7.1	7/ 9/68	8-JK8-	24	10/21/68	8-AK9-	4	5/ 1/68	
8-JK5-	10	5/ 1/68	8-JK6-	7	3/25/69	8-JK8-	7.2	7/ 9/68	8-JK8-	24.1	3/11/69				
8-JK5-	11.1	1/27/69	8-JK6-	8	10/21/68	8-JK8-	8	7/ 9/68	8-JK8-	25	8/23/68				
8-JK5-	11.2	1/22/69	8-JK6-	9	3/ 7/69	8-JK8-	9.1	12/18/68	8-JK8-	28	10/21/68				
8-JK5-	11.3	1/22/69	8-JK6-	10.1	3/ 7/69	8-JK8-	9.2	12/18/68	8-JK8-	29	10/21/68				
8-JK5-	11.4	5/ 1/68	8-JK6-	10.2	3/ 7/69	8-JK8-	9.3	1/16/69	8-JK8-	31	12/ 9/68				
8-JK5-	11.5	5/ 1/68	8-JK6-	10.3	3/ 7/69	8-JK8-	10.1	12/18/68	8-JK8-	32	2/27/69	* 9/ 4/68 DATE WERE			
8-JK5-	12	10/21/68	8-JK6-	10.4	3/ 7/69	8-JK8-	10.2	12/18/68	8-JK8-	33.1	2/14/69	NOT ISSUED TO			
8-JK5-	13	5/ 1/68	8-JK6-	10.5	7/ 9/68	8-JK8-	10.3	12/18/68	8-JK8-	33.2	12/18/68	BIDDERS (PONYA ONLY)			
8-JK5-	14.1	3/25/69	8-JK6-	10.6	7/ 9/68	8-JK8-	10.4	12/18/68	8-JK8-	34	2/14/69				
8-JK5-	14.2	2/27/69	8-JK6-	10.7	7/ 9/68	8-JK8-	12.1	5/ 1/68	8-JK8-	35	10/21/68				
8-JK5-	14.3	2/27/69	8-JK6-	11.1	10/21/68	8-JK8-	12.2	5/ 1/68	8-JK8-	36	1/17/69				
8-JK5-	15	10/21/68	8-JK6-	11.2	5/ 1/68	8-JK8-	12.3	5/ 1/68	8-JK8-	37.1	12/18/68				
8-JK5-	16	10/21/68	8-JK6-	11.3	5/ 1/68	8-JK8-	12.4	5/ 1/68	8-JK8-	37.2	2/19/69				
8-JK5-	17	10/21/68				8-JK8-	12.5	5/ 1/68	8-JK8-	38	12/ 9/68				
8-JK5-	21	12/18/68				8-JK8-	12.6	5/ 1/68	8-JK8-	39.2	12/18/68				
8-JK5-	22.1	7/ 9/68	8-JK7-	1	4/ 1/69	8-JK8-	12.7	5/ 1/68	8-JK8-	39.3	12/18/68				
8-JK5-	22.2	7/ 9/68	8-JK7-	3.1	7/ 9/68	8-JK8-	13	5/ 1/68	8-JK8-	39.4	12/18/68				
8-JK5-	22.3	3/ 7/69	8-JK7-	3.2	7/ 9/68	8-JK8-	14	5/ 1/68	8-JK8-	39.5	12/18/68				
8-JK5-	22.4	7/ 9/68	8-JK7-	4.1	7/ 9/68	8-JK8-	15.1	5/ 1/68	8-JK8-	39.6	12/18/68				
8-JK5-	22.5	7/ 9/68	8-JK7-	4.2	5/ 1/68	8-JK8-	15.2	5/ 1/68	8-JK8-	41.1	12/18/68				
8-JK5-	22.6	7/ 9/68	8-JK7-	5	7/ 9/68	8-JK8-	15.3	5/ 1/68	8-JK8-	41.2	12/18/68				
8-JK5-	22.7	7/ 9/68	8-JK7-	6.1	7/ 9/68	8-JK8-	15.4	5/ 1/68	8-JK8-	41.3	12/18/68				
8-JK5-	22.30	1/16/69	8-JK7-	6.2	7/ 9/68	8-JK8-	16	5/ 1/68	8-JK8-	41.14	1/17/69				
8-JK5-	22.32	1/15/69	8-JK7-	6.3	12/18/68	8-JK8-	17	5/ 1/68	8-JK8-	41.15	1/31/69				
8-JK5-	22.52	12/18/68	8-JK7-	6.5	12/18/68	8-JK8-	19	5/ 1/68	8-JK8-	42	12/18/68				
8-JK5-	22.54	12/18/68	8-JK7-	6.9	3/ 7/69	8-JK8-	20.1	5/ 1/68	8-JK8-	43	12/18/68				
8-JK5-	22.56	1/31/69	8-JK7-	7.1	5/ 1/68	8-JK8-	20.2	5/ 1/68	8-JK8-	44	12/ 9/68				
8-JK5-	22.57	1/31/69	8-JK7-	7.2	5/ 1/68	8-JK8-	20.3	5/ 1/68	8-JK8-	45	1/27/69				
8-JK5-	22.62	12/18/68	8-JK7-	7.3	5/ 1/68	8-JK8-	20.4	5/ 1/68	8-JK8-	46.1	12/18/68				
8-JK5-	22.64	12/18/68	8-JK7-	7.4*	9/ 4/68	8-JK8-	20.5	5/ 1/68	8-JK8-	46.2	2/20/69				
8-JK5-	22.65	12/18/68	8-JK7-	7.5	5/ 1/68	8-JK8-	20.6	5/ 1/68	8-JK8-	47.1	12/18/68				
8-JK5-	22.67	12/18/68	8-JK7-	7.6	5/ 1/68	8-JK8-	20.7	3/ 5/69	8-JK8-	47.2	12/18/68				
8-JK5-	22.68	12/18/68	8-JK7-	7.7	2/25/69	8-JK8-	21.1	7/ 9/68	8-JK8-	48.1	3/ 7/69				



SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT	THE WORLD TRADE CENTER	TITLE	DRAWING BOOK 8 - CONCRETE - REINFORCING	DATE	3/ 3/69

REVISIONS

8-JK5-	1	3/ 3/69	8-JK5-	22.70	12/18/68					8-JK8-	21.5	7/ 9/68	8-JK8-	48.9	2/ 6/69		
8-JK5-	2	2/ 6/69	8-JK5-	22.79	12/18/68	8-JK8-	1	3/ 3/69		8-JK8-	21.6	7/ 9/68	8-JK8-	51.1	1/31/69		
8-JK5-	2.1	2/13/69	8-JK5-	22.81	12/18/68	8-JK8-	2	5/ 1/68		8-JK8-	21.7	7/ 9/68					
8-JK5-	3.1	2/14/69	8-JK5-	22.83	12/18/68	8-JK8-	3	5/ 1/68		8-JK8-	22.1	7/ 9/68					
8-JK5-	3.2	1/22/69	8-JK5-	22.85	12/18/68	8-JK8-	4.2	5/ 1/68		8-JK8-	22.2	7/ 9/68	8-AK9-	1	3/ 3/69		
8-JK5-	3.3	12/18/68	8-JK5-	23	12/18/68	8-JK8-	4.3	5/ 1/68		8-JK8-	22.3	7/ 9/68	8-AK9-	2	5/ 1/68		
8-JK5-	4.1	12/18/68				8-JK8-	5.1*	9/ 4/68		8-JK8-	22.4	7/ 9/68	8-AK9-	3.1	5/ 1/68		
8-JK5-	4.2	12/18/68				8-JK8-	5.2*	9/ 4/68		8-JK8-	22.5	7/ 9/68	8-AK9-	3.2	5/ 1/68		
8-JK5-	4.3	5/ 1/68	8-JK6-	1	3/ 3/69	8-JK8-	5.3*	9/ 4/68		8-JK8-	23	10/21/68	8-AK9-	3.3	5/ 1/68		
8-JK5-	5.1	5/ 1/68	8-JK6-	2.1	5/ 1/68	8-JK8-	5.4*	9/ 4/68		8-JK8-	24	10/21/68	8-AK9-	4	5/ 1/68		
8-JK5-	5.2	8/23/68	8-JK6-	2.2	12/18/68	8-JK8-	5.5	10/21/68		8-JK8-	24.1	1/17/69					
8-JK5-	6	12/18/68	8-JK6-	2.3	12/18/68	8-JK8-	5.6	10/21/68		8-JK8-	25	8/23/68					
8-JK5-	7.1	5/ 1/68	8-JK6-	3	12/18/68	8-JK8-	5.7	5/ 1/68		8-JK8-	28	10/21/68					
8-JK5-	7.2	10/21/68	8-JK6-	4	5/ 1/68	8-JK8-	6	5/ 1/68		8-JK8-	29	10/21/68					
8-JK5-	7.3	12/18/68	8-JK6-	5	5/ 1/68	8-JK8-	7.1	7/ 9/68		8-JK8-	31	12/ 9/68					
8-JK5-	9	5/ 1/68	8-JK6-	6	1/17/69	8-JK8-	7.2	7/ 9/68		8-JK8-	32	2/27/69	* 9/ 4/68 DATE WERE				
8-JK5-	10	5/ 1/68	8-JK6-	7	1/24/69	8-JK8-	8	7/ 9/68		8-JK8-	33.1	2/14/69	NOT ISSUED TO				
8-JK5-	11.1	1/22/69	8-JK6-	8	10/21/68	8-JK8-	9.1	12/18/68		8-JK8-	33.2	12/18/68	BIDDERS (PONYA ONLY)				
8-JK5-	11.2	1/22/69	8-JK6-	10.1	7/ 9/68	8-JK8-	9.2	12/18/68		8-JK8-	34	2/14/69					
8-JK5-	11.3	1/22/69	8-JK6-	10.2	7/ 9/68	8-JK8-	9.3	1/16/69		8-JK8-	35	10/21/68					
8-JK5-	11.4	5/ 1/68	8-JK6-	10.3	7/ 9/68	8-JK8-	10.1	12/18/68		8-JK8-	36	1/17/69					
8-JK5-	11.5	5/ 1/68	8-JK6-	10.4	7/ 9/68	8-JK8-	10.2	12/18/68		8-JK8-	37.1	12/18/68					
8-JK5-	12	10/21/68	8-JK6-	10.5	7/ 9/68	8-JK8-	10.3	12/18/68		8-JK8-	37.2	2/19/69					
8-JK5-	13	5/ 1/68	8-JK6-	10.6	7/ 9/68	8-JK8-	10.4	12/18/68		8-JK8-	38	12/ 9/68					
8-JK5-	14.1	2/27/69	8-JK6-	10.7	7/ 9/68	8-JK8-	12.1	5/ 1/68		8-JK8-	39.2	12/18/68					
8-JK5-	14.2	2/27/69	8-JK6-	11.1	10/21/68	8-JK8-	12.2	5/ 1/68		8-JK8-	39.3	12/18/68					
8-JK5-	14.3	2/27/69	8-JK6-	11.2	5/ 1/68	8-JK8-	12.3	5/ 1/68		8-JK8-	39.4	12/18/68					
8-JK5-	15	10/21/68	8-JK6-	11.3	5/ 1/68	8-JK8-	12.4	5/ 1/68		8-JK8-	39.5	12/18/68					
8-JK5-	16	10/21/68				8-JK8-	12.5	5/ 1/68		8-JK8-	39.6	12/18/68					
8-JK5-	17	10/21/68				8-JK8-	12.6	5/ 1/68		8-JK8-	41.1	12/18/68					
8-JK5-	21	12/18/68	8-JK7-	1	3/ 3/69	8-JK8-	12.7	5/ 1/68		8-JK8-	41.2	12/18/68					
8-JK5-	22.1	7/ 9/68	8-JK7-	3.1	7/ 9/68	8-JK8-	13	5/ 1/68		8-JK8-	41.3	12/18/68					
8-JK5-	22.2	7/ 9/68	8-JK7-	3.2	7/ 9/68	8-JK8-	14	5/ 1/68		8-JK8-	41.14	1/17/69					
8-JK5-	22.3	7/ 9/68	8-JK7-	4.1	7/ 9/68	8-JK8-	15.1	5/ 1/68		8-JK8-	41.15	1/31/69					
8-JK5-	22.4	7/ 9/68	8-JK7-	4.2	5/ 1/68	8-JK8-	15.2	5/ 1/68		8-JK8-	42	12/18/68					
8-JK5-	22.5	7/ 9/68	8-JK7-	5	7/ 9/68	8-JK8-	15.3	5/ 1/68		8-JK8-	43	12/18/68					
8-JK5-	22.6	7/ 9/68	8-JK7-	6.1	7/ 9/68	8-JK8-	15.4	5/ 1/68		8-JK8-	44	12/ 9/68					
8-JK5-	22.7	7/ 9/68	8-JK7-	6.2	7/ 9/68	8-JK8-	16	5/ 1/68		8-JK8-	45	1/27/69					
8-JK5-	22.70	1/16/69	8-JK7-	6.3	12/18/68	8-JK8-	17	5/ 1/68		8-JK8-	46.1	12/18/68					
8-JK5-	22.71	1/16/69	8-JK7-	6.5	12/18/68	8-JK8-	19	5/ 1/68		8-JK8-	46.2	2/20/69					
8-JK5-	22.72	12/18/68	8-JK7-	6.9	2/20/69	8-JK8-	20.1	5/ 1/68		8-JK8-	47.1	12/18/68					
8-JK5-	22.94	12/18/68	8-JK7-	7.1	5/ 1/68	8-JK8-	20.2	5/ 1/68		8-JK8-	47.2	12/18/68					
8-JK5-	22.96	1/31/69	8-JK7-	7.2	5/ 1/68	8-JK8-	20.3	5/ 1/68		8-JK8-	48.1	12/18/68					
8-JK5-	22.97	1/31/69	8-JK7-	7.3	5/ 1/68	8-JK8-	20.4	5/ 1/68		8-JK8-	48.2	12/18/68					
8-JK5-	22.98	12/18/68	8-JK7-	7.4*	9/ 4/68	8-JK8-	20.5	5/ 1/68		8-JK8-	48.3	12/18/68					
8-JK5-	22.99	12/18/68	8-JK7-	7.5	5/ 1/68	8-JK8-	20.6	5/ 1/68		8-JK8-	48.4	12/18/68					
8-JK5-	22.85	12/18/68	8-JK7-	7.6	5/ 1/68	8-JK8-	21.1	7/ 9/68		8-JK8-	48.5	1/31/69					
8-JK5-	22.87	12/18/68	8-JK7-	7.7	2/25/69	8-JK8-	21.2	7/ 9/68		8-JK8-	48.6	2/20/69					
8-JK5-	22.88	12/18/68	8-JK7-	10	5/ 1/68	8-JK8-	21.3	7/ 9/68		8-JK8-	48.7	1/31/69					
8-JK5-	22.89	12/18/68				8-JK8-	21.4	7/ 9/68									

LICENSED PROFESSIONAL ENGINEER — STATE OF NEW YORK — No. 34360 — UNIVERSITY OF THE STATE OF NEW YORK

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT: THE WORLD TRADE CENTER | TITLE: DRAWING BOOK B - CONCRETE - REINFORCING | DATE: 2/ 3/69

REVISIONS

B-JK5-	1	2/ 3/69	B-JK5-	22.81	12/18/68	B-JK8-	3	5/ 1/68	B-JK8-	22.1	7/ 9/68	B-AK9-	2	5/ 1/68
B-JK5-	2	5/ 1/68	B-JK5-	22.82	12/18/68	B-JK8-	4.2	5/ 1/68	B-JK8-	22.2	7/ 9/68	B-AK9-	3.1	5/ 1/68
B-JK5-	3.1	1/22/69	B-JK5-	22.85	12/18/68	B-JK8-	4.3	5/ 1/68	B-JK8-	22.3	7/ 9/68	B-AK9-	3.2	5/ 1/68
B-JK5-	3.2	1/22/69	B-JK5-	23	12/18/68	B-JK8-	5.1*	9/ 4/68	B-JK8-	22.4	7/ 9/68	B-AK9-	3.3	5/ 1/68
B-JK5-	3.3	12/18/68				B-JK8-	5.2*	9/ 4/68	B-JK8-	22.5	7/ 9/68	B-AK9-	4	5/ 1/68
B-JK5-	4.1	12/18/68				B-JK8-	5.3*	9/ 4/68	B-JK8-	23	10/21/68			
B-JK5-	4.2	12/18/68	B-JK6-	1	2/ 3/69	B-JK8-	5.4*	9/ 4/68	B-JK8-	24	10/21/68			
B-JK5-	4.3	5/ 1/68	B-JK6-	2.1	5/ 1/68	B-JK8-	5.5	10/21/68	B-JK8-	24.1	1/17/69			
B-JK5-	5.1	5/ 1/68	B-JK6-	2.2	12/18/68	B-JK8-	5.6	10/21/68	B-JK8-	25	8/23/68			
B-JK5-	5.2	8/23/68	B-JK6-	2.3	12/18/68	B-JK8-	5.7	5/ 1/68	B-JK8-	28	10/21/68			
B-JK5-	6	12/18/68	B-JK6-	3	12/18/68	B-JK8-	6	5/ 1/68	B-JK8-	29	10/21/68	* 9/ 4/68 DATE HERE		
B-JK5-	7.1	5/ 1/68	B-JK6-	4	5/ 1/68	B-JK8-	7.1	7/ 9/68	B-JK8-	31	12/ 9/68	NOT ISSUED TO		
B-JK5-	7.2	10/21/68	B-JK6-	5	5/ 1/68	B-JK8-	7.2	7/ 9/68	B-JK8-	32	12/ 9/68	BIDDERS (PONYA ONLY)		
B-JK5-	7.3	12/18/68	B-JK6-	6	1/17/69	B-JK8-	8	7/ 9/68	B-JK8-	33.1	12/18/68			
B-JK5-	9	5/ 1/68	B-JK6-	7	1/24/69	B-JK8-	9.1	12/18/68	B-JK8-	33.2	12/18/68			
B-JK5-	10	5/ 1/68	B-JK6-	8	10/21/68	B-JK8-	9.2	12/18/68	B-JK8-	34	12/ 9/68			
B-JK5-	11.1	1/22/69	B-JK6-	10.1	7/ 9/68	B-JK8-	9.3	1/16/69	B-JK8-	35	10/21/68			
B-JK5-	11.2	1/22/69	B-JK6-	10.2	7/ 9/68	B-JK8-	10.1	12/18/68	B-JK8-	36	1/17/69			
B-JK5-	11.3	1/22/69	B-JK6-	10.3	7/ 9/68	B-JK8-	10.2	12/18/68	B-JK8-	37.1	12/18/68			
B-JK5-	11.4	5/ 1/68	B-JK6-	10.4	7/ 9/68	B-JK8-	10.3	12/18/68	B-JK8-	37.2	12/18/68			
B-JK5-	11.5	5/ 1/68	B-JK6-	10.5	7/ 9/68	B-JK8-	10.4	12/18/68	B-JK8-	38	12/ 9/68			
B-JK5-	12	10/21/68	B-JK6-	10.6	7/ 9/68	B-JK8-	12.1	5/ 1/68	B-JK8-	39.2	12/18/68			
B-JK5-	13	5/ 1/68	B-JK6-	10.7	7/ 9/68	B-JK8-	12.2	5/ 1/68	B-JK8-	39.3	12/18/68			
B-JK5-	14.1	12/18/68	B-JK6-	11.1	10/21/68	B-JK8-	12.3	5/ 1/68	B-JK8-	39.4	12/18/68			
B-JK5-	14.2	5/ 1/68	B-JK6-	11.2	5/ 1/68	B-JK8-	12.4	5/ 1/68	B-JK8-	39.5	12/18/68			
B-JK5-	15	10/21/68	B-JK6-	11.3	5/ 1/68	B-JK8-	12.5	5/ 1/68	B-JK8-	39.6	12/18/68			
B-JK5-	16	10/21/68				B-JK8-	12.6	5/ 1/68	B-JK8-	41.1	12/18/68			
B-JK5-	17	10/21/68				B-JK8-	12.7	5/ 1/68	B-JK8-	41.2	12/18/68			
B-JK5-	21	12/18/68	B-JK7-	1	2/ 3/69	B-JK8-	13	5/ 1/68	B-JK8-	41.3	12/18/68			
B-JK5-	22.1	7/ 9/68	B-JK7-	3.1	7/ 9/68	B-JK8-	14	5/ 1/68	B-JK8-	41.14	1/17/69			
B-JK5-	22.2	7/ 9/68	B-JK7-	3.2	7/ 9/68	B-JK8-	15.1	5/ 1/68	B-JK8-	41.15	1/31/69			
B-JK5-	22.3	7/ 9/68	B-JK7-	4.1	7/ 9/68	B-JK8-	15.2	5/ 1/68	B-JK8-	42	12/18/68			
B-JK5-	22.4	7/ 9/68	B-JK7-	4.2	5/ 1/68	B-JK8-	15.3	5/ 1/68	B-JK8-	43	12/18/68			
B-JK5-	22.5	7/ 9/68	B-JK7-	5	7/ 9/68	B-JK8-	15.4	5/ 1/68	B-JK8-	44	12/ 9/68			
B-JK5-	22.6	7/ 9/68	B-JK7-	6.1	7/ 9/68	B-JK8-	16	5/ 1/68	B-JK8-	45	1/27/69			
B-JK5-	22.7	7/ 9/68	B-JK7-	6.2	7/ 9/68	B-JK8-	17	5/ 1/68	B-JK8-	46.1	12/18/68			
B-JK5-	22.30	1/16/69	B-JK7-	6.3	12/18/68	B-JK8-	19	5/ 1/68	B-JK8-	47.1	12/18/68			
B-JK5-	22.32	1/16/69	B-JK7-	6.5	12/18/68	B-JK8-	20.1	5/ 1/68	B-JK8-	47.2	12/18/68			
B-JK5-	22.52	12/18/68	B-JK7-	6.9	12/18/68	B-JK8-	20.2	5/ 1/68	B-JK8-	48.1	12/18/68			
B-JK5-	22.54	12/18/68	B-JK7-	7.1	5/ 1/68	B-JK8-	20.3	5/ 1/68	B-JK8-	48.2	12/18/68			
B-JK5-	22.56	1/31/69	B-JK7-	7.2	5/ 1/68	B-JK8-	20.4	5/ 1/68	B-JK8-	48.3	12/18/68			
B-JK5-	22.57	1/31/69	B-JK7-	7.3	5/ 1/68	B-JK8-	20.5	5/ 1/68	B-JK8-	48.4	12/18/68			
B-JK5-	22.62	12/18/68	B-JK7-	7.4*	9/ 4/68	B-JK8-	20.6	5/ 1/68	B-JK8-	48.5	1/31/69			
B-JK5-	22.64	12/18/68	B-JK7-	7.5	5/ 1/68	B-JK8-	21.1	7/ 9/68	B-JK8-	48.6	1/31/69			
B-JK5-	22.65	12/18/68	B-JK7-	7.6	5/ 1/68	B-JK8-	21.2	7/ 9/68	B-JK8-	48.7	1/31/69			
B-JK5-	22.67	12/18/68	B-JK7-	10	5/ 1/68	B-JK8-	21.3	7/ 9/68	B-JK8-	48.8	1/31/69			
B-JK5-	22.68	12/18/68				B-JK8-	21.4	7/ 9/68	B-JK8-	51.1	1/31/69			
B-JK5-	22.69	12/18/68				B-JK8-	21.5	7/ 9/68						
B-JK5-	22.70	12/18/68	B-JK8-	1	2/ 3/69	B-JK8-	21.6	7/ 9/68						
B-JK5-	22.79	12/18/68	B-JK8-	2	5/ 1/68	B-JK8-	21.7	7/ 9/68	B-AK9-	1	2/ 3/69			

LICENSED PROFESSIONAL ENGINEER — LESLIE E. ROBERTSON — No. 34360 — UNIVERSITY OF THE STATE OF NEW YORK

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT	TITLE	DATE
THE HORLD TRADE CENTER	DRAWING BOOK 8 - CONCRETE - REINFORCING	1/ 3/69

REVISIONS

8-JK5-	1	1/ 3/69	8-JK5-	22.81	12/18/68	8-JK8-	3	5/ 1/68	8-JK8-	22.2	7/ 9/68	
8-JK5-	2	5/ 1/68	8-JK5-	22.83	12/18/68	8-JK8-	4.2	5/ 1/68	8-JK8-	22.3	7/ 9/68	
8-JK5-	3.1	12/18/68	8-JK5-	22.85	12/18/68	8-JK8-	4.3	5/ 1/68	8-JK8-	22.4	7/ 9/68	
8-JK5-	3.2	12/18/68	8-JK5-	23	12/18/68	8-JK8-	5.1*	9/ 4/68	8-JK8-	22.5	7/ 9/68	* 9/ 4/68 DATE HERE
8-JK5-	3.3	12/18/68				8-JK8-	5.2*	9/ 4/68	8-JK8-	23	10/21/68	NOT ISSUED TO
8-JK5-	4.1	12/18/68				8-JK8-	5.3*	9/ 4/68	8-JK8-	24	10/21/68	BIDDERS (PONYA ONLY)
8-JK5-	4.2	12/18/68	8-JK6-	1	1/ 3/69	8-JK8-	5.4*	9/ 4/68	8-JK8-	25	8/23/68	
8-JK5-	4.3	5/ 1/68	8-JK6-	2.1	5/ 1/68	8-JK8-	5.5	10/21/68	8-JK8-	28	10/21/68	
8-JK5-	5.1	5/ 1/68	8-JK6-	2.2	12/18/68	8-JK8-	5.6	10/21/68	8-JK8-	29	10/21/68	
8-JK5-	5.2	8/23/68	8-JK6-	2.3	12/18/68	8-JK8-	5.7	5/ 1/68	8-JK8-	31	12/ 9/68	
8-JK5-	6	12/18/68	8-JK6-	3	12/18/68	8-JK8-	6	5/ 1/68	8-JK8-	32	12/ 9/68	
8-JK5-	7.1	5/ 1/68	8-JK6-	4	5/ 1/68	8-JK8-	7.1	7/ 9/68	8-JK8-	33	DELETED	
8-JK5-	7.2	10/21/68	8-JK6-	5	5/ 1/68	8-JK8-	7.2	7/ 9/68	8-JK8-	33.1	12/18/68	
8-JK5-	7.3	12/18/68	8-JK6-	6	10/21/68	8-JK8-	8	7/ 9/68	8-JK8-	33.2	12/18/68	
8-JK5-	9	5/ 1/68	8-JK6-	7	7/ 9/68	8-JK8-	9.1	12/18/68	8-JK8-	34	12/ 9/68	
8-JK5-	10	5/ 1/68	8-JK6-	8	10/21/68	8-JK8-	9.2	12/18/68	8-JK8-	35	10/21/68	
8-JK5-	11.1	5/ 1/68	8-JK6-	10.1	7/ 9/68	8-JK8-	10.1	12/18/68	8-JK8-	36	12/18/68	
8-JK5-	11.2	5/ 1/68	8-JK6-	10.2	7/ 9/68	8-JK8-	10.2	12/18/68	8-JK8-	37	DELETED	
8-JK5-	11.3	5/ 1/68	8-JK6-	10.3	7/ 9/68	8-JK8-	10.3	12/18/68	8-JK8-	37.1	12/18/68	
8-JK5-	11.4	5/ 1/68	8-JK6-	10.4	7/ 9/68	8-JK8-	10.4	12/18/68	8-JK8-	37.2	12/18/68	
8-JK5-	11.5	5/ 1/68	8-JK6-	10.5	7/ 9/68	8-JK8-	12.1	5/ 1/68	8-JK8-	38	12/ 9/68	
8-JK5-	12	10/21/68	8-JK6-	10.6	7/ 9/68	8-JK8-	12.2	5/ 1/68	8-JK8-	39.2	12/18/68	
8-JK5-	13	5/ 1/68	8-JK6-	10.7	7/ 9/68	8-JK8-	12.3	5/ 1/68	8-JK8-	39.3	12/18/68	
8-JK5-	14.1	12/18/68	8-JK6-	11.1	10/21/68	8-JK8-	12.4	5/ 1/68	8-JK8-	39.4	12/18/68	
8-JK5-	14.2	5/ 1/68	8-JK6-	11.2	5/ 1/68	8-JK8-	12.5	5/ 1/68	8-JK8-	39.5	12/18/68	
8-JK5-	15	10/21/68	8-JK6-	11.3	5/ 1/68	8-JK8-	12.6	5/ 1/68	8-JK8-	39.6	12/18/68	
8-JK5-	16	10/21/68				8-JK8-	12.7	5/ 1/68	8-JK8-	41.1	12/18/68	
8-JK5-	17	10/21/68				8-JK8-	13	5/ 1/68	8-JK8-	41.2	12/18/68	
8-JK5-	21	12/18/68	8-JK7-	1	1/ 3/69	8-JK8-	14	5/ 1/68	8-JK8-	41.3	12/18/68	
8-JK5-	22.1	7/ 9/68	8-JK7-	3.1	7/ 9/68	8-JK8-	15.1	5/ 1/68	8-JK8-	41.14	12/18/68	
8-JK5-	22.2	7/ 9/68	8-JK7-	3.2	7/ 9/68	8-JK8-	15.2	5/ 1/68	8-JK8-	42	12/18/68	
8-JK5-	22.3	7/ 9/68	8-JK7-	4.1	7/ 9/68	8-JK8-	15.3	5/ 1/68	8-JK8-	43	12/18/68	
8-JK5-	22.4	7/ 9/68	8-JK7-	4.2	5/ 1/68	8-JK8-	15.4	5/ 1/68	8-JK8-	44	12/ 9/68	
8-JK5-	22.5	7/ 9/68	8-JK7-	5	7/ 9/68	8-JK8-	16	5/ 1/68	8-JK8-	45	12/ 9/68	
8-JK5-	22.6	7/ 9/68	8-JK7-	6.1	7/ 9/68	8-JK8-	17	5/ 1/68	8-JK8-	46.1	12/18/68	
8-JK5-	22.7	7/ 9/68	8-JK7-	6.2	7/ 9/68	8-JK8-	19	5/ 1/68	8-JK8-	47.1	12/18/68	
8-JK5-	22.30	12/18/68	8-JK7-	6.3	12/18/68	8-JK8-	20.1	5/ 1/68	8-JK8-	47.2	12/18/68	
8-JK5-	22.32	12/18/68	8-JK7-	6.5	12/18/68	8-JK8-	20.2	5/ 1/68	8-JK8-	48.1	12/18/68	
8-JK5-	22.52	12/18/68	8-JK7-	6.9	12/18/68	8-JK8-	20.3	5/ 1/68	8-JK8-	48.2	12/18/68	
8-JK5-	22.54	12/18/68	8-JK7-	7.1	5/ 1/68	8-JK8-	20.4	5/ 1/68	8-JK8-	48.3	12/18/68	
8-JK5-	22.56	12/18/68	8-JK7-	7.2	5/ 1/68	8-JK8-	20.5	5/ 1/68	8-JK8-	48.4	12/18/68	
8-JK5-	22.57	12/18/68	8-JK7-	7.3	5/ 1/68	8-JK8-	20.6	5/ 1/68				
8-JK5-	22.62	12/18/68	8-JK7-	7.4*	9/ 4/68	8-JK8-	21.1	7/ 9/68				
8-JK5-	22.64	12/18/68	8-JK7-	7.5	5/ 1/68	8-JK8-	21.2	7/ 9/68	8-AK9-	1	1/ 3/69	
8-JK5-	22.65	12/18/68	8-JK7-	7.6	5/ 1/68	8-JK8-	21.3	7/ 9/68	8-AK9-	2	5/ 1/68	
8-JK5-	22.67	12/18/68	8-JK7-	10	5/ 1/68	8-JK8-	21.4	7/ 9/68	8-AK9-	3.1	5/ 1/68	
8-JK5-	22.68	12/18/68				8-JK8-	21.5	7/ 9/68	8-AK9-	3.2	5/ 1/68	
8-JK5-	22.69	12/18/68				8-JK8-	21.6	7/ 9/68	8-AK9-	3.3	5/ 1/68	
8-JK5-	22.70	12/18/68	8-JK8-	1	1/ 3/69	8-JK8-	21.7	7/ 9/68	8-AK9-	4	5/ 1/68	

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT: THE WORLD TRADE CENTER | TITLE: DRAWING BOOK 8 - CONCRETE - REINFORCING | DATE: 11/26/7

REVISIONS

8-JK8- 12.4	3/12/70	8-JK8- 22.5	3/ 7/69	8-JK8- 41.10	5/12/69	8-JK8- 48.3	12/18/68	8-JK8- 54.8	11/25/69
8-JK8- 12.5	10/24/69	8-JK8- 22.6	3/ 7/69	8-JK8- 41.11	5/12/69	8-JK8- 48.4	5/16/69	8-JK8- 54.9	2/ 9/70
8-JK8- 12.6	10/24/69	8-JK8- 22.7	8/ 8/69	8-JK8- 41.12	5/12/69	8-JK8- 48.5	4/21/69	8-JK8- 54.10	4/ 3/70
8-JK8- 12.7	10/24/69	8-JK8- 22.8	8/ 8/69	8-JK8- 41.13	5/12/69	8-JK8- 48.6	4/21/69	8-JK8- 54.11	2/ 9/70
8-JK8- 12.8	10/24/69	8-JK8- 22.9	3/ 7/69	8-JK8- 41.14	1/17/69	8-JK8- 48.7	4/21/69	8-JK8- 54.12	2/ 9/70
8-JK8- 12.9	12/22/69	8-JK8- 22.10	4/21/69	8-JK8- 41.15	1/31/69	8-JK8- 48.8	1/31/69	8-JK8- 54.13	2/ 9/70
8-JK8- 12.10	3/ 4/70	8-JK8- 22.11	10/17/69	8-JK8- 41.16	9/12/69	8-JK8- 48.9	2/ 6/69	8-JK8- 54.14	2/ 9/70
8-JK8- 13.1	10/24/69	8-JK8- 22.12	4/ 8/70	8-JK8- 41.17	10/29/71	8-JK8- 48.10	7/14/69	8-JK8- 56.1	7/18/69
8-JK8- 13.2	10/24/69	8-JK8- 22.13	6/25/70	8-JK8- 41.18	10/29/71	8-JK8- 48.11	4/28/70	8-JK8- 56.2	7/18/69
8-JK8- 13.3	12/10/69	8-JK8- 22.14	10/30/69	8-JK8- 41.19	9/12/69	8-JK8- 48.12	7/14/69	8-JK8- 56.3	3/ 6/70
8-JK8- 13.4	10/24/69	8-JK8- 22.15	6/25/70	8-JK8- 41.20	9/12/69	8-JK8- 48.13	11/25/69	8-JK8- 56.4	7/18/69
8-JK8- 13.5	10/24/69	8-JK8- 22.16	3/16/70	8-JK8- 42	12/18/68	8-JK8- 48.14	11/25/69	8-JK8- 56.5	7/18/69
8-JK8- 13.6	1/ 9/70	8-JK8- 22.17	6/25/70	8-JK8- 43	12/18/68	8-JK8- 48.15	10/29/71	8-JK8- 56.6	9/23/69
8-JK8- 15.1	9/12/69	8-JK8- 22.18	3/16/70	8-JK8- 44	12/ 9/68	8-JK8- 48.16	10/29/71	8-JK8- 56.7	10/30/69
8-JK8- 15.2	7/ 8/69	8-JK8- 22.19	3/16/70	8-JK8- 45	1/27/69	8-JK8- 50.1	7/ 7/69	8-JK8- 56.8	11/25/69
8-JK8- 15.3	9/26/69	8-JK8- 23	VOID	8-JK8- 45.1	7/ 6/70	8-JK8- 50.2	8/ 8/69	8-JK8- 56.9	11/25/69
8-JK8- 15.4	10/28/69	8-JK8- 24	VOID	8-JK8- 45.2	7/13/70	8-JK8- 50.3	9/26/69	8-JK8- 57.1	5/ 1/70
8-JK8- 15.5	12/15/69	8-JK8- 24.1	3/11/69	8-JK8- 45.3	7/ 6/70	8-JK8- 50.4	9/26/69	8-JK8- 57.2	5/ 1/70
8-JK8- 15.6	9/12/69	8-JK8- 25	5/ 5/69	8-JK8- 46.1	12/18/68	8-JK8- 50.5	9/26/69	8-JK8- 57.3	5/ 1/70
8-JK8- 17.1	7/ 1/69	8-JK8- 28	10/21/68	8-JK8- 46.2	2/20/69	8-JK8- 50.6	12/15/69	8-JK8- 57.4	5/ 1/70
8-JK8- 17.2	7/ 1/69	8-JK8- 29	10/21/68	8-JK8- 46.3	4/ 2/69	8-JK8- 50.7	4/28/70	8-JK8- 57.5	5/15/70
8-JK8- 17.3	7/ 1/69	8-JK8- 31	4/28/70	8-JK8- 46.4	7/23/69	8-JK8- 50.8	1/16/70	8-JK8- 57.6	3/ 9/71
8-JK8- 17.4	7/ 1/69	8-JK8- 32	4/28/70	8-JK8- 46.5	7/23/69	8-JK8- 50.9	1/16/70	8-JK8- 57.7	3/ 2/71
8-JK8- 19	2/27/70	8-JK8- 33.1	4/28/70	8-JK8- 46.6	2/27/70	8-JK8- 50.10	1/16/70	8-JK8- 57.8	3/ 2/71
8-JK8- 20.1	5/ 1/68	8-JK8- 33.2	12/18/68	8-JK8- 46.7	3/ 3/69	8-JK8- 50.11	4/23/70	8-JK8- 57.9	4/ 9/71
8-JK8- 20.2	5/ 1/68	8-JK8- 34	2/14/69	8-JK8- 46.8	10/29/71	8-JK8- 50.12	4/23/70	8-JK8- 57.10	4/ 9/71
8-JK8- 20.3	5/ 1/68	8-JK8- 35	4/28/70	8-JK8- 46.9	11/ 7/69	8-JK8- 50.13	3/30/70	8-JK8- 57.11	10/ 7/71
8-JK8- 20.4	5/ 1/68	8-JK8- 35.1	5/15/70	8-JK8- 46.10	11/ 7/69	8-JK8- 50.14	1/16/70	8-JK8- 57.12	4/ 9/71
8-JK8- 20.5	5/ 1/68	8-JK8- 36	4/28/70	8-JK8- 46.11	2/ 5/70	8-JK8- 50.15	1/27/70	8-JK8- 57.13	10/ 7/71
8-JK8- 20.6	5/ 1/68	8-JK8- 37.1	4/28/70	8-JK8- 46.12	2/ 5/70	8-JK8- 51.1	1/31/69	8-JK8- 57.14	10/ 7/71
8-JK8- 20.7	3/ 5/69	8-JK8- 37.2	2/19/69	8-JK8- 46.13	3/30/70	8-JK8- 51.2	4/ 2/69	8-JK8- 57.15	10/ 7/71
8-JK8- 21.2	4/16/69	8-JK8- 38	4/28/70	8-JK8- 46.14	3/30/70	8-JK8- 51.3	4/21/69	8-JK8- 58.1	5/30/70
8-JK8- 21.3	4/16/69	8-JK8- 38.1	4/28/70	8-JK8- 47.1	4/21/69	8-JK8- 51.4	6/27/69	8-JK8- 58.2	5/30/70
8-JK8- 21.4	4/16/69	8-JK8- 39.1	5/27/69	8-JK8- 47.2	12/18/68	8-JK8- 51.5	6/27/69	8-JK8- 58.3	5/30/70
8-JK8- 21.5	6/30/70	8-JK8- 39.2	5/27/69	8-JK8- 47.3	4/ 2/69	8-JK8- 51.6	9/26/69	8-JK8- 58.4	5/30/70
8-JK8- 21.6	6/30/70	8-JK8- 39.3	5/27/69	8-JK8- 47.4	4/21/69	8-JK8- 51.7	7/14/69	8-JK8- 58.5	5/30/70
8-JK8- 21.7	6/30/70	8-JK8- 39.4	12/18/68	8-JK8- 47.5	5/16/69	8-JK8- 51.8	7/14/69	8-JK8- 59.1	1/15/71
8-JK8- 21.8	4/16/69	8-JK8- 39.5	12/18/68	8-JK8- 47.6	8/29/69	8-JK8- 51.9	8/25/69	8-JK8- 59.2	1/15/71
8-JK8- 21.9	1/23/70	8-JK8- 39.6	12/18/68	8-JK8- 47.7	8/29/69	8-JK8- 51.10	8/25/69	8-JK8- 59.3	5/20/71
8-JK8- 21.10	1/23/70	8-JK8- 39.7	11/13/69	8-JK8- 47.8	8/29/69	8-JK8- 51.11	8/25/69	8-JK8- 59.4	5/15/71
8-JK8- 21.11	1/23/70	8-JK8- 39.8	11/13/69	8-JK8- 47.9	8/29/69	8-JK8- 51.12	9/12/69	8-JK8- 59.5	5/20/71
8-JK8- 21.12	2/16/70	8-JK8- 41.1	6/ 1/70	8-JK8- 47.10	12/12/69	8-JK8- 51.13	9/12/69	8-JK8- 59.6	5/20/71
8-JK8- 21.13	6/28/70	8-JK8- 41.2	6/ 1/70	8-JK8- 47.11	8/29/69	8-JK8- 52.1	4/29/69	8-JK8- 60	2/17/71
8-JK8- 21.14	4/ 9/70	8-JK8- 41.3	12/18/68	8-JK8- 47.12	8/29/69	8-JK8- 54.1	5/ 5/69		
8-JK8- 21.15	8/28/70	8-JK8- 41.4	6/ 1/70	8-JK8- 47.13	12/12/69	8-JK8- 54.2	5/ 5/69		
8-JK8- 21.16	8/28/70	8-JK8- 41.5	5/12/69	8-JK8- 47.14	8/29/69	8-JK8- 54.3	5/ 5/69		
8-JK8- 22.1	4/ 8/70	8-JK8- 41.6	5/12/69	8-JK8- 47.15	3/19/70	8-JK8- 54.4	5/ 5/69		
8-JK8- 22.2	7/16/69	8-JK8- 41.7	5/12/69	8-JK8- 47.16	3/19/70	8-JK8- 54.5	7/16/69		
8-JK8- 22.3	10/30/69	8-JK8- 41.8	5/12/69	8-JK8- 48.1	4/21/69	8-JK8- 54.6	6/11/69		
8-JK8- 22.4	10/30/69	8-JK8- 41.9	5/12/69	8-JK8- 48.2	3/ 7/69	8-JK8- 54.7	10/ 1/69		

LICENSED PROFESSIONAL ENGINEER
LESLIE E. ROBERTSON
No. 34260
THE UNIVERSITY OF THE STATE OF NEW YORK

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	DRAWING BOOK 8 - CONCRETE - REINFORCING	3/ 6/70

REVISIONS

8-JK8-	16	5/ 1/68	8-JK8-	34	2/14/69	8-JK8-	47.1	4/21/69	8-JK8-	51.6	9/26/69
8-JK8-	17.1	7/ 1/69	8-JK8-	35	10/21/68	8-JK8-	47.2	12/16/68	8-JK8-	51.7	7/14/69
8-JK8-	17.2	7/ 1/69	8-JK8-	36	1/17/69	8-JK8-	47.3	4/ 2/69	8-JK8-	51.8	7/14/69
8-JK8-	17.3	7/ 1/69	8-JK8-	37.1	12/18/68	8-JK8-	47.4	4/21/69	8-JK8-	51.9	8/25/69
8-JK8-	17.4	7/ 1/69	8-JK8-	37.2	2/19/69	8-JK8-	47.5	5/16/69	8-JK8-	51.10	8/25/69
8-JK8-	19	2/27/70	8-JK8-	38	12/ 9/68	8-JK8-	47.6	8/29/69	8-JK8-	51.11	8/25/69
8-JK8-	20.1	5/ 1/68	8-JK8-	39.1	5/27/69	8-JK8-	47.7	8/29/69	8-JK8-	51.12	9/12/69
8-JK8-	20.2	5/ 1/68	8-JK8-	39.2	5/27/69	8-JK8-	47.8	8/29/69	8-JK8-	51.13	9/12/69
8-JK8-	20.3	5/ 1/68	8-JK8-	39.3	5/27/69	8-JK8-	47.9	8/29/69	8-JK8-	52.1	4/29/69
8-JK8-	20.4	5/ 1/68	8-JK8-	39.4	12/18/68	8-JK8-	47.10	12/12/69	8-JK8-	54.1	5/ 5/69
8-JK8-	20.5	5/ 1/68	8-JK8-	39.5	12/18/68	8-JK8-	47.11	8/29/69	8-JK8-	54.2	5/ 5/69
8-JK8-	20.6	5/ 1/68	8-JK8-	39.6	12/18/68	8-JK8-	47.12	8/29/69	8-JK8-	54.3	5/ 5/69
8-JK8-	20.7	3/ 5/69	8-JK8-	39.7	11/13/69	8-JK8-	47.13	12/12/69	8-JK8-	54.4	5/ 5/69
8-JK8-	21.1	VOID	8-JK8-	39.8	11/13/69	8-JK8-	47.14	8/29/69	8-JK8-	54.5	7/16/69
8-JK8-	21.2	4/16/69	8-JK8-	41.1	5/12/69	8-JK8-	48.1	4/21/69	8-JK8-	54.6	6/11/69
8-JK8-	21.3	4/16/69	8-JK8-	41.2	5/12/69	8-JK8-	48.2	3/ 7/69	8-JK8-	54.7	10/ 1/69
8-JK8-	21.4	4/16/69	8-JK8-	41.3	12/18/68	8-JK8-	48.3	12/18/68	8-JK8-	54.8	11/25/69
8-JK8-	21.5	2/27/70	8-JK8-	41.4	5/12/69	8-JK8-	48.4	5/16/69	8-JK8-	54.9	2/ 9/70
8-JK8-	21.6	2/27/70	8-JK8-	41.5	5/12/69	8-JK8-	48.5	4/21/69	8-JK8-	54.10	2/ 9/70
8-JK8-	21.7	2/27/70	8-JK8-	41.6	5/12/69	8-JK8-	48.6	4/21/69	8-JK8-	54.11	2/ 9/70
8-JK8-	21.8	4/16/69	8-JK8-	41.7	5/12/69	8-JK8-	48.7	4/21/69	8-JK8-	54.12	2/ 9/70
8-JK8-	21.9	1/23/70	8-JK8-	41.8	5/12/69	8-JK8-	48.8	1/31/69	8-JK8-	54.13	2/ 9/70
8-JK8-	21.10	1/24/70	8-JK8-	41.9	5/12/69	8-JK8-	48.9	2/ 6/69	8-JK8-	54.14	2/ 9/70
8-JK8-	21.11	1/23/70	8-JK8-	41.10	5/12/69	8-JK8-	48.10	7/14/69	8-JK8-	56.1	7/18/69
8-JK8-	21.12	2/16/70	8-JK8-	41.11	5/12/69	8-JK8-	48.11	7/14/69	8-JK8-	56.2	7/18/69
8-JK8-	21.13	2/27/70	8-JK8-	41.12	5/12/69	8-JK8-	48.12	7/14/69	8-JK8-	56.3	3/ 6/70
8-JK8-	22.1	10/30/69	8-JK8-	41.13	5/12/69	8-JK8-	48.13	11/25/69	8-JK8-	56.4	7/18/69
8-JK8-	22.2	7/16/69	8-JK8-	41.14	1/17/69	8-JK8-	48.14	11/25/69	8-JK8-	56.5	7/18/69
8-JK8-	22.3	10/30/69	8-JK8-	41.15	1/31/69	8-JK8-	48.15	1/16/70	8-JK8-	56.6	9/23/69
8-JK8-	22.4	10/30/69	8-JK8-	41.16	5/12/69	8-JK8-	48.16	1/16/70	8-JK8-	56.7	10/30/69
8-JK8-	22.5	3/ 7/69	8-JK8-	41.17	8/25/69	8-JK8-	50.1	7/ 7/69	8-JK8-	56.8	11/25/69
8-JK8-	22.6	3/ 7/69	8-JK8-	41.18	8/25/69	8-JK8-	50.2	8/ 8/69	8-JK8-	56.9	11/25/69
8-JK8-	22.7	8/ 8/69	8-JK8-	41.19	9/12/69	8-JK8-	50.3	9/26/69			
8-JK8-	22.8	8/ 8/69	8-JK8-	41.20	9/12/69	8-JK8-	50.4	9/26/69			
8-JK8-	22.9	3/ 7/69	8-JK8-	42	12/18/68	8-JK8-	50.5	9/26/69			
8-JK8-	22.10	4/21/69	8-JK8-	43	12/18/68	8-JK8-	50.6	12/15/69			
8-JK8-	22.11	10/17/69	8-JK8-	44	12/ 9/68	8-JK8-	50.7	1/16/70			
8-JK8-	22.12	10/30/69	8-JK8-	45	1/27/69	8-JK8-	50.8	1/16/70			
8-JK8-	22.13	10/30/69	8-JK8-	46.1	12/18/68	8-JK8-	50.9	1/16/70			
8-JK8-	22.14	10/30/69	8-JK8-	46.2	2/20/69	8-JK8-	50.10	1/16/70			
8-JK8-	23	10/21/68	8-JK8-	46.3	4/ 2/69	8-JK8-	50.11	1/16/70			
8-JK8-	24	10/21/68	8-JK8-	46.4	7/23/69	8-JK8-	50.12	1/16/70			
8-JK8-	24.1	3/11/69	8-JK8-	46.5	7/23/69	8-JK8-	50.13	1/16/70			
8-JK8-	25	5/ 5/69	8-JK8-	46.6	2/27/70	8-JK8-	50.14	1/16/70			
8-JK8-	28	10/21/68	8-JK8-	46.7	9/ 3/69	8-JK8-	50.15	1/27/70			
8-JK8-	29	10/21/68	8-JK8-	46.8	9/ 3/69	8-JK8-	51.1	1/31/69			
8-JK8-	31	12/ 9/68	8-JK8-	46.9	11/ 7/69	8-JK8-	51.2	4/ 2/69			
8-JK8-	32	2/27/69	8-JK8-	46.10	11/ 7/69	8-JK8-	51.3	4/21/69			
8-JK8-	33.1	2/14/69	8-JK8-	46.11	2/ 5/70	8-JK8-	51.4	6/27/69			
8-JK8-	33.2	12/18/68	8-JK8-	46.12	2/ 5/70	8-JK8-	51.5	6/27/69			

LICENSED PROFESSIONAL ENGINEER — LESLIE E. ROBERTSON — No. 34360 — UNIVERSITY OF THE STATE OF NEW YORK

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	DRAWING BOOK B - CONCRETE - REINFORCING	2/02/70

REVISIONS

B-JKB- 20.6 5/ 1/68
B-JKB- 20.7 3/ 5/69
B-JKB- 21.1 VOID
B-JKB- 21.2 4/15/69
B-JKB- 21.3 4/15/69
B-JKB- 21.4 4/15/69
B-JKB- 21.5 1/21/70
B-JKB- 21.6 1/21/70
B-JKB- 21.7 1/21/70
B-JKB- 21.8 4/15/69
B-JKB- 21.9 1/21/70
B-JKB- 21.10 1/21/70
B-JKB- 21.11 1/21/70
B-JKB- 22.1 10/30/69
B-JKB- 22.2 7/16/69
B-JKB- 22.3 10/30/69
B-JKB- 22.4 10/30/69
B-JKB- 22.5 3/ 7/69
B-JKB- 22.6 3/ 7/69
B-JKB- 22.7 8/ 8/69
B-JKB- 22.8 8/ 8/69
B-JKB- 22.9 3/ 7/69
B-JKB- 22.10 4/21/69
B-JKB- 22.11 10/17/69
B-JKB- 22.12 10/30/69
B-JKB- 22.13 10/30/69
B-JKB- 22.14 10/30/69
B-JKB- 23 10/21/68
B-JKB- 24 10/21/68
B-JKB- 24.1 3/11/69
B-JKB- 25 9/ 5/69
B-JKB- 26 10/21/68
B-JKB- 29 10/21/68
B-JKB- 31 12/ 9/68
B-JKB- 32 2/27/69
B-JKB- 33.1 2/14/69
B-JKB- 33.2 12/19/68
B-JKB- 34 2/14/69
B-JKB- 35 10/21/68
B-JKB- 36 1/17/69
B-JKB- 37.1 12/13/68
B-JKB- 37.2 2/19/69
B-JKB- 38 12/ 9/68
B-JKB- 39.1 5/27/69
B-JKB- 39.2 5/27/69
B-JKB- 39.3 5/27/69
B-JKB- 39.4 12/18/68
B-JKB- 39.5 12/19/68
B-JKB- 39.6 12/19/68
B-JKB- 39.7 11/13/69
B-JKB- 39.8 11/13/69
B-JKB- 41.1 5/12/69
B-JKB- 41.2 5/12/69
B-JKB- 41.3 12/18/68
B-JKB- 41.4 5/12/69
B-JKB- 41.5 5/12/69
B-JKB- 41.6 5/12/69
B-JKB- 41.7 5/12/69
B-JKB- 41.8 5/12/69
B-JKB- 41.9 5/12/69
B-JKB- 41.10 5/12/69
B-JKB- 41.11 5/12/69
B-JKB- 41.12 5/12/69
B-JKB- 41.13 5/12/69
B-JKB- 41.14 1/17/69
B-JKB- 41.15 1/31/69
B-JKB- 41.16 5/12/69
B-JKB- 41.17 8/25/69
B-JKB- 41.18 8/25/69
B-JKB- 41.19 9/12/69
B-JKB- 41.20 9/12/69
B-JKB- 42 12/18/68
B-JKB- 43 12/18/68
B-JKB- 44 12/ 9/68
B-JKB- 45 1/27/69
B-JKB- 46.1 12/18/68
B-JKB- 46.2 2/20/69
B-JKB- 46.3 4/ 2/69
B-JKB- 46.4 7/23/69
B-JKB- 46.5 7/23/69
B-JKB- 46.6 9/ 3/69
B-JKB- 46.7 9/ 3/69
B-JKB- 46.8 9/ 3/69
B-JKB- 46.9 11/ 7/69
B-JKB- 46.10 11/ 7/69
B-JKB- 47.1 4/21/69
B-JKB- 47.2 12/18/68
B-JKB- 47.3 4/ 2/69
B-JKB- 47.4 4/21/69
B-JKB- 47.5 5/16/69
B-JKB- 47.6 8/29/69
B-JKB- 47.7 8/29/69
B-JKB- 47.8 8/29/69
B-JKB- 47.9 8/29/69
B-JKB- 47.10 12/12/69
B-JKB- 47.11 8/29/69
B-JKB- 47.12 8/29/69
B-JKB- 47.13 12/12/69
B-JKB- 47.14 8/29/69
B-JKB- 48.1 4/21/69
B-JKB- 48.2 3/ 7/69
B-JKB- 48.3 12/18/68
B-JKB- 48.4 5/16/69
B-JKB- 48.5 4/21/69
B-JKB- 48.6 4/21/69
B-JKB- 48.7 4/21/69
B-JKB- 48.8 1/31/69
B-JKB- 48.9 2/ 6/69
B-JKB- 48.10 7/14/69
B-JKB- 48.11 7/14/69
B-JKB- 48.12 7/14/69
B-JKB- 48.13 11/25/69
B-JKB- 48.14 11/25/69
B-JKB- 48.15 1/16/70
B-JKB- 48.16 1/16/70
B-JKB- 50.1 7/ 7/69
B-JKB- 50.2 8/ 8/69
B-JKB- 50.3 9/26/69
B-JKB- 50.4 9/26/69
B-JKB- 50.5 9/26/69
B-JKB- 50.6 12/15/69
B-JKB- 50.7 1/16/70
B-JKB- 50.8 1/16/70
B-JKB- 50.9 1/16/70
B-JKB- 50.10 1/16/70
B-JKB- 50.11 1/16/70
B-JKB- 50.12 1/16/70
B-JKB- 50.13 1/16/70
B-JKB- 50.14 1/16/70
B-JKB- 50.15 1/27/70
B-JKB- 51.1 1/31/69
B-JKB- 51.2 4/ 2/69
B-JKB- 51.3 4/21/69
B-JKB- 51.4 6/27/69
B-JKB- 51.5 6/27/69
B-JKB- 51.6 9/26/69
B-JKB- 51.7 7/14/69
B-JKB- 51.8 7/14/69
B-JKB- 51.9 8/25/69
B-JKB- 51.10 8/25/69
B-JKB- 51.11 8/25/69
B-JKB- 51.12 9/12/69
B-JKB- 51.13 9/12/69
B-JKB- 52.1 4/21/69
B-JKB- 54.1 5/ 5/69
B-JKB- 54.2 5/ 5/69
B-JKB- 54.3 5/ 5/69
B-JKB- 54.4 5/ 5/69
B-JKB- 54.5 7/16/69
B-JKB- 54.6 8/11/69
B-JKB- 54.7 10/ 1/69
B-JKB- 54.8 11/25/69
B-JKB- 56.1 7/16/69
B-JKB- 56.2 7/16/69
B-JKB- 56.3 12/30/69
B-JKB- 56.4 7/16/69
B-JKB- 56.5 7/16/69
B-JKB- 56.6 9/23/69
B-JKB- 56.7 10/30/69
B-JKB- 56.8 11/25/69
B-JKB- 56.9 11/25/69

REGISTERED ENGINEER ROBERTSON No. 34360 UNIVERSITY OF THE STATE OF NEW YORK

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	DRAWING BOOK 8 - CONCRETE - REINFORCING	1/02/70

REVISIONS

8-JK8-	21.3	4/16/69	8-JK8-	41.6	5/12/69	8-JK8-	48.8	1/31/69
8-JK8-	21.4	4/16/69	8-JK8-	41.7	5/12/69	8-JK8-	48.9	2/ 6/69
8-JK8-	21.5	4/16/69	8-JK8-	41.8	5/12/69	8-JK8-	48.10	7/14/69
8-JK8-	21.6	4/16/69	8-JK8-	41.9	5/12/69	8-JK8-	48.11	7/14/69
8-JK8-	21.7	4/16/69	8-JK8-	41.10	5/12/69	8-JK8-	48.12	7/14/69
8-JK8-	21.8	4/16/69	8-JK8-	41.11	5/12/69	8-JK8-	48.13	11/25/69
8-JK8-	21.9	4/16/69	8-JK8-	41.12	5/12/69	8-JK8-	48.14	11/25/69
8-JK8-	22.1	10/30/69	8-JK8-	41.13	5/12/69	8-JK8-	50.1	7/ 7/69
8-JK8-	22.2	7/15/69	8-JK8-	41.14	1/17/69	8-JK8-	50.2	8/ 8/69
8-JK8-	22.3	10/30/69	8-JK8-	41.15	1/31/69	8-JK8-	50.3	9/26/69
8-JK8-	22.4	10/30/69	8-JK8-	41.16	5/12/69	8-JK8-	50.4	9/26/69
8-JK8-	22.5	3/ 7/69	8-JK8-	41.17	8/25/69	8-JK8-	50.5	9/26/69
8-JK8-	22.6	3/ 7/69	8-JK8-	41.18	8/25/69	8-JK8-	50.6	12/15/69
8-JK8-	22.7	8/ 8/69	8-JK8-	41.19	9/12/69	8-JK8-	51.1	1/31/69
8-JK8-	22.8	8/ 8/69	8-JK8-	41.20	9/12/69	8-JK8-	51.2	4/ 2/69
8-JK8-	22.9	3/ 7/69	8-JK8-	42	12/18/68	8-JK8-	51.3	4/21/69
8-JK8-	22.10	4/ 1/69	8-JK8-	43	12/18/68	8-JK8-	51.4	6/27/69
8-JK8-	22.11	10/17/69	8-JK8-	44	12/ 9/68	8-JK8-	51.5	6/27/69
8-JK8-	22.12	10/30/69	8-JK8-	45	1/27/69	8-JK8-	51.6	9/26/69
8-JK8-	22.13	10/30/69	8-JK8-	46.1	12/18/68	8-JK8-	51.7	7/14/69
8-JK8-	22.14	10/30/69	8-JK8-	46.2	2/20/69	8-JK8-	51.8	7/14/69
8-JK8-	23	10/21/68	8-JK8-	46.3	4/ 2/69	8-JK8-	51.9	8/25/69
8-JK8-	24	10/21/68	8-JK8-	46.4	7/23/69	8-JK8-	51.10	8/25/69
8-JK8-	24.1	3/11/69	8-JK8-	46.5	7/23/69	8-JK8-	51.11	8/25/69
8-JK8-	25	5/ 5/69	8-JK8-	46.6	9/ 3/69	8-JK8-	51.12	9/12/69
8-JK8-	28	10/21/68	8-JK8-	46.7	9/ 3/69	8-JK8-	51.13	9/12/69
8-JK8-	29	10/21/68	8-JK8-	46.8	9/ 3/69	8-JK8-	52.1	4/29/69
8-JK8-	31	12/ 9/68	8-JK8-	46.9	11/ 7/69	8-JK8-	54.1	5/ 5/69
8-JK8-	32	2/27/69	8-JK8-	46.10	11/ 7/69	8-JK8-	54.2	5/ 5/69
8-JK8-	33.1	2/14/69	8-JK8-	47.1	4/21/69	8-JK8-	54.3	5/ 5/69
8-JK8-	33.2	12/18/68	8-JK8-	47.2	12/18/68	8-JK8-	54.4	5/ 5/69
8-JK8-	34	2/14/69	8-JK8-	47.3	4/ 2/69	8-JK8-	54.5	7/16/69
8-JK8-	35	10/21/68	8-JK8-	47.4	4/21/69	8-JK8-	54.6	8/11/69
8-JK8-	36	1/17/69	8-JK8-	47.5	5/16/69	8-JK8-	54.7	10/ 1/69
8-JK8-	37.1	12/18/68	8-JK8-	47.6	8/29/69	8-JK8-	54.8	11/25/69
8-JK8-	37.2	2/19/69	8-JK8-	47.7	8/29/69	8-JK8-	56.1	7/18/69
8-JK8-	38	12/ 9/68	8-JK8-	47.8	8/29/69	8-JK8-	56.2	7/18/69
8-JK8-	39.1	5/27/69	8-JK8-	47.9	8/29/69	8-JK8-	56.3	12/30/69
8-JK8-	39.2	5/27/69	8-JK8-	47.10	12/12/69	8-JK8-	56.4	7/18/69
8-JK8-	39.3	5/27/69	8-JK8-	47.11	8/29/69	8-JK8-	56.5	7/18/69
8-JK8-	39.4	12/18/68	8-JK8-	47.12	8/29/69	8-JK8-	56.6	9/23/69
8-JK8-	39.5	12/18/68	8-JK8-	47.13	12/12/69	8-JK8-	56.7	10/30/69
8-JK8-	39.6	12/18/68	8-JK8-	47.14	8/29/69	8-JK8-	56.8	11/25/69
8-JK8-	39.7	11/13/69	8-JK8-	48.1	4/21/69	8-JK8-	56.9	11/25/69
8-JK8-	39.8	11/13/69	8-JK8-	48.2	3/ 7/69			
8-JK8-	41.1	5/12/69	8-JK8-	48.3	12/10/68			
8-JK8-	41.2	5/12/69	8-JK8-	48.4	5/16/69			
8-JK8-	41.3	12/18/68	8-JK8-	48.5	4/21/69			
8-JK8-	41.4	5/12/69	8-JK8-	48.6	4/21/69			
8-JK8-	41.5	5/12/69	8-JK8-	48.7	4/21/69			

LICENSED PROFESSIONAL ENGINEER
LESLIE E. ROBERTSON
No. 34360
UNIVERSITY OF THE STATE OF NEW YORK

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — *Structural & Civil Engineers*

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	DRAWING BOOK 8 - CONCRETE - REINFORCING	12/ 1/69

REVISIONS

8-JK8-	29	10/21/68	8-JK8-	46.8	9/ 3/69	8-JK8-	54.1	5/ 5/69
8-JK8-	31	12/ 9/68	8-JK8-	46.9	11/ 7/69	8-JK8-	54.2	5/ 5/69
8-JK8-	32	2/27/69	8-JK8-	46.10	11/ 7/69	8-JK8-	54.3	5/ 5/69
8-JK8-	33.1	2/14/69	8-JK8-	47.1	4/21/69	8-JK8-	54.4	5/ 5/69
8-JK8-	33.2	12/18/68	8-JK8-	47.2	12/18/68	8-JK8-	54.5	7/11/69
8-JK8-	34	2/14/69	8-JK8-	47.3	4/ 2/69	8-JK8-	54.6	6/11/69
8-JK8-	35	10/21/68	8-JK8-	47.4	4/21/69	8-JK8-	54.7	10/ 1/69
8-JK8-	36	1/17/69	8-JK8-	47.5	5/16/69	8-JK8-	54.8	11/25/69
8-JK8-	37.1	12/18/68	8-JK8-	47.6	8/29/69	8-JK8-	56.1	7/18/69
8-JK8-	37.2	2/19/69	8-JK8-	47.7	8/29/69	8-JK8-	56.2	7/18/69
8-JK8-	38	12/ 9/68	8-JK8-	47.8	8/29/69	8-JK8-	56.3	7/18/69
8-JK8-	39.1	5/27/69	8-JK8-	47.9	8/29/69	8-JK8-	56.4	7/18/69
8-JK8-	39.2	5/27/69	8-JK8-	47.10	8/29/69	8-JK8-	56.5	7/18/69
8-JK8-	39.3	5/27/69	8-JK8-	47.11	8/29/69	8-JK8-	56.6	9/23/69
8-JK8-	39.4	12/18/68	8-JK8-	47.12	8/29/69	8-JK8-	56.7	10/30/69
8-JK8-	39.5	12/18/68	8-JK8-	47.13	8/29/69	8-JK8-	56.8	11/25/69
8-JK8-	39.6	12/18/68	8-JK8-	47.14	8/29/69	8-JK8-	56.9	11/25/69
8-JK8-	39.7	11/14/69	8-JK8-	48.1	4/21/69			
8-JK8-	39.8	11/14/69	8-JK8-	48.2	3/ 7/69			
8-JK8-	41.1	5/12/69	8-JK8-	48.3	12/18/68			
8-JK8-	41.2	5/12/69	8-JK8-	48.4	5/16/69			
8-JK8-	41.3	12/18/68	8-JK8-	48.5	4/21/69	8-AK9-	1	VOID
8-JK8-	41.4	5/12/69	8-JK8-	48.6	4/21/69	8-AK9-	2	VOID
8-JK8-	41.5	5/12/69	8-JK8-	48.7	4/21/69	8-AK9-	3.1	VOID
8-JK8-	41.6	5/12/69	8-JK8-	48.8	1/31/69	8-AK9-	3.2	VOID
8-JK8-	41.7	5/12/69	8-JK8-	48.9	2/ 6/69	8-AK9-	3.3	VOID
8-JK8-	41.8	5/12/69	8-JK8-	48.10	7/14/69	8-AK9-	4	VOID
8-JK8-	41.9	5/12/69	8-JK8-	48.11	7/14/69			
8-JK8-	41.10	5/12/69	8-JK8-	48.12	7/14/69			
8-JK8-	41.11	5/12/69	8-JK8-	48.13	11/25/69			
8-JK8-	41.12	5/12/69	8-JK8-	48.14	11/25/69			
8-JK8-	41.13	5/12/69	8-JK8-	50.1	7/ 7/69			
8-JK8-	41.14	1/17/69	8-JK8-	50.2	8/ 8/69			
8-JK8-	41.15	1/31/69	8-JK8-	50.3	9/26/69			
8-JK8-	41.16	5/12/69	8-JK8-	50.4	9/26/69			
8-JK8-	41.17	8/29/69	8-JK8-	50.5	9/26/69			
8-JK8-	41.18	8/29/69	8-JK8-	51.1	1/31/69			
8-JK8-	41.19	9/12/69	8-JK8-	51.2	4/ 2/69			
8-JK8-	41.20	9/12/69	8-JK8-	51.3	4/21/69			
8-JK8-	42	12/18/68	8-JK8-	51.4	6/27/69			
8-JK8-	43	12/18/68	8-JK8-	51.5	6/27/69			
8-JK8-	44	12/ 9/68	8-JK8-	51.6	9/26/69			
8-JK8-	45	1/27/69	8-JK8-	51.7	7/14/69			
8-JK8-	46.1	12/18/68	8-JK8-	51.8	7/14/69			
8-JK8-	46.2	2/20/69	8-JK8-	51.9	8/25/69			
8-JK8-	46.3	4/ 2/69	8-JK8-	51.10	8/25/69			
8-JK8-	46.4	7/23/69	8-JK8-	51.11	8/25/69			
8-JK8-	46.5	7/23/69	8-JK8-	51.12	9/12/69			
8-JK8-	46.6	9/ 3/69	8-JK8-	51.13	9/12/69			
8-JK8-	46.7	9/ 3/69	8-JK8-	52.1	4/29/69			

LESLIE E. ROBERTSON — LICENSED ENGINEER — No. 34360 — UNIVERSITY OF THE STATE OF NEW YORK

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT: THE WORLD TRADE CENTER | TITLE: DRAWING BOOK 8 - CONCRETE - REINFORCING | DATE: 11/ 3/69

REVISIONS

8-JK8-	36	1/17/69	8-JK8-	47.9	8/29/69	8-JK8-	56.7	10/30/69
8-JK8-	37.1	12/18/68	8-JK8-	47.10	8/29/69			
8-JK8-	37.2	2/19/69	8-JK8-	47.11	8/29/69			
8-JK8-	38	12/ 9/68	8-JK8-	47.12	8/29/69			
8-JK8-	39.1	5/27/69	8-JK8-	47.13	8/29/69			
8-JK8-	39.2	5/27/69	8-JK8-	47.14	8/29/69	8-AK9-	1	VOID
8-JK8-	39.3	5/27/69	8-JK8-	48.1	4/21/69	8-AK9-	2	VOID
8-JK8-	39.4	12/18/68	8-JK8-	48.2	3/ 7/69	8-AK9-	3.1	VOID
8-JK8-	39.5	12/18/68	8-JK8-	48.3	12/18/68	8-AK9-	3.2	VOID
8-JK8-	39.6	12/18/68	8-JK8-	48.4	5/16/69	8-AK9-	3.3	VOID
8-JK8-	41.1	5/12/69	8-JK8-	48.5	4/21/69	8-AK9-	4	VOID
8-JK8-	41.2	5/12/69	8-JK8-	48.6	4/21/69			
8-JK8-	41.3	12/18/68	8-JK8-	48.7	4/21/69			
8-JK8-	41.4	5/12/69	8-JK8-	48.8	1/31/69			
8-JK8-	41.5	5/12/69	8-JK8-	48.9	2/ 6/69			
8-JK8-	41.6	5/12/69	8-JK8-	48.10	7/14/69			
8-JK8-	41.7	5/12/69	8-JK8-	48.11	7/14/69			
8-JK8-	41.8	5/12/69	8-JK8-	48.12	7/14/69			
8-JK8-	41.9	5/12/69	8-JK8-	50.1	7/ 7/69			
8-JK8-	41.10	5/12/69	8-JK8-	50.2	8/ 8/69			
8-JK8-	41.11	5/12/69	8-JK8-	50.3	9/26/69			
8-JK8-	41.12	5/12/69	8-JK8-	50.4	9/26/69			
8-JK8-	41.13	5/12/69	8-JK8-	50.5	9/26/69			
8-JK8-	41.14	1/17/69	8-JK8-	51.1	1/31/69			
8-JK8-	41.15	1/31/69	8-JK8-	51.2	4/ 2/69			
8-JK8-	41.16	5/12/69	8-JK8-	51.3	4/21/69			
8-JK8-	41.17	8/25/69	8-JK8-	51.4	6/27/69			
8-JK8-	41.18	8/25/69	8-JK8-	51.5	6/27/69			
8-JK8-	41.19	9/12/69	8-JK8-	51.6	9/26/69			
8-JK8-	41.20	9/12/69	8-JK8-	51.7	7/14/69			
8-JK8-	42	12/18/68	8-JK8-	51.8	7/14/69			
8-JK8-	43	12/18/68	8-JK8-	51.9	8/25/69			
8-JK8-	44	12/ 9/68	8-JK8-	51.10	8/25/69			
8-JK8-	45	1/27/69	8-JK8-	51.11	8/25/69			
8-JK8-	46.1	12/18/68	8-JK8-	51.12	9/12/69			
8-JK8-	46.2	2/20/69	8-JK8-	51.13	9/12/69			
8-JK8-	46.3	4/ 2/69	8-JK8-	52.1	4/29/69			
8-JK8-	46.4	7/23/69	8-JK8-	54.1	5/ 5/69			
8-JK8-	46.5	7/23/69	8-JK8-	54.2	5/ 5/69			
8-JK8-	46.6	9/ 3/69	8-JK8-	54.3	5/ 5/69			
8-JK8-	46.7	9/ 3/69	8-JK8-	54.4	5/ 5/69			
8-JK8-	46.8	9/ 3/69	8-JK8-	54.5	7/16/69			
8-JK8-	47.1	4/21/69	8-JK8-	54.6	6/11/69			
8-JK8-	47.2	12/18/68	8-JK8-	54.7	10/ 1/69			
8-JK8-	47.3	4/ 2/69	8-JK8-	56.1	7/18/69			
8-JK8-	47.4	4/21/69	8-JK8-	56.2	7/18/69			
8-JK8-	47.5	5/16/69	8-JK8-	56.3	7/18/69			
8-JK8-	47.6	8/29/69	8-JK8-	56.4	7/18/69			
8-JK8-	47.7	8/29/69	8-JK8-	56.5	7/18/69			
8-JK8-	47.8	8/29/69	8-JK8-	56.6	9/23/69			

LICENSED PROFESSIONAL ENGINEER
LESLIE E. ROBERTSON
No. 34360
UNIVERSITY OF THE STATE OF NEW YORK

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	DRAWING BOOK 8 - CONCRETE - REINFORCING	10/ 1/69

REVISIONS

8-JK8-	41.7	5/12/69	8-JK8-	48.11	7/14/69
8-JK8-	41.8	5/12/69	8-JK8-	48.12	7/14/69
8-JK8-	41.9	5/12/69	8-JK8-	50.1	7/ 7/69
8-JK8-	41.10	5/12/69	8-JK8-	50.2	8/ 8/69
8-JK8-	41.11	5/12/69	8-JK8-	50.3	9/26/69
8-JK8-	41.12	5/12/69	8-JK8-	50.4	9/26/69
8-JK8-	41.13	5/12/69	8-JK8-	50.5	9/26/69
8-JK8-	41.14	1/17/69	8-JK8-	51.1	1/31/69
8-JK8-	41.15	1/31/69	8-JK8-	51.2	4/ 2/69
8-JK8-	41.16	5/12/69	8-JK8-	51.3	4/21/69
8-JK8-	41.17	8/25/69	8-JK8-	51.4	6/27/69
8-JK8-	41.18	8/25/69	8-JK8-	51.5	6/27/69
8-JK8-	41.19	9/17/69	8-JK8-	51.6	9/26/69
8-JK8-	41.20	9/12/69	8-JK8-	51.7	7/14/69
8-JK8-	42	12/18/68	8-JK8-	51.8	7/14/69
8-JK8-	43	12/18/68	8-JK8-	51.9	8/25/69
8-JK8-	44	12/ 9/68	8-JK8-	51.10	8/25/69
8-JK8-	45	1/27/69	8-JK8-	51.11	8/25/69
8-JK8-	46.1	12/18/68	8-JK8-	51.12	9/12/69
8-JK8-	46.2	2/20/69	8-JK8-	51.13	9/12/69
8-JK8-	46.3	4/ 2/69	8-JK8-	52.1	4/29/69
8-JK8-	46.4	7/23/69	8-JK8-	54.1	5/ 5/69
8-JK8-	46.5	7/23/69	8-JK8-	54.2	5/ 5/69
8-JK8-	46.6	9/ 3/69	8-JK8-	54.3	5/ 5/69
8-JK8-	46.7	9/ 3/69	8-JK8-	54.4	5/ 5/69
8-JK8-	46.8	9/ 3/69	8-JK8-	54.5	7/16/69
8-JK8-	47.1	4/21/69	8-JK8-	54.6	6/11/69
8-JK8-	47.2	12/18/68	8-JK8-	56.1	7/18/69
8-JK8-	47.3	4/ 2/69	8-JK8-	56.2	7/18/69
8-JK8-	47.4	4/21/69	8-JK8-	56.3	7/18/69
8-JK8-	47.5	5/16/69	8-JK8-	56.4	7/18/69
8-JK8-	47.6	8/20/69	8-JK8-	56.5	7/18/69
8-JK8-	47.7	8/29/69	8-JK8-	56.6	9/23/69
8-JK8-	47.8	8/29/69	8-JK8-	56.7	9/23/69
8-JK8-	47.9	8/29/69			
8-JK8-	47.10	8/29/69			
8-JK8-	47.11	8/29/69			
8-JK8-	47.12	8/29/69	8-AK9-	1	VOID
8-JK8-	47.13	8/29/69	8-AK9-	2	VOID
8-JK8-	47.14	8/29/69	8-AK9-	3.1	VOID
8-JK8-	48.1	4/21/69	8-AK9-	3.2	VOID
8-JK8-	48.2	3/ 7/69	8-AK9-	3.3	VOID
8-JK8-	48.3	12/18/68	8-AK9-	4	VOID
8-JK8-	48.4	5/16/69			
8-JK8-	48.5	4/21/69			
8-JK8-	48.6	4/21/69			
8-JK8-	48.7	4/21/69			
8-JK8-	48.8	1/31/69			
8-JK8-	48.9	2/ 6/69			
8-JK8-	48.10	7/14/69			

LICENSED PROFESSIONAL ENGINEER
LESLIE E. ROBERTSON
No. 34360
UNIVERSITY OF THE STATE OF NEW YORK

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	DRAWING BOOK 8 - CONCRETE - REINFORCING	9/ 2/69

REVISIONS

8-JK8-	41.10	5/12/69	8-JK8-	51.5	6/27/69
8-JK8-	41.11	5/12/69	8-JK8-	51.6	6/27/69
8-JK8-	41.12	5/12/69	8-JK8-	51.7	7/14/69
8-JK8-	41.13	5/12/69	8-JK8-	51.8	7/14/69
8-JK8-	41.14	1/17/69	8-JK8-	51.9	8/25/69
8-JK8-	41.15	1/31/69	8-JK8-	51.10	8/25/69
8-JK8-	41.16	5/12/69	8-JK8-	51.11	8/25/69
8-JK8-	41.17	8/25/69	8-JK8-	52.1	4/29/69
8-JK8-	41.18	8/25/69	8-JK8-	54.1	5/ 5/69
8-JK8-	42	12/18/68	8-JK8-	54.2	5/ 5/69
8-JK8-	43	12/18/68	8-JK8-	54.3	5/ 5/69
8-JK8-	44	12/ 9/68	8-JK8-	54.4	5/ 5/69
8-JK8-	45	1/27/69	8-JK8-	54.5	7/16/69
8-JK8-	46.1	12/18/68	8-JK8-	54.6	6/11/69
8-JK8-	46.2	2/20/69	8-JK8-	56.1	7/18/69
8-JK8-	46.3	4/ 2/69	8-JK8-	56.2	7/18/69
8-JK8-	46.4	7/23/69	8-JK8-	56.3	7/18/69
8-JK8-	46.5	7/23/69	8-JK8-	56.4	7/18/69
8-JK8-	47.1	4/21/69	8-JK8-	56.5	7/18/69
8-JK8-	47.2	12/18/68			
8-JK8-	47.3	4/ 2/69			
8-JK8-	47.4	4/21/69			
8-JK8-	47.5	5/16/69	8-AK9-	1	VOID
8-JK8-	47.6	8/29/69	8-AK9-	2	VOID
8-JK8-	47.7	8/29/69	8-AK9-	3.1	VOID
8-JK8-	47.8	8/29/69	8-AK9-	3.2	VOID
8-JK8-	47.9	8/29/69	8-AK9-	3.3	VOID
8-JK8-	47.10	8/29/69	8-AK9-	4	VOID
8-JK8-	47.11	8/29/69			
8-JK8-	47.12	8/29/69			
8-JK8-	47.13	8/29/69			
8-JK8-	47.14	8/29/69			
8-JK8-	48.1	4/21/69			
8-JK8-	48.2	3/ 7/69			
8-JK8-	48.3	12/18/68			
8-JK8-	48.4	5/16/69			
8-JK8-	48.5	4/21/69			
8-JK8-	48.6	4/21/69			
8-JK8-	48.7	4/21/69			
8-JK8-	48.8	1/31/69			
8-JK8-	48.9	2/ 6/69			
8-JK8-	48.10	7/14/69			
8-JK8-	48.11	7/14/69			
8-JK8-	48.12	7/14/69			
8-JK8-	50.1	7/ 7/69			
8-JK8-	50.2	8/ 8/69			
8-JK8-	51.1	1/31/69			
8-JK8-	51.2	4/ 2/69			
8-JK8-	51.3	4/21/69			
8-JK8-	51.4	6/27/69			

LICENSED PROFESSIONAL ENGINEER
LESLIE E. ROBERTSON
No. 34360
UNIVERSITY OF THE STATE OF NEW YORK

SKILLING-HELLE-CHRISTIANSEN-ROBERTSON — Civil & Structural Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	DRAWING BOOK 8 - CONCRETE - REINFORCING	7/ 1/69

REVISIONS

8-JK8-	46.4	7/ 1/69
8-JK8-	47.1	4/21/69
8-JK8-	47.2	12/10/68
8-JK8-	47.3	4/ 2/69
8-JK8-	47.4	4/21/69
8-JK8-	47.5	5/14/69
8-JK8-	48.1	4/21/69
8-JK8-	48.2	3/ 7/69
8-JK8-	48.3	12/10/68
8-JK8-	48.4	5/16/69
8-JK8-	48.5	4/21/69
8-JK8-	48.6	4/21/69
8-JK8-	48.7	4/21/69
8-JK8-	48.8	1/31/69
8-JK8-	48.9	2/ 6/69
8-JK8-	51.1	1/31/69
8-JK8-	51.2	4/ 2/69
8-JK8-	51.3	4/21/69
8-JK8-	51.4	6/27/69
8-JK8-	51.5	6/27/69
8-JK8-	51.6	6/27/69
8-JK8-	52.1	4/29/69
8-JK8-	54.1	5/ 5/69
8-JK8-	54.2	5/ 5/69
8-JK8-	54.3	5/ 5/69
8-JK8-	54.4	5/ 5/69
8-JK8-	54.5	6/11/69
8-JK8-	54.6	6/11/69

8-AK9-	1	5/ 1/69
8-AK9-	2	5/ 1/68
8-AK9-	3.1	5/ 1/68
8-AK9-	3.2	5/ 1/68
8-AK9-	3.3	5/ 1/68
8-AK9-	4	5/ 1/68

LICENSED PROFESSIONAL ENGINEER
LESLIE E. ROBERTSON
No. 34360
UNIVERSITY OF THE STATE OF NEW YORK

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	DRAWING BOOK B – CONCRETE - REINFORCING	11/26/71

REVISIONS

B-AB10-1.1	11/23/70	B-AB10-90.2	7/12/71
B-AB10-1.2	11/23/70	B-AB10-90.3	9/ 3/71
B-AB10-1.3	11/23/70	B-AB10-90.4	9/ 3/71
B-AB10-1.4	11/23/70	B-AB10-90.5	9/ 3/71
B-AB10-1.5	11/23/70	B-AB10-90.6	9/ 3/71
B-AB10-1.6	11/23/70	B-AB10-90.7	9/ 3/71
B-AB10-2.1	11/23/70	B-AB10-91	12/11/70
B-AB10-2.2	3/ 1/71	B-AB10-95.1	12/11/70
B-AB10-2.3	11/23/70	B-AB10-95.2	7/12/71
B-AB10-3.1	11/23/70	B-AB10-95.3	12/11/70
B-AB10-3.2	11/23/70		
B-AB10-3.3	11/23/70		
B-AB10-4	11/23/70		
B-AB10-50.1	3/ 1/71		
B-AB10-50.2	3/ 1/71		
B-AB10-50.3	3/ 1/71		
B-AB10-50.4	3/ 1/71		
B-AB10-51.1	12/ 4/70		
B-AB10-52.1	12/ 4/70		
B-AB10-52.2	12/ 4/70		
B-AB10-52.3	12/ 4/70		
B-AB10-52.4	12/ 4/70		
B-AB10-52.5	12/ 4/70		
B-AB10-53.1	12/ 4/70		
B-AB10-75.1	12/ 7/70		
B-AB10-75.2	12/ 7/70		
B-AB10-76.1	12/ 7/70		
B-AB10-76.2	12/ 7/70		
B-AB10-80.1	5/ 7/71		
B-AB10-80.2	5/ 7/71		
B-AB10-80.3	5/ 7/71		
B-AB10-80.4	5/ 7/71		
B-AB10-80.5	9/ 3/71		
B-AB10-80.6	5/ 7/71		
B-AB10-80.7	6/30/71		
B-AB10-80.8	9/ 3/71		
B-AB10-81.1	6/30/71		
B-AB10-81.2	5/ 7/71		
B-AB10-81.3	7/12/71		
B-AB10-81.4	9/ 3/71		
B-AB10-82.1	12/ 8/70		
B-AB10-82.2	12/ 8/70		
B-AB10-82.3	12/ 8/70		
B-AB10-82.4	7/12/71		
B-AB10-83	12/ 8/70		
B-AB10-84.1	9/ 3/71		
B-AB10-84.2	9/ 3/71		
B-AB10-84.3	9/ 3/71		

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT	THE WORLD TRADE CENTER	TITLE	CONCRETE GENERAL NOTES & TYPICAL DETAILS - INDEX	DATE	5/ 1/69

REVISIONS

8-AB1- 1 INDEX
8-AB1- 2.1 GENERAL NOTES
8-AB1- 2.2 GENERAL NOTES
8-AB1- 2.3 GENERAL NOTES
8-AB1- 3.1 SLAB REINFORCING
8-AB1- 3.2 SLAB REINFORCING
8-AB1- 4.1 CONSTRUCTION JOINT
8-AB1- 4.2 CONSTRUCTION JOINT
8-AB1- 4.3 CONSTRUCTION JOINT
8-AB1- 5.1 BEAM FIREPROOFING
8-AB1- 5.2 BEAM FIREPROOFING
8-AB1- 5.3 BEAM FIREPROOFING
8-AB1- 5.4 BEAM FIREPROOFING
8-AB1- 6 COLUMN FIREPROOFING
8-AB1- 7.1 SLAB OPENING
8-AB1- 7.2 SLAB OPENING
8-AB1- 9.1 SLAB OVER SHAFT
8-AB1- 9.2 SLAB OVER SHAFT
8-AB1- 10 REINF. AT RAISED BEAM
8-AB1- 11 TYP. WALL DETAILS
8-AB1- 12 TYP. DETAILS OF STEEL DECK
8-AB1- 13 ALTERNATE-NO METAL EDGING

REGISTERED PROFESSIONAL ENGINEER
LESLIE E. ROBERTSON
NEW YORK

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT: THE WORLD TRADE CENTER

TITLE: CONCRETE GENERAL NOTES & TYPICAL DETAILS - INDEX

DATE: 4/ 1/69

REVISIONS

8-AB1-	1	INDEX
8-AB1-	2.1	GENERAL NOTES
8-AB1-	2.2	GENERAL NOTES
8-AB1-	2.3	GENERAL NOTES
8-AB1-	3.1	SLAB REINFORCING
8-AB1-	3.2	SLAB REINFORCING
8-AB1-	4.1	CONSTRUCTION JOINT
8-AB1-	4.2	CONSTRUCTION JOINT
8-AB1-	5.1	BEAM FIREPROOFING
8-AB1-	5.2	BEAM FIREPROOFING
8-AB1-	5.3	BEAM FIREPROOFING
8-AB1-	5.4	BEAM FIREPROOFING
8-AB1-	6	COLUMN FIREPROOFING
8-AB1-	7.1	SLAB OPENING
8-AB1-	7.2	SLAB OPENING
8-AB1-	8	CURB DETAIL
8-AB1-	9.1	SLAB OVER SHAFT
8-AB1-	9.2	SLAB OVER SHAFT
8-AB1-	10	REINF. AT RAISED BEAM
8-AB1-	11	TYP. WALL DETAILS
8-AB1-	12	TYP. DETAILS OF STEEL DECK
8-AB1-	13	ALTERNATE-NO METAL EDGING



SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	CONCRETE GENERAL NOTES & TYPICAL DETAILS - INDEX	3/ 3/69

REVISIONS

8-ABL-	1	INDEX
8-ABL-	2.1	GENERAL NOTES
8-ABL-	2.2	GENERAL NOTES
8-ABL-	2.3	GENERAL NOTES
8-ABL-	3.1	SLAB REINFORCING
8-ABL-	3.2	SLAB REINFORCING
8-ABL-	4.1	CONSTRUCTION JOINT
8-ABL-	4.2	CONSTRUCTION JOINT
8-ABL-	5.1	BEAM FIREPROOFING
8-ABL-	5.2	BEAM FIREPROOFING
8-ABL-	5.3	BEAM FIREPROOFING
8-ABL-	5.4	BEAM FIREPROOFING
8-ABL-	6	COLUMN FIREPROOFING
8-ABL-	7.1	SLAB OPENING
8-ABL-	7.2	SLAB OPENING
8-ABL-	8	CURB DETAIL
8-ABL-	9.1	SLAB OVER SHAFT
8-ABL-	9.2	SLAB OVER SHAFT
8-ABL-	10	REINF. AT RAISED BEAM
8-ABL-	11	TYP. WALL DETAILS
8-ABL-	12	TYP. DETAILS OF STEEL DECK
8-ABL-	13	ALTERNATE-NO METAL EDGING

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON – Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	CONCRETE GENERAL NOTES & TYPICAL DETAILS – INDEX	2/ 3/69

REVISIONS

8-AB1-	1	INDEX
8-AB1-	2.1	GENERAL NOTES
8-AB1-	2.2	GENERAL NOTES
8-AB1-	2.3	GENERAL NOTES
8-AB1-	3.1	SLAB REINFORCING
8-AB1-	3.2	SLAB REINFORCING
8-AB1-	4.1	CONSTRUCTION JOINT
8-AB1-	4.2	CONSTRUCTION JOINT
8-AB1-	5.1	BEAM FIREPROOFING
8-AB1-	5.2	BEAM FIREPROOFING
8-AB1-	5.3	BEAM FIREPROOFING
8-AB1-	5.4	BEAM FIREPROOFING
8-AB1-	6	COLUMN FIREPROOFING
8-AB1-	7.1	SLAB OPENING
8-AB1-	7.2	SLAB OPENING
8-AB1-	8	CURB DETAIL
8-AB1-	9.1	SLAB OVER SHAFT
8-AB1-	9.2	SLAB OVER SHAFT
8-AB1-	10	REINF. AT RAISED BEAM
8-AB1-	11	TYP. WALL DETAILS
8-AB1-	12	TYP. DETAILS OF STEEL DECK
8-AB1-	13	ALTERNATE-NO METAL EDGING

LICENSED PROFESSIONAL ENGINEER
LESLIE E. ROBERTSON
No. 34360
OF THE STATE OF NEW YORK

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	CONCRETE GENERAL NOTES & TYPICAL DETAILS - INDEX	1/ 3/69

REVISIONS

8-AB1- 1 INDEX
8-AB1- 2.1 GENERAL NOTES
8-AB1- 2.2 GENERAL NOTES
8-AB1- 2.3 GENERAL NOTES
8-AB1- 3.1 SLAB REINFORCING
8-AB1- 3.2 SLAB REINFORCING
8-AB1- 4.1 CONSTRUCTION JOINT
8-AB1- 4.2 CONSTRUCTION JOINT
8-AB1- 5.1 BEAM FIREPROOFING
8-AB1- 5.2 BEAM FIREPROOFING
8-AB1- 5.3 BEAM FIREPROOFING
8-AB1- 6 COLUMN FIREPROOFING
8-AB1- 7.1 SLAB OPENING
8-AB1- 7.2 SLAB OPENING
8-AB1- 8 CURB DETAIL
8-AB1- 9 SLAB OVER SHAFT
8-AB1- 10 REINF. AT RAISED BEAM
8-AB1- 11 TYP. WALL DETAILS
8-AB1- 12 TYP. DETAILS OF STEEL DECK
8-AB1- 13 ALTERNATE-NO METAL EDGING



SKILLING-HELLE-CHRISTIANSEN-ROBERTSON — Civil & Structural Engineers

PROJECT	TITLE	DATE
TPE WORLD TRADE CENTER	CONCRETE GENERAL NOTES & TYPICAL DETAILS - INDEX	3/ 1/68

REVISIONS
5/31/68

8-A81-	1	INDEX
8-A81-	2.1	GENERAL NOTES
8-A81-	2.2	GENERAL NOTES
8-A81-	2.3	GENERAL NOTES
8-A81-	3.1	SLAB REINFORCING
8-A81-	3.2	SLAB REINFORCING
8-A81-	4.1	CONSTRUCTION JOINT
8-A81-	4.2	CONSTRUCTION JOINT
8-A81-	5.1	BEAM FIREPROOFING
8-A81-	5.2	BEAM FIREPROOFING
8-A81-	5.3	BEAM FIREPROOFING
8-A81-	6	COLUMN FIREPROOFING
8-A81-	7.1	SLAB OPENING
8-A81-	7.2	SLAB OPENING
8-A81-	8	CURB DETAIL
8-A81-	9	SLAB OVER SHAFT
8-A81-	10	REINF. AT RAISED BEAM
8-A81-	11	TYP. WALL DETAILS
8-A81-	12	TYP. DETAILS AT STEEL DECK

REGISTERED PROFESSIONAL ENGINEER
LESLIE E. ROBERTSON
NEW YORK

3

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT: THE WORLD TRADE CENTER | TITLE: CONCRETE DETAILS - FLOOR - INDEX | DATE: 4/ 1/69

REVISIONS
Pril, scl 5-1-69

8-AB2-	1	INDEX
8-AB2-	2.1	4-INCH SLAB
8-AB2-	2.2	4-INCH SLAB
8-AB2-	2.3	4-INCH SLAB
8-AB2-	2.4	4-INCH SLAB
8-AB2-	2.5	4-INCH SLAB
8-AB2-	2.6	4-INCH SLAB
8-AB2-	3.1	5-INCH OR THICKER SLAB
8-AB2-	3.2	5-INCH (OR THICKER) SLAB
8-AB2-	3.3	5-INCH (OR THICKER) SLAB
8-AB2-	3.4	5-INCH (OR THICKER) SLAB
8-AB2-	3.5	5-INCH (OR THICKER) SLAB
8-AB2-	4.1	2-INCH HEADER IN 4-INCH SLAB
8-AB2-	4.2	2-INCH HEADER IN 4-INCH SLAB
8-AB2-	5.1	BARS ACROSS HEADERS
8-AB2-	5.2	BARS ACROSS HEADERS
8-AB2-	5.3	BARS ACROSS HEADERS
8-AB2-	5.4	BARS ACROSS HEADERS
8-AB2-	5.5	BARS ACROSS HEADERS
8-AB2-	5.6	BARS ACROSS HEADERS
8-AB2-	6.1	3-INCH HEADER IN 4-INCH SLAB
8-AB2-	6.2	3-INCH HEADER IN 4-INCH SLAB
	7	HEADER IN THICK SLAB
8-AB2-	8	SLEEVES AT SLAB
8-AB2-	9	NOT USED
8-AB2-	10.1	SILLS, CURBS, PARAPETS
8-AB2-	10.2	SILLS, CURBS, PARAPETS
8-AB2-	10.3	SILLS, CURBS, PARAPETS
8-AB2-	10.4	SILLS, CURBS, PARAPETS
8-AB2-	10.5	SILLS, CURBS, PARAPETS
8-AB2-	11	REINF. AT LARGE OPNGS.

LICENSED PROFESSIONAL ENGINEER — LESLIE E. ROBERTSON — No. 3430 — UNIVERSITY OF THE STATE OF NEW YORK

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	CONCRETE DETAILS , FLOOR - INDEX	4/ 1/69

REVISIONS

8-AB2- 1 INDEX
8-AB2- 2.1 4-INCH SLAB
8-AB2- 2.2 4-INCH SLAB
8-AB2- 2.3 4-INCH SLAB
8-AB2- 2.4 4-INCH SLAB
8-AB2- 2.5 4-INCH SLAB
8-AB2- 2.6 4-INCH SLAB
8-AB2- 3.1 5-INCH OR THICKER SLAB
8-AB2- 3.2 5-INCH (OR THICKER) SLAB
8-AB2- 3.3 5-INCH (OR THICKER) SLAB
8-AB2- 3.4 5-INCH (OR THICKER) SLAB
8-AB2- 3.5 5-INCH (OR THICKER) SLAB
8-AB2- 4.1 2-INCH HEADER IN 4-INCH SLAB
8-AB2- 4.2 2-INCH HEADER IN 4-INCH SLAB
8-AB2- 5.1 BARS ACROSS HEADERS
8-AB2- 5.2 BARS ACROSS HEADERS
8-AB2- 5.3 BARS ACROSS HEADERS
8-AB2- 5.4 BARS ACROSS HEADERS
8-AB2- 5.5 BARS ACROSS HEADERS
8-AB2- 5.6 BARS ACROSS HEADERS
8-AB2- 6.1 3-INCH HEADER IN 4-INCH SLAB
8-AB2- 6.2 3-INCH HEADER IN 4-INCH SLAB
8-AB2- 7 HEADER IN THICK SLAB
8-AB2- 8 SLEEVES AT EXT. WALL
8-AB2- 9 NOT USED
8-AB2- 10.1 SILLS, CURBS, PARAPETS
8-AB2- 10.2 SILLS, CURBS, PARAPETS
8-AB2- 10.3 SILLS, CURBS, PARAPETS
8-AB2- 10.4 SILLS, CURBS, PARAPETS
8-AB2- 10.5 SILLS, CURBS, PARAPETS
8-AB2- 11 REINF. AT LARGE OPNGS.



SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	CONCRETE DETAILS , FLOOR - INDEX	3/ 3/69

REVISIONS

8-AB2- 1 INDEX
8-AB2- 2.1 4-INCH SLAB
8-AB2- 2.2 4-INCH SLAB
8-AB2- 2.3 4-INCH SLAB
8-AB2- 2.4 4-INCH SLAB
8-AB2- 2.5 4-INCH SLAB
8-AB2- 2.6 4-INCH SLAB
8-AB2- 3.1 5-INCH OR THICKER SLAB
8-AB2- 3.2 5-INCH (OR THICKER) SLAB
8-AB2- 3.3 5-INCH (OR THICKER) SLAB
8-AB2- 3.4 5-INCH (OR THICKER) SLAB
8-AB2- 3.5 5-INCH (OR THICKER) SLAB
8-AB2- 4 2-INCH HEADER IN 4-INCH SLAB
8-AB2- 5 BARS T7,T8,T9,D9
8-AB2- 6.1 3-INCH HEADER IN 4-INCH SLAB
8-AB2- 6.2 3-INCH HEADER IN 4-INCH SLAB
8-AB2- 7 HEADER IN THICK SLAB
8-AB2- 8 SLEEVES AT EXT. WALL
8-AB2- 9 NOT USED
8-AB2- 10.1 SILLS, CURBS, PARAPETS
8-AB2- 10.2 SILLS, CURBS, PARAPETS
8-AB2- 10.3 SILLS, CURBS, PARAPETS
8-AB2- 10.4 SILLS, CURBS, PARAPETS
8-AB2- 10.5 SILLS, CURBS, PARAPETS
8-AB2- 11 REINF. AT LARGE OPNGS.

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	CONCRETE DETAILS , FLOOR - INDEX	2/ 3/69

REVISIONS

8-AB2- 1 INDEX
8-AB2- 2.1 4-INCH SLAB
8-AB2- 2.2 4-INCH SLAB
8-AB2- 2.3 4-INCH SLAB
8-AB2- 2.4 4-INCH SLAB
8-AB2- 2.5 4-INCH SLAB
8-AB2- 2.6 4-INCH SLAB
8-AB2- 3.1 5-INCH OR THICKER SLAB
8-AB2- 3.2 5-INCH (OR THICKER) SLAB
8-AB2- 3.3 5-INCH (OR THICKER) SLAB
8-AB2- 3.4 5-INCH (OR THICKER) SLAB
8-AB2- 3.5 5-INCH (OR THICKER) SLAB
8-AB2- 4 2-INCH HEADER IN 4-INCH SLAB
8-AB2- 5 BARS T7,T8,T9,D9
8-AB2- 6.1 3-INCH HEADER IN 4-INCH SLAB
8-AB2- 6.2 3-INCH HEADER IN 4-INCH SLAB
8-AB2- 7 HEADER IN THICK SLAB
8-AB2- 8 SLEEVES AT EXT. WALL
8-AB2- 9 NOT USED
8-AB2- 10.1 SILLS, CURBS, PARAPETS
8-AB2- 10.2 SILLS, CURBS, PARAPETS
8-AB2- 10.3 SILLS, CURBS, PARAPETS
8-AB2- 10.4 SILLS, CURBS, PARAPETS
8-AB2- 10.5 SILLS, CURBS, PARAPETS
8-AB2- 11 REINF. AT LARGE OPNGS.

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT: THE NERLE TRADE CENTER | TITLE: CONCRETE DETAILS , FLOOR - INDEX | DATE: 1/ 3/69

REVISIONS

8-AB2-	1	INDEX
8-AB2-	2.1	4-INCH SLAB
8-AB2-	2.2	4-INCH SLAB
8-AB2-	2.3	4-INCH SLAB
8-AB2-	2.4	4-INCH SLAB
8-AB2-	2.5	4-INCH SLAB
8-AB2-	2.6	4-INCH SLAB
8-AB2-	3.1	5-INCH (OR THICKER) SLAB
8-AB2-	3.2	5-INCH (OR THICKER) SLAB
8-AB2-	3.3	5-INCH (OR THICKER) SLAB
8-AB2-	3.4	5-INCH (OR THICKER) SLAB
8-AB2-	3.5	5-INCH (OR THICKER) SLAB
8-AB2-	4	2-INCH HEADER IN 4-INCH SLAB
8-AB2-	5	BARS T7,T8,T9,D5
8-AB2-	6	3-INCH HEADER IN 4-INCH SLAB
8-AB2-	7	HEADER IN THICK SLAB
8-AB2-	8	SLEEVES AT EXT. WALL
8-AB2-	9	NOT USED
8-AB2-	10.1	SILLS, CURBS, PARAPETS
8-AB2-	10.2	SILLS, CURBS, PARAPETS
8-AB2-	10.3	SILLS, CURBS, PARAPETS
8-AB2-	10.4	SILLS, CURBS, PARAPETS
8-AB2-	10.5	SILLS, CURBS, PARAPETS
8-AB2-	11	REINF. AT LARGE OPNGS.

LICENSED PROFESSIONAL ENGINEER
LESLIE E. ROBERTS
No. 34360
UNIVERSITY OF THE STATE OF N

SKILLING-HELLE-CHRISTIANSEN-ROBERTSON — Civil & Structural Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	CONCRETE DETAILS , FLOOR - INDEX	3/ 1/68

REVISIONS

8-AB2- 1 INDEX
8-AB2- 2.1 4-INCH SLAB
8-AB2- 2.2 4-INCH SLAB
8-AB2- 2.3 4-INCH SLAB
8-AB2- 2.4 4-INCH SLAB
8-AB2- 2.5 4-INCH SLAB
8-AB2- 2.6 4-INCH SLAB
8-AB2- 3.1 5-INCH OR THICKER SLAB
8-AB2- 3.2 5-INCH (OR THICKER) SLAB
8-AB2- 3.3 5-INCH (OR THICKER) SLAB
8-AB2- 3.4 5-INCH (OR THICKER) SLAB
8-AB2- 3.5 5-INCH (OR THICKER) SLAB
8-AB2- 4 2-INCH HEADER IN 4-INCH SLAB
8-AB2- 5 BARS T7,T8,T9,D9
8-AB2- 6 3-INCH HEADER IN 4-INCH SLAB
8-AB2- 7 HEADER IN THICK SLAB
8-AB2- 8 SLEEVES AT EXT. WALL
8-AB2- 9 NOT USED
8-AB2- 10.1 SILLS, CURBS, PARAPETS
8-AB2- 10.2 SILLS, CURBS, PARAPETS
8-AB2- 10.3 SILLS, CURBS, PARAPETS
8-AB2- 10.4 SILLS, CURBS, PARAPETS
8-AB2- 11 REINF. AT LARGE OPNGS.

REGISTERED PROFESSIONAL ENGINEER
LESLIE E. ROBERTSON
No. 34360
STATE OF NEW YORK

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT: THE WORLD TRADE CENTER | TITLE: CONCRETE DETAILS ABOVE FLOOR 1 - INDEX | DATE: 5/ 1/69

REVISIONS

8-AB3- 1.1 INDEX
8-AB3- 1.2 INDEX
8-AB3- 2.1 BEAM FIREPROOFING
8-AB3- 2.2 BEAM FIREPROOFING
8-AB3- 2.3 BEAM FIREPROOFING
8-AB3- 2.4 BEAM FIREPROOFING
8-AB3- 3.1 NARROW SLAB
8-AB3- 3.2 NARROW SLAB
8-AB3- 3.3 NARROW SLAB
8-AB3- 4.1 DEPRESSIONS
8-AB3- 4.2 DEPRESSIONS
8-AB3- 4.3 DEPRESSIONS
8-AB3- 4.4 DEPRESSIONS
8-AB3- 4.5 DEPRESSIONS
8-AB3- 4.6 DEPRESSIONS
8-AB3- 5.1 KNOCK OUT SLAB
8-AB3- 5.2 KNOCK OUT SLAB
8-AB3- 5.3 KNOCK OUT SLAB
8-AB3- 5.4 KNOCK OUT SLAB
8-AB3- 6.1 LOCAL ELEVR. MACH. RM.
8-AB3- 6.2 LOCAL ELEVR. MACH. RM.
8-AB3- 6.3 LOCAL ELEVR. MACH. RM.
8-AB3- 6.4 LOCAL ELEVR. MACH. RM.
8-AB3- 6.5 LOCAL ELEVR. MACH. RM.
8-AB3- 7.1 SHUTTLE ELEVR. MACH. RM.
8-AB3- 7.2 SHUTTLE ELEVR. MACH. RM.
8-AB3- 7.3 SHUTTLE ELEVR. MACH. RM.
8-AB3- 8.1 ELEVATOR PIT
8-AB3- 8.2 ELEVATOR PIT
8-AB3- 9 FLOOR 107
8-AB3- 10.1 DETAILS OF 5.5 INCH SLAB
8-AB3- 10.2 DETAILS OF 5.5 INCH SLAB
8-AB3- 11 SUMP PIT
8-AB3- 12.1 FLOORS 42, 76, 109
8-AB3- 12.2 FLOORS 42, 76, 109
8-AB3- 12.3 FLOORS 42, 76, 109
8-AB3- 13 FLOOR 8
8-AB3- 14 SHUTTLE ELEVR. SECONDARY LEVEL
8-AB3- 15 SHUTTLE ELEVR. CONTROL SPACE
8-AB3- 16.1 ESCALATOR PIT
8-AB3- 16.2 ESCALATOR PIT
8-AB3- 16.3 ESCALATOR PIT
8-AB3- 17.1 COLUMNS - BACKING FOR MARBLE
8-AB3- 17.2 COLUMNS - BACKING FOR MARBLE
8-AB3- 17.3 COLUMNS - BACKING FOR MARBLE
8-AB3- 18 CONCRETE AROUND CONDUITS
8-AB3- 19.1 OPENINGS FOR CONDUITS
8-AB3- 19.2 OPENINGS FOR CONDUITS
8-AB3- 20.1 PHONE CLOSET AT (+6)
8-AB3- 20.2 PHONE CLOSET AT (+6)

REGISTERED PROFESSIONAL ENGINEER LESLIE E. ROBERTSON NEW YORK NO. 36220

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	CONCRETE DETAILS ABOVE FLOOR 1 - INDEX	4/ 1/69

REVISIONS

8-AB3- 1.1 INDEX
8-AB3- 1.2 INDEX
8-AB3- 2.1 BEAM FIREPROOFING
8-AB3- 2.2 BEAM FIREPROOFING
8-AB3- 2.3 BEAM FIREPROOFING
8-AB3- 2.4 BEAM FIREPROOFING
8-AB3- 3.1 NARROW SLAB
8-AB3- 3.2 NARROW SLAB
8-AB3- 3.3 NARROW SLAB
8-AB3- 4.1 DEPRESSIONS
8-AB3- 4.2 DEPRESSIONS
8-AB3- 4.3 DEPRESSIONS
8-AB3- 4.4 DEPRESSIONS
8-AB3- 4.5 DEPRESSIONS
8-AB3- 4.6 DEPRESSIONS
8-AB3- 5.1 KNOCK OUT SLAB
8-AB3- 5.2 KNOCK OUT SLAB
8-AB3- 5.3 KNOCK OUT SLAB
8-AB3- 5.4 KNOCK OUT SLAB
8-AB3- 6.1 LOCAL ELEVR. MACH. RM.
8-AB3- 6.2 LOCAL ELEVR. MACH. RM.
8-AB3- 6.3 LOCAL ELEVR. MACH. RM.
8-AB3- 6.4 LOCAL ELEVR. MACH. RM.
8-AB3- 6.5 LOCAL ELEVR. MACH. RM.
8-AB3- 7.1 SHUTTLE ELEVR. MACH. RM.
8-AB3- 7.2 SHUTTLE ELEVR. MACH. RM.
8-AB3- 8.1 ELEVATOR PIT
8-AB3- 8.2 ELEVATOR PIT
8-AB3- 9 FLOOR 107
8-AB3- 10.1 DETAILS OF 5.5 INCH SLAB
8-AB3- 10.2 DETAILS OF 5.5 INCH SLAB
8-AB3- 11 SUMP PIT
8-AB3- 12.1 FLOORS 42, 76, 109
8-AB3- 12.2 FLOORS 42, 76, 109
8-AB3- 12.3 FLOORS 42, 76, 109
8-AB3- 13 FLOOR 8
8-AB3- 14 SHUTTLE ELEVR. SECONDARY LEVEL
8-AB3- 15 SHUTTLE ELEVR. CONTROL SPACE
8-AB3- 16.1 ESCALATOR PIT
8-AB3- 16.2 ESCALATOR PIT
8-AB3- 16.3 ESCALATOR PIT
8-AB3- 17.1 COLUMNS - BACKING FOR MARBLE
8-AB3- 17.2 COLUMNS - BACKING FOR MARBLE
8-AB3- 17.3 COLUMNS - BACKING FOR MARBLE
8-AB3- 18 CONCRETE AROUND CONDUITS
8-AB3- 19.1 OPENINGS FOR CONDUITS
8-AB3- 19.2 OPENINGS FOR CONDUITS
8-AB3- 20.1 PHONE CLOSET AT (+6)
8-AB3- 20.2 PHONE CLOSET AT (+6)

LICENSED PROFESSIONAL ENGINEER
LESLIE E. ROBERTSON
NO. 34066
OF THE STATE OF NEW YORK

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	CONCRETE DETAILS ABOVE FLOOR 1 - INDEX	3/ 3/69

REVISIONS

8-AB3- 1.1 INDEX
8-AB3- 1.2 INDEX
8-AB3- 2.1 BEAM FIREPROOFING
8-AB3- 2.2 BEAM FIREPROOFING
8-AB3- 2.3 BEAM FIREPROOFING
8-AB3- 2.4 BEAM FIREPROOFING
8-AB3- 3.1 NARROW SLAB
8-AB3- 3.2 NARROW SLAB
8-AB3- 3.3 NARROW SLAB
8-AB3- 4.1 DEPRESSIONS
8-AB3- 4.2 DEPRESSIONS
8-AB3- 4.3 DEPRESSIONS
8-AB3- 4.4 DEPRESSIONS
8-AB3- 4.5 DEPRESSIONS
8-AB3- 4.6 DEPRESSIONS
8-AB3- 5.1 KNOCK OUT SLAB
8-AB3- 5.2 KNOCK OUT SLAB
8-AB3- 5.3 KNOCK OUT SLAB
8-AB3- 5.4 KNOCK OUT SLAB
8-AB3- 6.1 LOCAL ELEVR. MACH. RM.
8-AB3- 6.2 LOCAL ELEVR. MACH. RM.
8-AB3- 6.3 LOCAL ELEVR. MACH. RM.
8-AB3- 6.4 LOCAL ELEVR. MACH. RM.
8-AB3- 6.5 LOCAL ELEVR. MACH. RM.
8-AB3- 7.1 SHUTTLE ELEVR. MACH. RM.
8-AB3- 7.2 SHUTTLE ELEVR. MACH. RM.
8-AB3- 8.1 ELEVATOR PIT
8-AB3- 8.2 ELEVATOR PIT
8-AB3- 9 FLOOR 107
8-AB3- 10.1 DETAILS OF 5.5 INCH SLAB
8-AB3- 10.2 DETAILS OF 5.5 INCH SLAB
8-AB3- 11 SUMP PIT
8-AB3- 12.1 FLOORS 42, 76, 109
8-AB3- 12.2 FLOORS 42, 76, 109
8-AB3- 12.3 FLOORS 42, 76, 109
8-AB3- 13 FLOOR 8
8-AB3- 14 SHUTTLE ELEVR. SECONDARY LEVEL
8-AB3- 15 SHUTTLE ELEVR. CONTROL SPACE
8-AB3- 16.1 ESCALATOR PIT
8-AB3- 16.2 ESCALATOR PIT
8-AB3- 16.3 ESCALATOR PIT
8-AB3- 17.1 COLUMNS - BACKING FOR MARBLE
8-AB3- 17.2 COLUMNS - BACKING FOR MARBLE
8-AB3- 17.3 COLUMNS - BACKING FOR MARBLE
8-AB3- 55.1 SHAFTS AT CORNERS OF CORE
8-AB3- 55.2 SHAFTS AT CORNERS OF CORE

LICENSED PROFESSIONAL ENGINEER
LESLIE E. ROBERTSON
No. 54300
STATE OF NEW YORK

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	CONCRETE DETAILS ABOVE FLOOR 1 - INDEX	2/ 3/69

REVISIONS

8-AB3-	1.1	INDEX
8-AB3-	1.2	INDEX
8-AB3-	2.1	BEAM FIREPROOFING
8-AB3-	2.2	BEAM FIREPROOFING
8-AB3-	2.3	BEAM FIREPROOFING
8-AB3-	2.4	BEAM FIREPROOFING
8-AB3-	3.1	NARROW SLAB
8-AB3-	3.2	NARROW SLAB
8-AB3-	3.3	NARROW SLAB
8-AB3-	4.1	DEPRESSIONS
8-AB3-	4.2	DEPRESSIONS
8-AB3-	4.3	DEPRESSIONS
8-AB3-	4.4	DEPRESSIONS
8-AB3-	4.5	DEPRESSIONS
8-AB3-	4.6	DEPRESSIONS
8-AB3-	5.1	KNOCK OUT SLAB
8-AB3-	5.2	KNOCK OUT SLAB
8-AB3-	5.3	KNOCK OUT SLAB
8-AB3-	5.4	KNOCK OUT SLAB
8-AB3-	6.1	LOCAL ELEVR. MACH. RM.
8-AB3-	6.2	LOCAL ELEVR. MACH. RM.
8-AB3-	6.3	LOCAL ELEVR. MACH. RM.
8-AB3-	6.4	LOCAL ELEVR. MACH. RM.
8-AB3-	6.5	LOCAL ELEVR. MACH. RM.
8-AB3-	7.1	SHUTTLE ELEVR. MACH. RM.
8-AB3-	7.2	SHUTTLE ELEVR. MACH. RM.
8-AB3-	8.1	ELEVATOR PIT
8-AB3-	8.2	ELEVATOR PIT
8-AB3-	9	FLOOR 107
8-AB3-	10.1	DETAILS OF 5.5 INCH SLAB
8-AB3-	10.2	DETAILS OF 5.5 INCH SLAB
8-AB3-	11	SUMP PIT
8-AB3-	12.1	FLOORS 42, 76, 109
8-AB3-	12.2	FLOORS 42, 76, 109
8-AB3-	12.3	FLOORS 42, 76, 109
8-AB3-	13	FLOOR 8
8-AB3-	14	SHUTTLE ELEVR. SECONDARY LEVEL
8-AB3-	15	SHUTTLE ELEVR. CONTROL SPACE
8-AB3-	16.1	ESCALATOR PIT
8-AB3-	16.2	ESCALATOR PIT
8-AB3-	16.3	ESCALATOR PIT
8-AB3-	17.1	COLUMNS - BACKING FOR MARBLE
8-AB3-	17.2	COLUMNS - BACKING FOR MARBLE
8-AB3-	17.3	COLUMNS - BACKING FOR MARBLE
8-AB3-	55.1	SHAFTS AT CORNERS OF CORE
8-AB3-	55.2	SHAFTS AT CORNERS OF CORE

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	CONCRETE DETAILS ABOVE FLOOR 1 - INDEX	1/ 3/69

REVISIONS

8-AB3-	1.1	INDEX
8-AB3-	1.2	INDEX
8-AB3-	2.1	BEAM FIREPROOFING
8-AB3-	2.2	BEAM FIREPROOFING
8-AB3-	2.3	BEAM FIREPROOFING
8-AB3-	2.4	BEAM FIREPROOFING
8-AB3-	3.1	NARROW SLAB
8-AB3-	3.2	NARROW SLAB
8-AB3-	3.3	NARROW SLAB
8-AB3-	4.1	DEPRESSIONS
8-AB3-	4.2	DEPRESSIONS
8-AB3-	4.3	DEPRESSIONS
8-AB3-	4.4	DEPRESSIONS
8-AB3-	4.5	DEPRESSIONS
8-AB3-	4.6	DEPRESSIONS
8-AB3-	5.1	KNOCK OUT SLAB
8-AB3-	5.2	KNOCK OUT SLAB
8-AB3-	5.3	KNOCK OUT SLAB
8-AB3-	5.4	KNOCK OUT SLAB
8-AB3-	6.1	LOCAL ELEVR. MACH. RM.
8-AB3-	6.2	LOCAL ELEVR. MACH. RM.
8-AB3-	6.3	LOCAL ELEVR. MACH. RM.
8-AB3-	6.4	LOCAL ELEVR. MACH. RM.
8-AB3-	6.5	LOCAL ELEVR. MACH. RM.
8-AB3-	7.1	SHUTTLE ELEVR. MACH. RM.
8-AB3-	7.2	SHUTTLE ELEVR. MACH. RM.
8-AB3-	8.1	ELEVATOR PIT
8-AB3-	8.2	ELEVATOR PIT
8-AB3-	9	FLOOR 107
8-AB3-	10.1	DETAILS OF 5.5 INCH SLAB
8-AB3-	10.2	DETAILS OF 5.5 INCH SLAB
8-AB3-	11	SUMP PIT
8-AB3-	12.1	FLOORS 42, 76, 109
8-AB3-	12.2	FLOORS 42, 76, 109
8-AB3-	12.3	FLOORS 42, 76, 109
8-AB3-	13	FLOOR 8
8-AB3-	14	SHUTTLE ELEVR. SECONDARY LEVEL
8-AB3-	15	SHUTTLE ELEVR. CONTROL SPACE
8-AB3-	16.1	ESCALATOR PIT
8-AB3-	16.2	ESCALATOR PIT
8-AB3-	16.3	ESCALATOR PIT
8-AB3-	17.1	COLUMNS - BACKING FOR MARBLE
8-AB3-	17.2	COLUMNS - BACKING FOR MARBLE
8-AB3-	17.3	COLUMNS - BACKING FOR MARBLE
8-AB3-	55.1	SHAFTS AT CORNERS OF CORE
8-AB3-	55.2	SHAFTS AT CORNERS OF CORE

SKILLING-HELLE-CHRISTIANSEN-ROBERTSON — Civil & Structural Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	CONCRETE DETAILS ABOVE FLOOR 1 - INDEX	3/ 1/68

REVISIONS

8-AB3- 1.1 INDEX
8-AB3- 1.2 INDEX
8-AB3- 2.1 BEAM FIREPROOFING
8-AB3- 2.2 BEAM FIREPROOFING
8-AB3- 2.3 BEAM FIREPROOFING
8-AB3- 2.4 BEAM FIREPROOFING
8-AB3- 3.1 NARROW SLAB
8-AB3- 3.2 NARROW SLAB
8-AB3- 3.3 NARROW SLAB
8-AB3- 4.1 DEPRESSIONS
8-AB3- 4.2 DEPRESSIONS
8-AB3- 4.3 DEPRESSIONS
8-AB3- 4.4 DEPRESSIONS
8-AB3- 4.5 DEPRESSIONS
8-AB3- 4.6 DEPRESSIONS
8-AB3- 5.1 KNOCK OUT SLAB
8-AB3- 5.2 KNOCK OUT SLAB
8-AB3- 5.3 KNOCK OUT SLAB
8-AB3- 5.4 KNOCK OUT SLAB
8-AB3- 6.1 LOCAL ELEVR. MACH. RM.
8-AB3- 6.2 LOCAL ELEVR. MACH. RM.
8-AB3- 6.3 LOCAL ELEVR. MACH. RM.
8-AB3- 6.4 LOCAL ELEVR. MACH. RM.
8-AB3- 6.5 LOCAL ELEVR. MACH. RM.
8-AB3- 7.1 SHUTTLE ELEVR. MACH. RM.
8-AB3- 7.2 SHUTTLE ELEVR. MACH. RM.
8-AB3- 8.1 ELEVATOR PIT
8-AB3- 8.2 ELEVATOR PIT
8-AB3- 9 FLOOR 107
8-AB3- 10 HEADER IN 5.5 INCH SLAB
8-AB3- 11 SUMP PIT
8-AB3- 12.1 FLOORS 42, 76, 109
8-AB3- 12.2 FLOORS 42, 76, 109
8-AB3- 12.3 FLOORS 42, 76, 109
8-AB3- 13 FLOOR 8
8-AB3- 14 SHUTTLE ELEVR. SECONDARY LEVEL
8-AB3- 15 SHUTTLE ELEVR. CONTROL SPACE
8-AB3- 16.1 ESCALATOR PIT
8-AB3- 16.2 ESCALATOR PIT
8-AB3- 16.3 ESCALATOR PIT
8-AB3- 17.1 COLUMNS - BACKING FOR MARBLE
8-AB3- 17.2 COLUMNS - BACKING FOR MARBLE
8-AB3- 17.3 COLUMNS - BACKING FOR MARBLE

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT	TITLE	DATE
THE HURLEY TRADE CENTER	CONCRETE DETAILS ABOVE FLOOR 1 — INDEX	5/ 1/69

REVISIONS

8-AB3- 21 PHONE CLOSET AT (+6), 2 OPNGS.
8-AB3- 22.1 PHONE CLOSET AT (+6), WITH SLEEVES
8-AB3- 22.2 PHONE CLOSET AT (+6), WITH SLEEVES
8-AB3- 23.1 PHONE CLOSET AT (+0)
8-AB3- 23.2 PHONE CLOSET AT (+0)
8-AB3- 24 PHONE CLOSET AT (+0), 2 OPNGS.
8-AB3- 25.1 PHONE CLOSET AT (+0), WITH SLEEVES
8-AB3- 25.2 PHONE CLOSET AT (+0), WITH SLEEVES
8-AB3- 25.3 PHONE CLOSET AT (+0), WITH SLEEVES
8-AB3- 26 PHONE CLOSET AT (+0), 1 OPNG.
8-AB3- 27 PHONE CLOSET AT (+0), 2 OPNGS.
8-AB3- 28 PHONE CLOSET AT (+0), 2 OPNGS.
8-AB3- 29 PHONE CLOSET AT (+0), WITH SLEEVES
8-AB3- 30 ELECTR. CLOSET AT (+6)
8-AB3- 31 ELECTR. CLOSET AT (+0)
8-AB3- 32 CLOSET AT (+6) BEYOND CHANNEL
8-AB3- 33.1 SUPPORTS FOR GRATING
8-AB3- 33.2 SUPPORTS FOR GRATING
8-AB3- 34.1 FLOOR 110
8-AB3- 34.2 FLOOR 110
8-AB3- 34.3 FLOOR 110
8-AB3- 47.1 FLOOR 2
8-AB3- 47.2 FLOOR 2
8-AB3- 47.3 FLOOR 2
8-AB3- 47.4 FLOOR 2
8-AB3- 47.5 FLOOR 2
8-AB3- 47.6 FLOOR 2
8-AB3- 47.7 FLOOR 2
8-AB3- 47.8 FLOOR 2
8-AB3- 47.9 FLOOR 2
8-AB3- 47.10 FLOOR 2
8-AB3- 48 FLOORS 3-6
8-AB3- 50.1 LOCAL ELEVR. LOBBY
8-AB3- 50.2 LOCAL ELEVR. LOBBY
8-AB3- 51 STAIR OUTSIDE CORE
8-AB3- 52 OPNGS. AT COL LINES 500, 1000
8-AB3- 53 OPNG. IN ELECTR. CLOSET C
8-AB3- 54 MAIL CHUTE
8-AB3- 55.1 SHAFT AT CORNER OF CORE
8-AB3- 55.2 SHAFT AT CORNER OF CORE
8-AB3- 55.3 SHAFT AT CORNER OF CORE
8-AB3- 55.4 SHAFT AT CORNER OF CORE
8-AB3- 55.5 SHAFT AT CORNER OF CORE
8-AB3- 55.6 SHAFT AT CORNER OF CORE
8-AB3- 55.7 SHAFT AT CORNER OF CORE
8-AB3- 55.8 SHAFT AT CORNER OF CORE
8-AB3- 55.9 SHAFT AT CORNER OF CORE
8-AB3- 55.10 SHAFT AT CORNER OF CORE
8-AB3- 56 MENS TOILET EXHAUST OPNG.
8-AB3- 57 OPNG. BET. COLS. 705, 706

LESLIE E. ROBERTSON REGISTERED PROFESSIONAL ENGINEER NO. 19346 UNIVERSITY OF THE STATE OF NEW YORK

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	CONCRETE DETAILS ABOVE FLOOR 1 - INDEX	4/ 1/69

REVISIONS

8-AB3- 21 PHONE CLOSET AT (+6), 2 OPNGS.
8-AB3- 22 PHONE CLOSET AT (+6), WITH SLEEVES
8-AB3- 23.1 PHONE CLOSET AT (+0)
8-AB3- 23.2 PHONE CLOSET AT (+0)
8-AB3- 24 PHONE CLOSET AT (+0), 2 OPNGS.
8-AB3- 25 PHONE CLOSET AT (+0), WITH SLEEVES
8-AB3- 26 PHONE CLOSET AT (+0), 1 OPNG.
8-AB3- 27 PHONE CLOSET AT (+0), 2 OPNGS.
8-AB3- 28 PHONE CLOSET AT (+0), 2 OPNGS.
8-AB3- 29 PHONE CLOSET AT (+0), WITH SLEEVES
8-AB3- 30 ELECTR. CLOSET AT (+6)
8-AB3- 31 ELECTR. CLOSET AT (+0)
8-AB3- 32 CLOSET AT (+6) BEYOND CHANNEL
8-AB3- 33 SUPPORTS FOR GRATING
8-AB3- 34.1 FLOOR 110
8-AB3- 34.2 FLOOR 110
8-AB3- 34.3 FLOOR 110
8-AB3- 47.1 FLOOR 2
8-AB3- 47.2 FLOOR 2
8-AB3- 47.3 FLOOR 2
8-AB3- 47.4 FLOOR 2
8-AB3- 47.5 FLOOR 2
8-AB3- 47.6 FLOOR 2
8-AB3- 47.7 FLOOR 2
8-AB3- 47.8 FLOOR 2
8-AB3- 47.9 FLOOR 2
8-AB3- 47.10 FLOOR 2
8-AB3- 48 FLOORS 3-6
8-AB3- 50.1 LOCAL ELEVR. LOBBY
8-AB3- 50.2 LOCAL ELEVR. LOBBY
8-AB3- 51 STAIR OUTSIDE CORE
8-AB3- 52 OPNGS. AT COL LINES 500, 1000
8-AB3- 53 OPNG. IN ELECTR. CLOSET C
8-AB3- 54 MAIL CHUTE
8-AB3- 55.1 SHAFT AT CORNER OF CORE
8-AB3- 55.2 SHAFT AT CORNER OF CORE
8-AB3- 55.3 SHAFT AT CORNER OF CORE
8-AB3- 55.4 SHAFT AT CORNER OF CORE
8-AB3- 55.5 SHAFT AT CORNER OF CORE
8-AB3- 55.6 SHAFT AT CORNER OF CORE
8-AB3- 56 MENS TOILET EXHAUST OPNG.
8-AB3- 57 OPNG. BET. COLS. 705, 706



SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	CONCRETE DETAILS ABOVE FLOOR 1 - INDEX	3/ 3/69

REVISIONS

8-AB3- 18	CONCRETE AROUND CONDUITS
8-AB3- 19.1	OPENINGS FOR CONDUITS
8-AB3- 19.2	OPENINGS FOR CONDUITS
8-AB3- 20	PHONE CLOSET AT (+6), 1 OPNG.
8-AB3- 21	PHONE CLOSET AT (+6), 2 OPNGS.
8-AB3- 22	PHONE CLOSET AT (+6), WITH SLEEVES
8-AB3- 23	PHONE CLOSET AT (+0), 1 OPNG.
8-AB3- 24	PHONE CLOSET AT (+0), 2 OPNGS.
8-AB3- 25	PHONE CLOSET AT (+0), WITH SLEEVES
8-AB3- 26	PHONE CLOSET AT (+0), 1 OPNG.
8-AB3- 27	PHONE CLOSET AT (+0), 2 OPNGS.
8-AB3- 28	PHONE CLOSET AT (+0), 2 OPNGS.
8-AB3- 29	PHONE CLOSET AT (+0), WITH SLEEVES
8-AB3- 30	ELECTR. CLOSET AT (+6)
8-AB3- 31	ELECTR. CLOSET AT (+0)
8-AB3- 32	CLOSET AT (+6) BEYOND CHANNEL
8-AB3- 33	SUPPORTS FOR GRATING
8-AB3- 34.1	FLOOR 110
8-AB3- 34.2	FLOOR 110
8-AB3- 34.3	FLOOR 110
8-AB3- 47.1	FLOOR 2
8-AB3- 47.2	FLOOR 2
8-AB3- 47.3	FLOOR 2
8-AB3- 47.4	FLOOR 2
8-AB3- 47.5	FLOOR 2
8-AB3- 48	FLOORS 3-6
8-AB3- 50.1	LOCAL ELEVR. LOBBY
8-AB3- 50.2	LOCAL ELEVR. LOBBY
8-AB3- 51	STAIR OUTSIDE CORE
8-AB3- 52	OPNGS. AT COL LINES 500, 1000
8-AB3- 53	OPNG. IN ELECTR. CLOSET C
8-AB3- 54	MAIL CHUTE
8-AB3- 55.1	SHAFT AT CORNER OF CORE
8-AB3- 55.2	SHAFT AT CORNER OF CORE
8-AB3- 55.3	SHAFT AT CORNER OF CORE
8-AB3- 55.4	SHAFT AT CORNER OF CORE
8-AB3- 55.5	SHAFT AT CORNER OF CORE
8-AB3- 55.6	SHAFT AT CORNER OF CORE
8-AB3- 56	MENS TOILET EXHAUST OPNG.
8-AB3- 57	OPNG. BET. COLS. 705, 706

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	CONCRETE DETAILS ABOVE FLOOR 1 - INDEX	2/ 3/69

REVISIONS

8-AB3- 18 CONCRETE AROUND CONDUITS
8-AB3- 19.1 OPENINGS FOR CONDUITS
8-AB3- 19.2 OPENINGS FOR CONDUITS
8-AB3- 20 PHONE CLOSET AT (+6), 1 OPNG.
8-AB3- 21 PHONE CLOSET AT (+6), 2 OPNGS.
8-AB3- 22 PHONE CLOSET AT (+6), WITH SLEEVES
8-AB3- 23 PHONE CLOSET AT (+0), 1 OPNG.
8-AB3- 24 PHONE CLOSET AT (+0), 2 OPNGS.
8-AB3- 25 PHONE CLOSET AT (+0), WITH SLEEVES
8-AB3- 26 PHONE CLOSET AT (+0), 1 OPNG.
8-AB3- 27 PHONE CLOSET AT (+0), 2 OPNGS.
8-AB3- 28 PHONE CLOSET AT (+0), 3 OPNGS.
8-AB3- 29 PHONE CLOSET AT (+0), WITH SLEEVES
8-AB3- 30 ELECTR. CLOSET AT (+6)
8-AB3- 31 ELECTR. CLOSET AT (+0)
8-AB3- 32 CLOSET AT (+6) BEYOND CHANNEL
8-AB3- 33 SUPPORTS FOR GRATING
8-AB3- 34.1 FLOOR 110
8-AB3- 34.2 FLOOR 110
8-AB3- 34.3 FLOOR 110
8-AB3- 47.1 FLOOR 2
8-AB3- 47.2 FLOOR 2
8-AB3- 47.3 FLOOR 2
8-AB3- 47.4 FLOOR 2
8-AB3- 47.5 FLOOR 2
8-AB3- 48 FLOORS 3-6
8-AB3- 50.1 LOCAL ELEVR. LOBBY
8-AB3- 50.2 LOCAL ELEVR. LOBBY
8-AB3- 51 STAIR OUTSIDE CORE
8-AB3- 52 OPNGS. AT COL LINES 500, 1000
8-AB3- 53 OPNG. IN ELECTR. CLOSET C
8-AB3- 54 MAIL CHUTE
8-AB3- 55.1 SHAFT AT CORNER OF CORE
8-AB3- 55.2 SHAFT AT CORNER OF CORE
8-AB3- 55.3 SHAFT AT CORNER OF CORE
8-AB3- 55.4 SHAFT AT CORNER OF CORE
8-AB3- 55.5 SHAFT AT CORNER OF CORE
8-AB3- 55.6 SHAFT AT CORNER OF CORE
8-AB3- 56 MENS TOILET EXHAUST OPNG.
8-AB3- 57 OPNG. BET. COLS. 705, 706

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	CONCRETE DETAILS ABOVE FLOOR 1 - INDEX	1/ 3/69

REVISIONS

8-AB3- 18 CONCRETE AROUND CONDUITS
8-AB3- 19.1 OPENINGS FOR CONDUITS
8-AB3- 19.2 OPENINGS FOR CONDUITS
8-AB3- 20 PHONE CLOSET AT (+6), 1 OPNG.
8-AB3- 21 PHONE CLOSET AT (+6), 2 OPNGS.
8-AB3- 22 PHONE CLOSET AT (+6), WITH SLEEVES
8-AB3- 23 PHONE CLOSET AT (+C), 1 OPNG.
8-AB3- 24 PHONE CLOSET AT (+C), 2 OPNGS.
8-AB3- 25 PHONE CLOSET AT (+C), WITH SLEEVES
8-AB3- 26 PHONE CLOSET AT (+C), 1 OPNG.
8-AB3- 27 PHONE CLOSET AT (+C), 2 OPNGS.
8-AB3- 28 PHONE CLOSET AT (+C), 2 OPNGS.
8-AB3- 29 PHONE CLOSET AT (+C), WITH SLEEVES
8-AB3- 30 ELECTR. CLOSET AT (+6)
8-AB3- 31 ELECTR. CLOSET AT (+C)
8-AB3- 32 CLOSET AT (+6) BEYOND CHANNEL
8-AB3- 33 SUPPORTS FOR GRATING
8-AB3- 34.1 FLOOR 11C
8-AB3- 34.2 FLOOR 11C
8-AB3- 34.3 FLOOR 11C
8-AB3- 47.1 FLOOR 2
8-AB3- 47.2 FLOOR 2
8-AB3- 47.3 FLOOR 2
8-AB3- 47.4 FLOOR 2
8-AB3- 47.5 FLOOR 2
8-AB3- 48 FLOORS 3-6
8-AB3- 50.1 LOCAL ELEVR. LOBBY
8-AB3- 50.2 LOCAL ELEVR. LOBBY
8-AB3- 51 STAIR OUTSIDE CORE
8-AB3- 52 OPNGS. AT COL LINES 500, 1000
8-AB3- 53 OPNG. IN ELECTR. CLOSET C
8-AB3- 54 MAIL CHUTE
8-AB3- 55.1 SHAFT AT CORNER OF CORE
8-AB3- 55.2 SHAFT AT CORNER OF CORE
8-AB3- 55.3 SHAFT AT CORNER OF CORE
8-AB3- 55.4 SHAFT AT CORNER OF CORE
8-AB3- 55.5 SHAFT AT CORNER OF CORE
8-AB3- 55.6 SHAFT AT CORNER OF CORE
8-AB3- 56 MENS TOILET EXHAUST OPNG.
8-AB3- 57 OPNG. BET. COLS. 705, 706

LICENSED PROFESSIONAL ENGINEER
LESLIE E. ROBERTSON
No. 34350
UNIVERSITY OF THE STATE OF NEW YORK

SKILLING-HELLE-CHRISTIANSEN-ROBERTSON — Civil & Structural Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	CONCRETE DETAILS ABOVE FLOOR 1 - INDEX	3/ 1/66

REVISIONS

8-AB3- 18	CONCRETE AROUND CONDUITS
8-AB3- 19.1	OPENINGS FOR CONDUITS
8-AB3- 19.2	OPENINGS FOR CONDUITS
8-AB3- 20	PHONE CLOSET AT (+6), 1 OPNG.
8-AB3- 21	PHONE CLOSET AT (+6), 2 OPNGS.
8-AB3- 22	PHONE CLOSET AT (+6), WITH SLEEVES
8-AB3- 23	PHONE CLOSET AT (+0), 1 OPNG.
8-AB3- 24	PHONE CLOSET AT (+0), 2 OPNGS.
8-AB3- 25	PHONE CLOSET AT (+0), WITH SLEEVES
8-AB3- 26	PHONE CLOSET AT (+0), 1 OPNG.
8-AB3- 27	PHONE CLOSET AT (+0), 2 OPNGS.
8-AB3- 28	PHONE CLOSET AT (+0), 2 OPNGS.
8-AB3- 29	PHONE CLOSET AT (+0), WITH SLEEVES
8-AB3- 30	ELECTR. CLOSET AT (+6)
8-AB3- 31	ELECTR. CLOSET AT (+0)
8-AB3- 32	CLOSET AT (+6) BEYOND CHANNEL
8-AB3- 33	SUPPORTS FOR GRATING
8-AB3- 34.1	FLOOR 110
8-AB3- 34.2	FLOOR 110
8-AB3- 34.3	FLOOR 110
8-AB3- 35 THRU 8-AB3- 46	NOT USED
8-AB3- 47.1	FLOOR 2
8-AB3- 47.2	FLOOR 2
8-AB3- 47.3	FLOOR 2
8-AB3- 47.4	FLOOR 2
8-AB3- 47.5	FLOOR 2
8-AB3- 48	FLOORS 3-6
8-AB3- 49	NOT USED
8-AB3- 50.1	LOCAL ELEVR. LOBBY
8-AB3- 50.2	LOCAL ELEVR. LOBBY
8-AB3- 51	STAIR OUTSIDE CORE
8-AB3- 52	OPNGS. AT COL LINES 500, 1000
8-AB3- 53	OPNG. IN ELECTR. CLOSET C
8-AB3- 54	MAIL CHUTE
8-AB3- 55	PIPE SHAFT AT CORNER OF CORE
8-AB3- 56	MENS TOILET EXHAUST OPNG.
8-AB3- 57	OPNG. BET. COLS. 705, 706

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — *Structural & Civil Engineers*

PROJECT	THE WORLD TRADE CENTER	TITLE	CONCRETE DETAILS, FLOOR 1 AND BELOW – INDEX	DATE	5/ 1/69

REVISIONS

8-AB4- 1.1	INDEX
8-AB4- 1.2	INDEX 1
8-AB4- 2.1	SUBLEVEL 5 – ENCASING OF STEEL
8-AB4- 2.2	SUBLEVEL 5 – ENCASING OF STEEL
8-AB4- 2.3	SUBLEVEL 5 – ENCASING OF STEEL
8-AB4- 2.4	SUBLEVEL 5 – ENCASING OF STEEL
8-AB4- 2.5	SUBLEVEL 5 – ENCASING OF STEEL
8-AB4- 2.6	SUBLEVEL 5 – ENCASING OF STEEL
8-AB4- 3.1	SUBLEVEL 5 PIT AND TRENCH
8-AB4- 3.2	SUBLEVEL 5 PIT AND TRENCH
8-AB4- 4.1	SUBLEVEL 5 ELEVATOR PITS
8-AB4- 4.2	SUBLEVEL 5 ELEVATOR PITS
8-AB4- 4.3	SUBLEVEL 5 ELEVATOR PITS
8-AB4- 5	SUBLEVEL 5 CAISSONS
8-AB4- 6.1	SUBLEVEL 5 PATH TRACKS
8-AB4- 6.2	SUBLEVEL 5 PATH TRACKS
8-AB4- 6.3	SUBLEVEL 5 PATH TRACKS
8-AB4- 6.4	SUBLEVEL 5 PATH TRACKS
8-AB4- 7	CONC. PADS ON GRADE
8-AB4- 8.1	SUBLEVEL 4 – SECTIONS
8-AB4- 8.2	SUBLEVEL 4 – SECTIONS
8-AB4- 8.3	SUBLEVEL 4 – SECTIONS
8-AB4- 8.4	SUBLEVEL 4 – SECTIONS
8-AB4- 9.1	TYP. DETAILS – SUBLEVEL 3
8-AB4- 9.2	TYP. DETAILS – SUBLEVEL 3
8-AB4- 9.3	TYP. DETAILS – SUBLEVEL 3
8-AB4- 10.1	SUBLEVEL 3 – SECTIONS
8-AB4- 10.2	SUBLEVEL 3 – SECTIONS
8-AB4- 10.3	SUBLEVEL 3 – SECTIONS
8-AB4- 10.4	SUBLEVEL 3 – SECTIONS
8-AB4- 10.5	SUBLEVEL 3 – SECTIONS
8-AB4- 10.6	SUBLEVEL 3 – SECTIONS
8-AB4- 10.7	VOID
8-AB4- 10.8	VOID
8-AB4- 10.8	SUBLEVEL 3 – SECTIONS
8-AB4- 11.1	SUBLEVEL 2 – SECTIONS
8-AB4- 11.2	SUBLEVEL 2 – SECTIONS
8-AB4- 11.3	SUBLEVEL 2 – SECTIONS
8-AB4- 11.4	SUBLEVEL 2 – SECTIONS
8-AB4- 11.5	SUBLEVEL 2 – SECTIONS
8-AB4- 12.1	SUBLEVEL 1 – SECTIONS
8-AB4- 12.2	SUBLEVEL 1 – SECTIONS
8-AB4- 12.3	SUBLEVEL 1 – SECTIONS
8-AB4- 12.4	SUBLEVEL 1 – SECTIONS
8-AB4- 12.5	SUBLEVEL 1 – SECTIONS
8-AB4- 12.7	SUBLEVEL 1 – SECTIONS
8-AB4- 13.1	SERVICE LEVEL – SECTIONS
8-AB4- 13.2	SERVICE LEVEL – SECTIONS
8-AB4- 13.3	SERVICE LEVEL – SECTIONS
8-AB4- 13.4	SERVICE LEVEL – SECTIONS
8-AB4- 13.5	SERVICE LEVEL – SECTIONS

LESLIE E. ROBERTSON — REGISTERED PROFESSIONAL ENGINEER — NEW YORK

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT: THE WORLD TRADE CENTER | TITLE: CONCRETE DETAILS, FLOOR 1 AND BELOW - INDEX | DATE: 4/ 1/69

REVISIONS

8-AB4-	1.1	INDEX
8-AB4-	1.2	INDEX
8-AB4-	2.1	SUBLEVEL 5 - ENCASING OF STEEL
8-AB4-	2.2	SUBLEVEL 5 - ENCASING OF STEEL
8-AB4-	2.3	SUBLEVEL 5 - ENCASING OF STEEL
8-AB4-	2.4	SUBLEVEL 5 - ENCASING OF STEEL
8-AB4-	2.5	SUBLEVEL 5 - ENCASING OF STEEL
8-AB4-	2.6	SUBLEVEL 5 - ENCASING OF STEEL
8-AB4-	3.1	SUBLEVEL 5 PIT AND TRENCH
8-AB4-	3.2	SUBLEVEL 5 PIT AND TRENCH
8-AB4-	4.1	SUBLEVEL 5 ELEVATOR PITS
8-AB4-	4.2	SUBLEVEL 5 ELEVATOR PITS
8-AB4-	4.3	SUBLEVEL 5 ELEVATOR PITS
8-AB4-	5	SUBLEVEL 5 CAISSONS
8-AB4-	6.1	SUBLEVEL 5 PATH TRACKS
8-AB4-	6.2	SUBLEVEL 5 PATH TRACKS
8-AB4-	6.3	SUBLEVEL 5 PATH TRACKS
8-AB4-	6.4	SUBLEVEL 5 PATH TRACKS
8-AB4-	7	CONC. PADS ON GRADE
8-AB4-	8.1	SUBLEVEL 4 - SECTIONS
8-AB4-	8.2	SUBLEVEL 4 - SECTIONS
8-AB4-	8.3	SUBLEVEL 4 - SECTIONS
8-AB4-	8.4	SUBLEVEL 4 - SECTIONS
8-AB4-	9.1	TYP. DETAILS - SUBLEVEL 3
8-AB4-	9.2	TYP. DETAILS - SUBLEVEL 3
8-AB4-	9.3	TYP. DETAILS - SUBLEVEL 3
8-AB4-	10.1	SUBLEVEL 3 - SECTIONS
8-AB4-	10.2	SUBLEVEL 3 - SECTIONS
8-AB4-	10.3	SUBLEVEL 3 - SECTIONS
8-AB4-	10.4	SUBLEVEL 3 - SECTIONS
8-AB4-	10.5	SUBLEVEL 3 - SECTIONS
8-AB4-	10.6	SUBLEVEL 3 - SECTIONS
8-AB4-	10.7	SUBLEVEL 3 - SECTIONS
8-AB4-	10.8	SUBLEVEL 3 - SECTIONS
8-AB4-	11.1	SUBLEVEL 2 - SECTIONS
8-AB4-	11.2	SUBLEVEL 2 - SECTIONS
8-AB4-	11.3	SUBLEVEL 2 - SECTIONS
8-AB4-	11.4	SUBLEVEL 2 - SECTIONS
8-AB4-	11.5	SUBLEVEL 2 - SECTIONS
8-AB4-	12.1	SUBLEVEL 1 - SECTIONS
8-AB4-	12.2	SUBLEVEL 1 - SECTIONS
8-AB4-	12.3	SUBLEVEL 1 - SECTIONS
8-AB4-	12.4	SUBLEVEL 1 - SECTIONS
8-AB4-	12.5	SUBLEVEL 1 - SECTIONS
8-AB4-	12.7	SUBLEVEL 1 - SECTIONS
8-AB4-	13.1	SERVICE LEVEL - SECTIONS
8-AB4-	13.2	SERVICE LEVEL - SECTIONS
8-AB4-	13.3	SERVICE LEVEL - SECTIONS
8-AB4-	13.4	SERVICE LEVEL - SECTIONS
8-AB4-	13.5	SERVICE LEVEL - SECTIONS
8-AB4-	13.6	SERVICE LEVEL - SECTIONS



SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	CONCRETE DETAILS, FLOOR 1 AND BELOW - INDEX	3/3/69

REVISIONS

8-AB4-	1.1	INDEX
8-AB4-	1.2	INDEX
8-AB4-	2.1	SUBLEVEL 5 - ENCASING OF STEEL
8-AB4-	2.2	SUBLEVEL 5 - ENCASING OF STEEL
8-AB4-	2.3	SUBLEVEL 5 - ENCASING OF STEEL
8-AB4-	2.4	SUBLEVEL 5 - ENCASING OF STEEL
8-AB4-	2.5	SUBLEVEL 5 - ENCASING OF STEEL
8-AB4-	2.6	SUBLEVEL 5 - ENCASING OF STEEL
8-AB4-	3.1	SUBLEVEL 5 PIT AND TRENCH
8-AB4-	3.2	SUBLEVEL 5 PIT AND TRENCH
8-AB4-	4.1	SUBLEVEL 5 ELEVATOR PITS
8-AB4-	4.2	SUBLEVEL 5 ELEVATOR PITS
8-AB4-	4.3	SUBLEVEL 5 ELEVATOR PITS
8-AB4-	5	SUBLEVEL 5 CAISSONS
8-AB4-	6.1	SUBLEVEL 5 PATH TRACKS
8-AB4-	6.2	SUBLEVEL 5 PATH TRACKS
8-AB4-	6.3	SUBLEVEL 5 PATH TRACKS
8-AB4-	6.4	SUBLEVEL 5 PATH TRACKS
8-AB4-	7	CONC. PADS ON GRADE
8-AB4-	8.1	SUBLEVEL 4 - SECTIONS
8-AB4-	8.2	SUBLEVEL 4 - SECTIONS
8-AB4-	8.3	SUBLEVEL 4 - SECTIONS
8-AB4-	8.4	SUBLEVEL 4 - SECTIONS
8-AB4-	9.1	TYP. DETAILS - SUBLEVEL 3
8-AB4-	9.2	TYP. DETAILS - SUBLEVEL 3
8-AB4-	9.3	TYP. DETAILS - SUBLEVEL 3
8-AB4-	10.1	SUBLEVEL 3 - SECTIONS
8-AB4-	10.2	SUBLEVEL 3 - SECTIONS
8-AB4-	10.3	SUBLEVEL 3 - SECTIONS
8-AB4-	10.4	SUBLEVEL 3 - SECTIONS
8-AB4-	10.5	SUBLEVEL 3 - SECTIONS
8-AB4-	10.6	SUBLEVEL 3 - SECTIONS
8-AB4-	10.7	SUBLEVEL 3 - SECTIONS
8-AB4-	10.8	SUBLEVEL 3 - SECTIONS
8-AB4-	11.1	SUBLEVEL 2 - SECTIONS
8-AB4-	11.2	SUBLEVEL 2 - SECTIONS
8-AB4-	11.3	SUBLEVEL 2 - SECTIONS
8-AB4-	11.4	SUBLEVEL 2 - SECTIONS
8-AB4-	11.5	SUBLEVEL 2 - SECTIONS
8-AB4-	12.1	SUBLEVEL 1 - SECTIONS
8-AB4-	12.2	SUBLEVEL 1 - SECTIONS
8-AB4-	12.3	SUBLEVEL 1 - SECTIONS
8-AB4-	12.4	SUBLEVEL 1 - SECTIONS
8-AB4-	12.5	SUBLEVEL 1 - SECTIONS
8-AB4-	12.7	SUBLEVEL 1 - SECTIONS
8-AB4-	13.1	SERVICE LEVEL - SECTIONS
8-AB4-	13.2	SERVICE LEVEL - SECTIONS
8-AB4-	13.3	SERVICE LEVEL - SECTIONS
8-AB4-	13.4	SERVICE LEVEL - SECTIONS
8-AB4-	13.5	SERVICE LEVEL - SECTIONS
8-AB4-	13.6	SERVICE LEVEL - SECTIONS

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	CONCRETE DETAILS, FLOOR 1 AND BELOW - INDEX	2/ 3/69

REVISIONS

8-AB4-	1.1	INDEX
8-AB4-	1.2	INDEX
8-AB4-	2.1	SUBLEVEL 5 - ENCASING OF STEEL
8-AB4-	2.2	SUBLEVEL 5 - ENCASING OF STEEL
8-AB4-	2.3	SUBLEVEL 5 - ENCASING OF STEEL
8-AB4-	2.4	SUBLEVEL 5 - ENCASING OF STEEL
8-AB4-	2.5	SUBLEVEL 5 - ENCASING OF STEEL
8-AB4-	2.6	SUBLEVEL 5 - ENCASING OF STEEL
8-AB4-	3.1	SUBLEVEL 5 PIT AND TRENCH
8-AB4-	3.2	SUBLEVEL 5 PIT AND TRENCH
8-AB4-	4.1	SUBLEVEL 5 ELEVATOR PITS
8-AB4-	4.2	SUBLEVEL 5 ELEVATOR PITS
8-AB4-	4.3	SUBLEVEL 5 ELEVATOR PITS
8-AB4-	5	SUBLEVEL 5 CAISSONS
8-AB4-	6.1	SUBLEVEL 5 PATH TRACKS
8-AB4-	6.2	SUBLEVEL 5 PATH TRACKS
8-AB4-	6.3	SUBLEVEL 5 PATH TRACKS
8-AB4-	6.4	SUBLEVEL 5 PATH TRACKS
8-AB4-	7	CONC. PADS ON GRADE
8-AB4-	8.1	SUBLEVEL 4 - SECTIONS
8-AB4-	8.2	SUBLEVEL 4 - SECTIONS
8-AB4-	8.3	SUBLEVEL 4 - SECTIONS
8-AB4-	8.4	SUBLEVEL 4 - SECTIONS
8-AB4-	9.1	TYP. DETAILS - SUBLEVEL 3
8-AB4-	9.2	TYP. DETAILS - SUBLEVEL 3
8-AB4-	9.3	TYP. DETAILS - SUBLEVEL 3
8-AB4-	10.1	SUBLEVEL 3 - SECTIONS
8-AB4-	10.2	SUBLEVEL 3 - SECTIONS
8-AB4-	10.3	SUBLEVEL 3 - SECTIONS
8-AB4-	10.4	SUBLEVEL 3 - SECTIONS
8-AB4-	10.5	SUBLEVEL 3 - SECTIONS
8-AB4-	10.6	SUBLEVEL 3 - SECTIONS
8-AB4-	10.7	SUBLEVEL 3 - SECTIONS
8-AB4-	10.8	SUBLEVEL 3 - SECTIONS
8-AB4-	11.1	SUBLEVEL 2 - SECTIONS
8-AB4-	11.2	SUBLEVEL 2 - SECTIONS
8-AB4-	11.3	SUBLEVEL 2 - SECTIONS
8-AB4-	11.4	SUBLEVEL 2 - SECTIONS
8-AB4-	12.1	SUBLEVEL 1 - SECTIONS
8-AB4-	12.2	SUBLEVEL 1 - SECTIONS
8-AB4-	12.3	SUBLEVEL 1 - SECTIONS
8-AB4-	12.4	SUBLEVEL 1 - SECTIONS
8-AB4-	12.5	SUBLEVEL 1 - SECTIONS
8-AB4-	12.6	SUBLEVEL 1 - SECTIONS
8-AB4-	13.1	SERVICE LEVEL - SECTIONS
8-AB4-	13.2	SERVICE LEVEL - SECTIONS
8-AB4-	13.3	SERVICE LEVEL - SECTIONS
8-AB4-	13.4	SERVICE LEVEL - SECTIONS
8-AB4-	13.5	SERVICE LEVEL - SECTIONS
8-AB4-	13.6	SERVICE LEVEL - SECTIONS

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON . Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	CONCRETE DETAILS, FLOOR 1 AND BELOW - INDEX	1/ 3/69

REVISIONS

8-AB4-	1.1	INDEX
8-AB4-	1.2	INDEX
8-AB4-	2.1	SUBLEVEL 5 - ENCASING OF STEEL
8-AB4-	2.2	SUBLEVEL 5 - ENCASING OF STEEL
8-AB4-	2.3	SUBLEVEL 5 - ENCASING OF STEEL
8-AB4-	2.4	SUBLEVEL 5 - ENCASING OF STEEL
8-AB4-	2.5	SUBLEVEL 5 - ENCASING OF STEEL
8-AB4-	2.6	SUBLEVEL 5 - ENCASING OF STEEL
8-AB4-	3.1	SUBLEVEL 5 PIT AND TRENCH
8-AB4-	3.2	SUBLEVEL 5 PIT AND TRENCH
8-AB4-	4.1	SUBLEVEL 5 ELEVATOR PITS
8-AB4-	4.2	SUBLEVEL 5 ELEVATOR PITS
8-AB4-	4.3	SUBLEVEL 5 ELEVATOR PITS
8-AB4-	5	SUBLEVEL 5 CAISSONS
8-AB4-	6.1	SUBLEVEL 5 PATH TRACKS
8-AB4-	6.2	SUBLEVEL 5 PATH TRACKS
8-AB4-	6.3	SUBLEVEL 5 PATH TRACKS
8-AB4-	6.4	SUBLEVEL 5 PATH TRACKS
8-AB4-	7	CONC. PADS ON GRADE
8-AB4-	8.1	SUBLEVEL 4 - SECTIONS
8-AB4-	8.2	SUBLEVEL 4 - SECTIONS
8-AB4-	8.3	SUBLEVEL 4 - SECTIONS
8-AB4-	8.4	SUBLEVEL 4 - SECTIONS
8-AB4-	9.1	TYP. DETAILS - SUBLEVEL 3
8-AB4-	9.2	TYP. DETAILS - SUBLEVEL 3
8-AB4-	9.3	TYP. DETAILS - SUBLEVEL 3
8-AB4-	10.1	SUBLEVEL 3 - SECTIONS
8-AB4-	10.2	SUBLEVEL 3 - SECTIONS
8-AB4-	10.3	SUBLEVEL 3 - SECTIONS
8-AB4-	10.4	SUBLEVEL 3 - SECTIONS
8-AB4-	10.5	SUBLEVEL 3 - SECTIONS
8-AB4-	10.6	SUBLEVEL 3 - SECTIONS
8-AB4-	10.7	SUBLEVEL 3 - SECTIONS
8-AB4-	10.8	SUBLEVEL 3 - SECTIONS
8-AB4-	11.1	SUBLEVEL 2 - SECTIONS
8-AB4-	11.2	SUBLEVEL 2 - SECTIONS
8-AB4-	11.3	SUBLEVEL 2 - SECTIONS
8-AB4-	11.4	SUBLEVEL 2 - SECTIONS
8-AB4-	12.1	SUBLEVEL 1 - SECTIONS
8-AB4-	12.2	SUBLEVEL 1 - SECTIONS
8-AB4-	12.3	SUBLEVEL 1 - SECTIONS
8-AB4-	12.4	SUBLEVEL 1 - SECTIONS
8-AB4-	12.5	SUBLEVEL 1 - SECTIONS
8-AB4-	12.6	SUBLEVEL 1 - SECTIONS
8-AB4-	13.1	SERVICE LEVEL - SECTIONS
8-AB4-	13.2	SERVICE LEVEL - SECTIONS
8-AB4-	13.3	SERVICE LEVEL - SECTIONS
8-AB4-	13.4	SERVICE LEVEL - SECTIONS
8-AB4-	13.5	SERVICE LEVEL - SECTIONS
8-AB4-	13.6	SERVICE LEVEL - SECTIONS

LICENSED PROFESSIONAL ENGINEER LESLIE E. ROBERTS No. 34360 UNIVERSITY OF THE STATE OF NY

SKILLING-HELLE-CHRISTIANSEN-ROBERTSON — Civil & Structural Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	CONCRETE DETAILS, FLOOR 1 AND BELOW - INDEX	5/ 1/68

REVISIONS

8-AB4- 1.1 INDEX
8-AB4- 1.2 INDEX
8-AB4- 2.1 SUBLEVEL 5 - ENCASING OF STEEL
8-AB4- 2.2 SUBLEVEL 5 - ENCASING OF STEEL
8-AB4- 2.3 SUBLEVEL 5 - ENCASING OF STEEL
8-AB4- 2.4 SUBLEVEL 5 - ENCASING OF STEEL
8-AB4- 2.5 SUBLEVEL 5 - ENCASING OF STEEL
8-AB4- 2.6 SUBLEVEL 5 - ENCASING OF STEEL
8-AB4- 3.1 SUBLEVEL 5 PIT AND TRENCH
8-AB4- 3.2 SUBLEVEL 5 PIT AND TRENCH
8-AB4- 4.1 SUBLEVEL 5 ELEVATOR PITS
8-AB4- 4.2 SUBLEVEL 5 ELEVATOR PITS
8-AB4- 4.3 SUBLEVEL 5 ELEVATOR PITS
8-AB4- 5 SUBLEVEL 5 CAISSONS
8-AB4- 6.1 SUBLEVEL 5 PATH TRACKS
8-AB4- 6.2 SUBLEVEL 5 PATH TRACKS
8-AB4- 6.3 SUBLEVEL 5 PATH TRACKS
8-AB4- 6.4 SUBLEVEL 5 PATH TRACKS
8-AB4- 7 CONC. PADS ON GRADE
8-AB4- 8.1 SUBLEVEL 4 - SECTIONS
8-AB4- 8.2 SUBLEVEL 4 - SECTIONS
8-AB4- 8.3 SUBLEVEL 4 - SECTIONS
8-AB4- 8.4 SUBLEVEL 4 - SECTIONS
8-AB4- 9.1 TYP. DETAILS - SUBLEVEL 3
8-AB4- 9.2 TYP. DETAILS - SUBLEVEL 3
8-AB4- 9.3 TYP. DETAILS - SUBLEVEL 3
8-AB4- 10.1 SUBLEVEL 3 - SECTIONS
8-AB4- 10.2 SUBLEVEL 3 - SECTIONS
8-AB4- 10.3 SUBLEVEL 3 - SECTIONS
8-AB4- 10.4 SUBLEVEL 3 - SECTIONS
8-AB4- 10.5 SUBLEVEL 3 - SECTIONS
8-AB4- 10.6 SUBLEVEL 3 - SECTIONS
8-AB4- 10.7 SUBLEVEL 3 - SECTIONS
8-AB4- 10.8 SUBLEVEL 3 - SECTIONS
8-AB4- 11.1 SUBLEVEL 2 - SECTIONS
8-AB4- 11.2 SUBLEVEL 2 - SECTIONS
8-AB4- 11.3 SUBLEVEL 2 - SECTIONS
8-AB4- 11.4 SUBLEVEL 2 - SECTIONS
8-AB4- 12.1 SUBLEVEL 1 - SECTIONS
8-AB4- 12.2 SUBLEVEL 1 - SECTIONS
8-AB4- 12.3 SUBLEVEL 1 - SECTIONS
8-AB4- 12.4 SUBLEVEL 1 - SECTIONS
8-AB4- 12.5 SUBLEVEL 1 - SECTIONS
8-AB4- 12.6 SUBLEVEL 1 - SECTIONS
8-AB4- 13.1 SERVICE LEVEL - SECTIONS
8-AB4- 13.2 SERVICE LEVEL - SECTIONS
8-AB4- 13.3 SERVICE LEVEL - SECTIONS
8-AB4- 13.4 SERVICE LEVEL - SECTIONS
8-AB4- 13.5 SERVICE LEVEL - SECTIONS
8-AB4- 13.6 SERVICE LEVEL - SECTIONS



SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT THE WORLD TRADE CENTER

TITLE CONCRETE DETAILS, FLOOR 1 AND BELOW - INDEX

DATE 5/ 1/69

REVISIONS

B-AB4- 13.7	SERVICE LEVEL - SECTIONS
B-AB4- 13.8	SERVICE LEVEL - SECTIONS
B-AB4- 14.1	FLOOR 1 - SECTIONS
B-AB4- 14.2	FLOOR 1 - SECTIONS
B-AB4- 14.3	FLOOR 1 - SECTIONS
B-AB4- 14.4	FLOOR 1 - SECTIONS
B-AB4- 15 THRU	NOT USED
B-AB4- 19	
B-AB4- 20.1	JOINTS AT EXISTING PATH TUBE
B-AB4- 20.2	JOINTS AT EXISTING PATH TUBE
B-AB4- 20.3	JOINTS AT EXISTING PATH TUBE
B-AB4- 21.1	TYP. SLAB, SUBLEVEL 2 TO FL.1
B-AB4- 21.2	TYP. SLAB, SUBLEVEL 2 TO FL.1
B-AB4- 22	BEAM FIREPROOFING AT COLUMN

LICENSED PROFESSIONAL ENGINEER — LESLIE E. ROBERTSON — NO. 24360 — UNIVERSITY OF THE STATE OF NEW YORK

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — *Structural & Civil Engineers*

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	CONCRETE DETAILS, FLOOR 1 AND BELOW - INDEX	4/ 1/69

REVISIONS

8-AB4- 13.7 SERVICE LEVEL - SECTIONS
8-AB4- 13.8 SERVICE LEVEL - SECTIONS
8-AB4- 14.1 FLOOR 1 - SECTIONS
8-AB4- 14.2 FLOOR 1 - SECTIONS
8-AB4- 14.3 FLOOR 1 - SECTIONS
8-AB4- 14.4 FLOOR 1 - SECTIONS
8-AB4- 15 THRU NOT USED
8-AB4- 19
8-AB4- 20.1 JOINTS AT EXISTING PATH TUBE
8-AB4- 20.2 JOINTS AT EXISTING PATH TUBE
8-AB4- 21.1 TYP. SLAB, SUBLEVEL 2 TO FL.1
8-AB4- 21.2 TYP. SLAB, SUBLEVEL 2 TO FL.1
8-AB4- 22 BEAM FIREPROOFING AT COLUMN

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	CONCRETE DETAILS, FLOOR 1 AND BELOW - INDEX	3/ 3/69

REVISIONS

8-AB4- 13.7 SERVICE LEVEL - SECTIONS
8-AB4- 13.8 SERVICE LEVEL - SECTIONS
8-AB4- 14.1 FLOOR 1 - SECTIONS
8-AB4- 14.2 FLOOR 1 - SECTIONS
8-AB4- 14.3 FLOOR 1 - SECTIONS
8-AB4- 14.4 FLOOR 1 - SECTIONS
8-AB4- 15 THRU NOT USED
8-AB4- 19
8-AB4- 20.1 JOINTS AT EXISTING PATH TUBE
8-AB4- 20.2 JOINTS AT EXISTING PATH TUBE
8-AB4- 21.1 TYP. SLAB, SUBLEVEL 2 TO FL.1
8-AB4- 21.2 TYP. SLAB, SUBLEVEL 2 TO FL.1
8-AB4- 22 BEAM FIREPROOFING AT COLUMN



SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	CONCRETE DETAILS, FLOOR 1 AND BELOW - INDEX	2/ 3/69

REVISIONS

8-AB4- 13.7 SERVICE LEVEL - SECTIONS
8-AB4- 13.8 SERVICE LEVEL - SECTIONS
8-AB4- 14.1 FLOOR 1 - SECTIONS
8-AB4- 14.2 FLOOR 1 - SECTIONS
8-AB4- 14.3 FLOOR 1 - SECTIONS
8-AB4- 14.4 FLOOR 1 - SECTIONS
8-AB4- 15 THRU NOT USED
8-AB4- 19
8-AB4- 20.1 JOINTS AT EXISTING PATH TUBE
8-AB4- 20.2 JOINTS AT EXISTING PATH TUBE
8-AB4- 21.1 TYP. SLAB, SUBLEVEL 2 TO FL.1
8-AB4- 21.2 TYP. SLAB, SUBLEVEL 2 TO FL.1
8-AB4- 22 BEAM FIREPROOFING AT COLUMN

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT: THE WORLD TRADE CENTER | TITLE: CONCRETE DETAILS, FLOOR 1 AND BELOW - INDEX | DATE: 1/ 3/69

REVISIONS

8-A84- 13.7 SERVICE LEVEL - SECTIONS
8-A84- 13.8 SERVICE LEVEL - SECTIONS
8-A84- 14.1 FLOOR 1 - SECTIONS
8-A84- 14.2 FLOOR 1 - SECTIONS
8-A84- 14.3 FLOOR 1 - SECTIONS
8-A84- 14.4 FLOOR 1 - SECTIONS
8-A84- 15
THRU NOT USED
8-A84- 19
8-A84- 20.1 JOINTS AT EXISTING PATH TUBE
8-A84- 20.2 JOINTS AT EXISTING PATH TUBE
8-A84- 21.1 TYP. SLAB, SUBLEVEL 2 TO FL.1
8-A84- 21.2 TYP. SLAB, SUBLEVEL 2 TO FL.1
8-A84- 22 BEAM FIREPROOFING AT COLUMN

LICENSED PROFESSIONAL ENGINEER
LESLIE E. ROBERTSON
No. 34360
UNIVERSITY OF THE STATE OF NEW YORK

SKILLING-HELLE-CHRISTIANSEN-ROBERTSON — Civil & Structural Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	CONCRETE DETAILS, FLOOR 1 AND BELOW - INDEX	5/ 1/68

REVISIONS

8-AB4-	13.7	SERVICE LEVEL - SECTIONS
8-AB4-	13.8	SERVICE LEVEL - SECTIONS
8-AB4-	14.1	FLOOR 1 - SECTIONS
8-AB4-	14.2	FLOOR 1 - SECTIONS
8-AB4-	14.3	FLOOR 1 - SECTIONS
8-AB4-	14.4	FLOOR 1 - SECTIONS
8-AB4-	15 THRU	NOT USED
8-AB4-	19	
8-AB4-	20.1	JOINTS AT EXISTING PATH TUBE
8-AB4-	20.2	JOINTS AT EXISTING PATH TUBE
8-AB4-	21.1	TYP. SLAB, SUBLEVEL 2 TO FL.1
8-AB4-	21.2	TYP. SLAB, SUBLEVEL 2 TO FL.1
8-AB4-	22	BEAM FIREPROOFING AT COLUMN

LICENSED PROFESSIONAL ENGINEER
LESLIE E. ROBERTSON
No. 34360
UNIVERSITY OF THE STATE OF NEW YORK

SKILLING - HELLE - CHRISTIANSEN - ROBERTSON Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	CONCRETE TYPICAL DETAILS SLABS & BEAM INDEX	5-1-68

REVISIONS

7-9-68
8-23-68
10-21-68
12-18-68
1-3-69
2-3-69
3-3-69
4-1-69
5-1-69

DRAWING NO.	DESCRIPTION
8-JK5-1	INDEX
8-JK5-2 & 2.3	TYPICAL DETAIL OF SLAB AT SLURRY WALL
8-JK5-2.1	TYPICAL DETAIL OF EL. 253 SLAB AT SLURRY WALL
8-JK5-2.2	TYPICAL DEATIL OF CONCRETE BEAM AT SLURRY WALL
8-JK5-2.4	TYPICAL CONSTRUCTION JOINT BETWEEN SLAB AND SLURRY WALL
8-JK5-2.5 & 2.6	TYPICAL DETAIL OF "SLIP-JOINT" BETWEEN SLAB AND SLURRY WALL
8-JK5-3.1	TYPICAL DETAIL OF CONCRETE BEAM AT SLURRY WALL
8-JK5-3.2	TYPICAL FLAT SLAB DETAILS - WITH DROP PANELS
8-JK5-3.3	TYPICAL FLAT SLAB DETAILS - WITHOUT DROP PANELS
8-JK5-4.1	TYPICAL DETAIL OF REINF. OVER COLUMN SHEAR HEADS
8-JK5-4.2 & 4.3	TYPICAL DETAILS - ONE WAY SLAB OVER CONCRETE STRUCTURE
8-JK5-5.1 & 5.2	TYPICAL DETAILS - ONE WAY SLAB OVER STEEL STRUCTURE
8-JK5-6	TYPICAL DETAILS - ONE WAY SLAB ON STEEL WITH WWF
8-JK5-7.1, 7.2 & 7.3	TYPICAL CONSTRUCTION JOINT FOR FLAT SLABS
8-JK5-8	ONE WAY SLAB SCHEDULE
8-JK5-9	NOT USED
8-JK5-10	ENCASEMENT OF COLUMN BASE PLATES
8-JK5-11.1 & 11.2	TYPICAL SLAB ON GRADE DETAIL
8-JK5-11.3	TYPICAL COLUMN SHEAR - HEAD DETAIL AT ELEV. 264
8-JK5-11.4 & 11.5	TYPICAL COLUMN SHEAR - HEAD DETAIL AT TRUSSES AT ELEV. 264
8-JK5-12	TYPICAL COLUMN SHEAR - HEAD DETAIL AT TRUSSES
8-JK5-13	TYPICAL DETAIL OF CONCRETE FILL OVER STRUCTURAL SLAB
8-JK5-14.1, 14.2 & 14.4	COLUMN BASE PLATE DETAILS AT TRUCK RAMP
8-JK5-14.3	TEMPORARY EXPANSION JOINTS
8-JK5-15	TEMPORARY CONSTRUCTION JOINT DETAIL
8-JK5-16	TYPICAL DETAIL OF 3" PROTECTION SLAB AT ELEV. 310
8-JK5-17	LOCATION OF WORK PLATFORMS AT ELEV. 310
8-JK5-18 thru 20	CONCRETE MIX DIVISION LINES - SLAB AT ELEV. 310
8-JK5-21	NOT USED
8-JK5-22.1 thru 22.7, 22.30, 22.32, 22.52, 22.54, 22.56, 22.57, 22.62, 22.64, 22.65, 22.67, 22.68, 22.69, 22.70, 22.79, 22.81, 22.83 & 22.85	TYPICAL CONCRETE BEAM DETAILS
8-JK5-23	CONCRETE BEAM SCHEDULE
	CONCRETE FIREPROOFING DETAIL

SKILLING - HELLE - CHRISTIANSEN - ROBERTSON Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	CONCRETE TYPICAL DETAILS SLABS & BEAM INDEX	5-1-68

REVISIONS

7- 9-68
8-23-68
10-21-68
12-18-68
1- 3-69
2- 3-69
3 - 3 - 69
4 - 1 - 69

DRAWING NO.	DESCRIPTION
8-JK5-1	INDEX
8-JK5-2	TYPICAL DETAIL OF SLAB AT SLURRY WALL
8-JK5-2.1	TYPICAL DETAIL OF El. 253 SLAB AT SLURRY WALL
8-JK5-2.2	TYPICAL DETAIL OF CONCRETE BEAM AT SLURRY WALL
8-JK5-3.1	TYPICAL FLAT SLAB DETAILS - WITH DROP PANELS
8-JK5-3.2	TYPICAL FLAT SLAB DETAILS - WITHOUT DROP PANELS
8-JK5-3.3	TYPICAL DETAIL OF REINF. OVER COLUMN SHEAR HEADS
8-JK5-4.1	TYPICAL DETAILS - ONE WAY SLAB OVER CONCRETE STRUCTURE
8-JK5-4.2 & 4.3	TYPICAL DETAILS - ONE WAY SLAB OVER STEEL STRUCTURE
8-JK5-5.1 & 5.2	TYPICAL DETAILS - ONE WAY SLAB ON STEEL WITH WWF
8-JK5-6	TYPICAL CONSTRUCTION JOINT FOR FLAT SLABS
8-JK5-7.1, 7.2 & 7.3	ONE WAY SLAB SCHEDULE
8-JK5-8	NOT USED
8-JK5-9	ENCASEMENT OF COLUMN BASE PLATES
8-JK5-10	TYPICAL SLAB ON GRADE DETAIL
8-JK5-11.1 & 11.2	TYPICAL COLUMN SHEAR - HEAD DETAIL AT ELEV. 264
8-JK5-11.3	TYPICAL COLUMN SHEAR - HEAD DETAIL AT TRUSSES AT ELEV. 264
8-JK5-11.4 & 11.5	TYPICAL COLUMN SHEAR - HEAD DETAIL AT TRUSSES
8-JK5-12	TYPICAL DETAIL OF CONCRETE FILL OVER STRUCTURAL SLAB
8-JK5-13	COLUMN BASE PLATE DETAILS AT TRUCK RAMP
8-JK5-14.1	TEMPORARY EXPANSION JOINT - TYPE A
8-JK5-14.2	TEMPORARY EXPANSION JOINT - TYPE B
8-JK5-14.3	TEMPORARY CONSTRUCTION JOINT DETAIL
8-JK5-15	TYPICAL DETAIL OF 3" PROTECTION SLAB AT ELEV. 310
8-JK5-16	LOCATION OF WORK PLATFORMS AT ELEV. 310
8-JK5-17	CONCRETE MIX DIVISION LINES - SLAB AT ELEV. 310
8-JK5-18 thru 20	NOT USED
8-JK5-21	TYPICAL CONCRETE BEAM DETAILS
8-JK5-22.1 thru 22.7, 22.30, 22.32, 22.52, 22.54, 22.56, 22.57, 22.62, 22.64, 22.65, 22.67, 22.68, 22.69, 22.70, 22.79, 22.81, 22.83 & 22.85	CONCRETE BEAM SCHEDULE
8-JK5-23	CONCRETE FIREPROOFING DETAIL

SKILLING - HELLE - CHRISTIANSEN - ROBERTSON Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	CONCRETE TYPICAL DETAILS SLABS & BEAM INDEX	5-1-68

REVISIONS

7- 9-68
8-23-68
10-21-68
12-18-68
1- 3-69
2- 3-69
3 · 3 · 69

DRAWING NO.	DESCRIPTION
8-JK5-1	INDEX
8-JK5-2	TYPICAL DETAIL OF SLAB AT SLURRY WALL
8-JK5-3.1	TYPICAL FLAT SLAB DETAILS - WITH DROP PANELS
8-JK5-3.2	TYPICAL FLAT SLAB DETAILS - WITHOUT DROP PANELS
8-JK5-3.3	TYPICAL DETAIL OF REINF. OVER COLUMN SHEAR HEADS
8-JK5-4.1	TYPICAL DETAILS - ONE WAY SLAB OVER CONCRETE STRUCTURE
8-JK5-4.2 & 4.3	TYPICAL DETAILS - ONE WAY SLAB OVER STEEL STRUCTURE
8-JK5-5.1 & 5.2	TYPICAL DETAILS - ONE WAY SLAB ON STEEL WITH WWF
8-JK5-6	TYPICAL CONSTRUCTION JOINT FOR FLAT SLABS
8-JK5-7.1, 7.2 & 7.3	ONE WAY SLAB SCHEDULE
8-JK5-8	NOT USED
8-JK5-9	ENCASEMENT OF COLUMN BASE PLATES
8-JK5-10	TYPICAL SLAB ON GRADE DETAIL
8-JK5-11.1 & 11.2	TYPICAL COLUMN SHEAR - HEAD DETAIL AT ELEV. 264
8-JK5-11.3	TYPICAL COLUMN SHEAR - HEAD DETAIL AT TRUSSES AT ELEV. 264
8-JK5-11.4 & 11.5	TYPICAL COLUMN SHEAR - HEAD DETAIL AT TRUSSES
8-JK5-12	TYPICAL DETAIL OF CONCRETE FILL OVER STRUCTURAL SLAB
8-JK5-13	COLUMN BASE PLATE DETAILS AT TRUCK RAMP
8-JK5-14.1	TEMPORARY EXPANSION JOINT - TYPE A
8-JK5-14.2	TEMPORARY EXPANSION JOINT - TYPE B
8-JK5-15	TYPICAL DETAIL OF 3" PROTECTION SLAB AT ELEV. 310
8-JK5-16	LOCATION OF WORK PLATFORMS AT ELEV. 310
8-JK5-17	CONCRETE MIX DIVISION LINES - SLAB AT ELEV. 310
8-JK5-18 thru 20	NOT USED
8-JK5-21	TYPICAL CONCRETE BEAM DETAILS
8-JK5-22.1 thru 22.7, 22.30, 22.32, 22.52, 22.54, 22.56, 22.57, 22.62, 22.64, 22.65, 22.67, 22.68, 22.69, 22.70, 22.79, 22.81, 22.83 & 22.85	CONCRETE BEAM SCHEDULE
8-JK5-23	CONCRETE FIREPROOFING DETAIL

SKILLING - HELLE - CHRISTIANSEN - ROBERTSON Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	CONCRETE TYPICAL DETAILS SLABS & BEAM INDEX	5-1-68

REVISIONS

7- 9-68
8-23-68
10-21-68
12-18-68
1- 3-69
2- 3-69

DRAWING NO.	DESCRIPTION
8-JK5-1	INDEX
8-JK5-2	TYPICAL DETAIL OF SLAB AT SLURRY WALL
8-JK5-3.1	TYPICAL FLAT SLAB DETAILS - WITH DROP PANELS
8-JK5-3.2	TYPICAL FLAT SLAB DETAILS - WITHOUT DROP PANELS
8-JK5-3.3	TYPICAL DETAIL OF REINF. OVER COLUMN SHEAR HEADS
8-JK5-4.1	TYPICAL DETAILS - ONE WAY SLAB OVER CONCRETE STRUCTURE
8-JK5-4.2 & 4.3	TYPICAL DETAILS - ONE WAY SLAB OVER STEEL STRUCTURE
8-JK5-5.1 & 5.2	TYPICAL DETAILS - ONE WAY SLAB ON STEEL WITH WWF
8-JK5-6	TYPICAL CONSTRUCTION JOINT FOR FLAT SLABS
8-JK5-7.1, 7.2 & 7.3	ONE WAY SLAB SCHEDULE
8-JK5-8	NOT USED
8-JK5-9	ENCASEMENT OF COLUMN BASE PLATES
8-JK5-10	TYPICAL SLAB ON GRADE DETAIL
8-JK5-11.1 & 11.2	TYPICAL COLUMN SHEAR - HEAD DETAIL AT ELEV. 264
8-JK5-11.3	TYPICAL COLUMN SHEAR - HEAD DETAIL AT TRUSSES AT ELEV. 264
8-JK5-11.4 & 11.5	TYPICAL COLUMN SHEAR - HEAD DETAIL AT TRUSSES
8-JK5-12	TYPICAL DETAIL OF CONCRETE FILL OVER STRUCTURAL SLAB
8-JK5-13	COLUMN BASE PLATE DETAILS AT TRUCK RAMP
8-JK5-14.1	TEMPORARY EXPANSION JOINT - TYPE A
8-JK5-14.2	TEMPORARY EXPANSION JOINT - TYPE B
8-JK5-15	TYPICAL DETAIL OF 3" PROTECTION SLAB AT ELEV. 310
8-JK5-16	LOCATION OF WORK PLATFORMS AT ELEV. 310
8-JK5-17	CONCRETE MIX DIVISION LINES - SLAB AT ELEV. 310
8-JK5-18 thru 20	NOT USED
8-JK5-21	TYPICAL CONCRETE BEAM DETAILS
8-JK5-22.1 thru 22.7, 22.30, 22.32, 22.52, 22.54, 22.56, 22.57, 22.62, 22.64, 22.65, 22.67, 22.68, 22.69, 22.70, 22.79, 22.81, 22.83 & 22.85	CONCRETE BEAM SCHEDULE
8-JK5-23	CONCRETE FIREPROOFING DETAIL

LICENSED PROFESSIONAL ENGINEER ROBERT SAIN No. 34360 STATE OF NEW YORK

SKILLING - HELLE - CHRISTIANSEN - ROBERTSON' Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	CONCRETE TYPICAL DETAILS SLABS & BEAM INDEX	5-1-68

REVISIONS

7- 9-68
8-23-68
10-21-68
12-18-68
1- 3-69

DRAWING NO.	DESCRIPTION
8-JK5-1	INDEX
8-JK5-2	TYPICAL DETAIL OF SLAB AT SLURRY WALL
8-JK5-3.1	TYPICAL FLAT SLAB DETAILS - WITH DROP PANELS
8-JK5-3.2	TYPICAL FLAT SLAB DETAILS - WITHOUT DROP PANELS
8-JK5-3.3	TYPICAL DETAIL OF REINF. OVER COLUMN SHEAR HEADS
8-JK5-4.1	TYPICAL DETAILS - ONE WAY SLAB OVER CONCRETE STRUCTURE
8-JK5-4.2 & 4.3	TYPICAL DETAILS - ONE WAY SLAB OVER STEEL STRUCTURE
8-JK5-5.1 & 5.2	TYPICAL DETAILS - ONE WAY SLAB ON STEEL WITH WWF
8-JK5-6	TYPICAL CONSTRUCTION JOINT FOR FLAT SLABS
8-JK5-7.1, 7.2 & 7.3	ONE WAY SLAB SCHEDULE
8-JK5-8	NOT USED
8-JK5-9	ENCASEMENT OF COLUMN BASE PLATES
8-JK5-10	TYPICAL SLAB ON GRADE DETAIL
8-JK5-11.1 & 11.2	TYPICAL COLUMN SHEAR - HEAD DETAIL AT ELEV. 264
8-JK5-11.3	TYPICAL COLUMN SHEAR - HEAD DETAIL AT TRUSSES AT ELEV. 264
8-JK5-11.4 & 11.5	TYPICAL COLUMN SHEAR - HEAD DETAIL AT TRUSSES
8-JK5-12	TYPICAL DETAIL OF CONCRETE FILL OVER STRUCTURAL SLAB
8-JK5-13	COLUMN BASE PLATE DETAILS AT TRUCK RAMP
8-JK5-14.1	TEMPORARY EXPANSION JOINT - TYPE A
8-JK5-14.2	TEMPORARY EXPANSION JOINT - TYPE B
8-JK5-15	TYPICAL DETAIL OF 3" PROTECTION SLAB AT ELEV. 310
8-JK5-16	LOCATION OF WORK PLATFORMS AT ELEV. 310
8-JK5-17	CONCRETE MIX DIVISION LINES - SLAB AT ELEV. 310
8-JK5-18 thru 20	NOT USED
8-JK5-21	TYPICAL CONCRETE BEAM DETAILS
8-JK5-22.1 thru 22.7, 22.30, 22.32, 22.52, 22.54, 22.56, 22.57, 22.62, 22.64, 22.65, 22.67, 22.68, 22.69, 22.70, 22.79, 22.81, 22.83 & 22.85	CONCRETE BEAM SCHEDULE
8-JK5-23	CONCRETE FIREPROOFING DETAIL

SKILLING - HELLE - CHRISTIANSEN - ROBERTSON Structural & Civil Engineers

PROJECT THE WORLD TRADE CENTER | TITLE CONCRETE TYPICAL DETAILS SLABS & BEAM INDEX | DATE 5-1-68

REVISIONS

8-JK5-1	INDEX
8-JK5-2	TYPICAL DETAIL OF SLAB AT SLURRY WALL
8-JK5-3.1	TYPICAL FLAT SLAB DETAILS - WITH DROP PANELS
8-JK5-3.2	" " " " WITHOUT DROP PANELS
8-JK5-4.1	TYPICAL DETAILS - ONEWAY SLAB OVER CONCRETE STRUCTURE
8-JK5-4.2	" " " " " STEEL STRUCTURE
8-JK5-4.3	" " " " " " "
8-JK5-5.1	TYPICAL DETAILS - ONE WAY SLAB ON STEEL WITH WWF
8-JK5-5.2	" " " " " " " " "
8-JK5-6	TYPICAL CONSTRUCTION JOINT FOR FLAT SLABS
8-JK5-7.1 & 7.2	ONE WAY SLAB SCHEDULE
8-JK5-8	NOT USED
8-JK5-9	ENCASEMENT OF COLUMN BASE PLATES
8-JK5-10	TYPICAL SLAB ON GRADE DETAIL
8-JK5-11.1	TYPICAL COLUMN SHEAR - HEAD DETAIL @ El. 264
8-JK5-11.2	" " " " " " "
8-JK5-11.3	" " " HEAD DETAIL AT TRUSSES @ El. 264
8-JK5-11.4	" " " HEAD DETAIL AT TRUSSES
8-JK5-11.5	" " " " " " "
8-JK5-12	TYPICAL DETAIL OF CONCRETE FILL OVER STRUCTURAL SLAB
8-JK5-13	COLUMN BASE PLATE DETAILS AT TRUCK RAMP
8-JK5-14.1	TEMPORARY EXPANSION JOINT - TYPE A
8-JK5-14.2	" " " - TYPE B
8-JK5-15 THRU 20	NOT USED
8-JK5-21	TYPICAL CONCRETE BEAM DETAILS

LICENSED PROFESSIONAL ENGINEER LESLIE E. ROBERTSON No. 34360 UNIVERSITY OF THE STATE OF NEW YORK

SKILLING - HELLE - CHRISTIANSEN - ROBERTSON — Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	TYPICAL DETAILS - INDEX	5-1-68

REVISIONS

7-9-68
10-21-68
12-18-68
1-3-69
2-3-69
3-7-69
4-1-69
5-1-69

DRAWING NO.	DESCRIPTION
8-JK6-1	INDEX
8-JK6-2	TYPICAL CONCRETE WALL DETAILS
8-JK6-3	TYPICAL WALL FOOTING DETAILS
8-JK6-4	TYPICAL WALL DETAILS
8-JK6-5	TYPICAL DUCT ENCASEMENT
8-JK6-6	TYPICAL DETAIL OF C.I.P. WALL OVER TOP OF SLURRY WALL
8-JK6-7	TYPICAL DETAIL OF STEEL BEAM OVER C.I.P. PERIMETER WALL
8-JK6-8	TYPICAL DETAIL AT TOP OF SLURRY WALL ALONG WEST STREET
8-JK6-9	COLUMN TYPES
8-JK6-10.1 thru 10.9	CONCRETE COLUMN SCHEDULE
8-JK6-11.1	CONCRETE ENCASEMENT OF STEEL COLUMNS
8-JK6-11.2 & 11.3	TYPICAL DETAIL OF CONCRETE WALL AT STEEL COLUMN

THE STATE OF NEW YORK

SKILLING - HELLE - CHRISTIANSEN - ROBERTSON Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	...tural DETAILS - INDEX	5-1-68

REVISIONS

7- 9-68
10-21-68
12-18-68
1- 3-69
2- 3-69
3- 3 69
3- 7-69
4- 1-69

DRAWING NO.	DESCRIPTION
8-JK6-1	INDEX
8-...	TYPICAL CONCRETE WALL DETAILS
...-3	TYPICAL WALL FOOTING DETAILS
8-JK6-4	TYPICAL WALL DETAILS
8-JK6-5	TYPICAL DUCT ENCASEMENT
8-JK6-6	TYPICAL DETAIL OF C.I.P. WALL OVER TOP OF SLURRY WALL
8-JK6-7	TYPICAL DETAIL OF STEEL BEAM OVER C.I.P. PERIMETER WALL
8-JK6-8	TYPICAL DETAIL AT TOP OF SLURRY WALL ALONG WEST STREET
8-JK6-9	COLUMN TYPES
8-JK6-10.1 thru 10.7	CONCRETE COLUMN SCHEDULE
8-JK6-11.1	CONCRETE ENCASEMENT OF STEEL COLUMNS
8-JK6-11.2 & 11.3	TYPICAL DETAIL OF CONCRETE WALL AT STEEL COLUMN

SKILLING - HELLE - CHRISTIANSEN - ROBERTSON Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	TYPICAL DETAILS - INDEX	5-1-68

REVISIONS

7- 9-68
10-21-68
12-18-68
1- 3-69
2- 3-69
3- 3-69

DRAWING NO.	DESCRIPTION
8-JK6-1	INDEX
8-JK6-2.1 thru 2.3	TYPICAL CONCRETE WALL DETAILS
8-JK6-3	TYPICAL WALL FOOTING DETAILS
8-JK6-4	TYPICAL WALL DETAILS
8-JK6-5	TYPICAL DUCT ENCASEMENT
8-JK6-6	TYPICAL DETAIL OF C.I.P. WALL OVER TOP OF SLURRY WALL
8-JK6-7	TYPICAL DETAIL OF STEEL BEAM OVER C.I.P. PERIMETER WALL
8-JK6-8	TYPICAL DETAIL AT TOP OF SLURRY WALL ALONG WEST STREET
8-JK6-9	NOT USED
8-JK6-10.1 thru 10.7	CONCRETE COLUMN SCHEDULE
8-JK6-11.1	CONCRETE ENCASEMENT OF STEEL COLUMNS
8-JK6-11.2 & 11.3	TYPICAL DETAIL OF CONCRETE WALL AT STEEL COLUMN

SKILLING - HELLE - CHRISTIANSEN - ROBERTSON Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	TYPICAL DETAILS - INDEX	5-1-68

ISIONS

7- 9-68
10-21-68
12-18-68
1- 3-69
2- 3-69

DRAWING NO.	DESCRIPTION
8-JK6-1	INDEX
8-JK6-2.1 thru 2.4	TYPICAL CONCRETE WALL DETAILS
8-JK6-3	TYPICAL WALL FOOTING DETAILS
8-JK6-4	TYPICAL WALL DETAILS
8-JK6-5	TYPICAL DUCT ENCASEMENT
8-JK6-6	TYPICAL DETAIL OF C.I.P. WALL OVER TOP OF SLURRY WALL
8-JK6-7	TYPICAL DETAIL OF STEEL BEAM OVER C.I.P. PERIMETER WALL
8-JK6-8	TYPICAL DETAIL AT TOP OF SLURRY WALL ALONG WEST STREET
8-JK6-9	NOT USED
8-JK6-10.1 thru 10.7	CONCRETE COLUMN SCHEDULE
8-JK6-11.1	CONCRETE ENCASEMENT OF STEEL COLUMNS
8-JK6-11.2 & 11.3	TYPICAL DETAIL OF CONCRETE WALL AT STEEL COLUMN

SKILLING - HELLE - CHRISTIANSEN - ROBERTSON — Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	TYPICAL DETAILS - INDEX	5-1-68

REVISIONS

7- 9-68
10-21-68
12-18-68
1- 3-69

DRAWING NO.	DESCRIPTION
8-JK6-1	INDEX
8-JK6--2.1 thru 2.3	TYPICAL CONCRETE WALL DETAILS
8-JK6-3	TYPICAL WALL FOOTING DETAILS
8-JK6-4	TYPICAL WALL DETAILS
8-JK6-5	TYPICAL DUCT ENCASEMENT
8-JK6-6	TYPICAL DETAIL OF C.I.P. WALL OVER TOP OF SLURRY WALL
8-JK6-7	TYPICAL DETAIL OF STEEL BEAM OVER C.I.P. PERIMETER WALL
8-JK6-8	TYPICAL DETAIL AT TOP OF SLURRY WALL ALONG WEST STREET
8-JK6-9	NOT USED
8-JK6-10.1 thru 10.7	CONCRETE COLUMN SCHEDULE
8-JK6-11.1	CONCRETE ENCASEMENT OF STEEL COLUMNS
8-JK6-11.2 & 11.3	TYPICAL DETAIL OF CONCRETE WALL AT STEEL COLUMN

SKILLING - HELLE - CHRISTIANSEN - ROBERTSON Structural & Civil Engineers

PROJECT THE WORLD TRADE CENTER | TITLE TYPICAL DETAILS - INDEX | DATE 5-1-68

REVISIONS

B-JKG-1	INDEX
B-JKG-2.1	TYPICAL CONCRETE WALL DETAILS
B-JKG-2.2	-DO-
B-JKG-2.3	-DO-
B-JKG-3	TYPICAL WALL FOOTING DETAILS
B-JKG-4	TYPICAL WALL DETAILS
B-JKG-5	TYPICAL DUCT ENCASEMENT
B-JKG-6	TYPICAL DETAIL OF C.I.P. WALL OVER TOP OF SLURRY WALL
B-JKG-7	TYPICAL DETAIL OF STEEL BEAM OVER C.I.P. PERIMETER WALL
B-JKG-8	NOT USED
B-JKG-9	NOT USED
B-JKG-10	TYPICAL CONCRETE COLUMN DETAILS
B-JKG-11.1	CONCRETE ENCASEMENT OF STEEL COLUMNS
B-JKG-11.2	TYPICAL DETAIL OF CONCRETE WALL AT STEEL COLUMN
B-JKG-11.3	-DO-

LICENSED PROFESSIONAL ENGINEER
LESLIE E. ROBERTSON
NO. 34360
UNIVERSITY OF THE STATE OF NEW YORK

SKILLING - HELLE - CHRISTIANSEN - ROBERTSON Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	WALL DETAILS - INDEX	5-1-68

REVISIONS

2- 9-68
10-21-68
12-18-68
1- 3-69
2- 3-69
3- 3-69
4- 1-69
5-1-69

DRAWING NO.	DESCRIPTION
8-JK7-1	INDEX
8-JK7-2	NOT USED
8-JK7-3.1 & 3.2	BUFFER WALL DETAILS
8-JK7-4.1 & 4.2	BUFFER WALL DETAILS
8-JK7-5	DETAILS AT PATH TRACKS
8-JK7-6.1, 6.2, 6.3, 6.5 & 6.9	PATH SECTIONS
8-JK7-7.1 thru 7.10	SECTIONS, ELEVATION 264'-0"
8-JK7-8	NOT USED
8-JK7-9	NOT USED
8-JK7-10.1 thru 10.4	ELEVATOR C-9 SECTIONS

STATE OF NEW YORK

SKILLING - HELLE - CHRISTIANSEN - ROBERTSON Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	WALL DETAILS - INDEX	5-1-68

REVISIONS

7- 9-68
10-21-68
12-18-68
1- 3-69
2- 3-69
3- 3-69
4- 1-69

DRAWING NO.	DESCRIPTION
8-JK7-1	INDEX
8-JK7-2	NOT USED
8-JK7-3.1 & 3.2	BUFFER WALL DETAILS
8-JK7-4.1 & 4.2	BUFFER WALL DETAILS
8-JK7-5	DETAILS AT PATH TRACKS
8-JK7-6.1, 6.2, 6.3, 6.5 & 6.9	PATH SECTIONS
8-JK7-7.1 thru 7.7	SECTIONS, ELEVATION 264'-0"
8-JK7-8	NOT USED
8-JK7-9	NOT USED
8-JK7-10	ELEVATOR PIT SECTIONS, ELEVATION 294'-0" and 310'-0"

SKILLING - HELLE - CHRISTIANSEN - ROBERTSON — Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	WALL DETAILS - INDEX	5-1-68

REVISIONS

7- 9-68
10-21-68
12-18-68
1- 3-69
2- 3-69
3- 3-69

DRAWING NO.	DESCRIPTION
8-JK7-1	INDEX
8-JK7-2	NOT USED
8-JK7-3.1 & 3.2	BUFFER WALL DETAILS
8-JK7-4.1 & 4.2	BUFFER WALL DETAILS
8-JK7-5	DETAILS AT PATH TRACKS
8-JK7-6.1 , 6.2, 6.3, 6.5 & 6.9	PATH SECTIONS
8-JK7-7.1 thru 7.6 .	SECTIONS, ELEVATION 264'-0"
8-JK7-8	NOT USED
8-JK7-9	NOT USED
8-JK7-10	ELEVATOR PIT SECTIONS, ELEVATION 294'-0" and 310'-0"

SKILLING - HELLE - CHRISTIANSEN - ROBERTSON — Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	WALL DETAILS - INDEX	5-1-68

REVISIONS

7- 9-68
10-21-68
12-18-68
1- 3-69
2- 3-69

DRAWING NO.	DESCRIPTION
8-JK7-1	INDEX
8-JK7-2	NOT USED
8-JK7-3.1 & 3.2	BUFFER WALL DETAILS
8-JK7-4.1 & 4.2	BUFFER WALL DETAILS
8-JK7-5	DETAILS AT PATH TRACKS
8-JK7-6.1, 6.2, 6.3, 6.5 & 6.9	PATH SECTIONS
8-JK7-7.1 thru 7.6 .	SECTIONS, ELEVATION 264'-0"
8-JK7-8	NOT USED
8-JK7-9	NOT USED
8-JK7-10	ELEVATOR PIT SECTIONS, ELEVATION 294'-0" and 310'-0"

SKILLING - HELLE - CHRISTIANSEN - ROBERTSON Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	WALL DETAILS - INDEX	5-1-68

REVISIONS

7- 9-68
10-21-68
12-18-68
1- 3-69

DRAWING NO.	DESCRIPTION
8-JK7-1	INDEX
8-JK7-2	NOT USED
8-JK7-3.1 & 3.2	BUFFER WALL DETAILS
8-JK7-4.1 & 4.2	BUFFER WALL DETAILS
8-JK7-5	DETAILS AT PATH TRACKS
8-JK7-6.1, 6.2, 6.3, 6.5 & 6.9	PATH SECTIONS
8-JK7-7.1 thru 7.6 .	SECTIONS, ELEVATION 264'-0"
8-JK7-8	NOT USED
8-JK7-9	NOT USED
8-JK7-10	ELEVATOR PIT SECTIONS, ELEVATION 294'-0" and 310'-0"

SKILLING · HELLE · CHRISTIANSEN · ROBERTSON — Structural & Civil Engineers

PROJECT THE WORLD TRADE CENTER | TITLE WALL DETAILS - INDEX | DATE 5-1-68

REVISIONS

8-JK7-1	INDEX
8-JK7-2	NOT USED
8-JK7-3.1	BUFFER WALL DETAILS
8-JK7-3.2	" " "
8-JK7-4.1	" " "
8-JK7-4.2	" " "
8-JK7-5	NOT USED
8-JK7-6.1	PATH PLATFORM SECTIONS
8-JK7-6.2	" " "
8-JK7-6.3	PATH SECTIONS
8-JK7-7.1	SECTIONS, ELEVATION 264'-0"
8-JK7-7.2	" " "
8-JK7-7.3	" " "
8-JK7-7.4	" " "
8-JK7-7.5	" " "
8-JK7-7.6	" " "
8-JK7-8	NOT USED
8-JK7-9	NOT USED
8-JK7-10	ELEVATOR PIT SECTIONS, El. 294'-0"

LICENSED PROFESSIONAL ENGINEER
LESLIE E. ROBERTSON
No. 34360
UNIVERSITY OF THE STATE OF NEW YORK

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	MISCELLANEOUS DETAILS — INDEX	5-1-68

REVISIONS

7- 9-68
8-23-68
10-21-68
12- 9-68
12-18-68
1- 3-69
1-16-69
1-17-69
2- 3-69
3- 3-69
3- 7-69
4 -1- 69
5-1-69

DRAWING NO.	DESCRIPTION
8-JK8-1	INDEX
8-JK8-2	SECTIONS THRU BEAMS & SLABS
8-JK8-3	SECTIONS AT SLOPING SLAB
8-JK8-4.1	NOT USED
8-JK8-4.2 & 4.3	SECTIONS AT SLOPING SLAB
8-JK8-5.1 thru 5.7	PERIMETER SECTIONS, ELEVATION 310'-0"
8-JK8-6	EXPANSION JOINTS, ELEVATION 332'-0"
8-JK8-7.1 & 7.2	COLUMN BASES ALONG GREENWICH STREET SLURRY WALL
8-JK8-8	STRUT POCKET IN SLURRY WALL
8-JK8-9.1, 9.2 & 9.3	SECTIONS AT EL. 253'-0"
8-JK8-10.1 thru 10.4	REFRIGERATION MACHINE BASE - ELEVATION 257'-0"
8-JK8-11	NOT USED
8-JK8-12.1 thru 12.7	CABLE VAULTS
8-JK8-13	CABLE TRENCHES & SLAB DEPRESSIONS
8-JK8-14	ESCALATOR PITS SECTIONS
8-JK8-15.1 thru 15.4	SPLICE CHAMBER & UTILITY RACK
8-JK8-16	PIPE SUPPORT, ELEVATION 294'-0"
8-JK8-17	STAIR PASSAGE SECTIONS
8-JK8-18	NOT USED
8-JK8-19	MANHOLE/TELEPHONE SECTIONS
8-JK8-20.1	TEMPORARY SHORING - NOTES
8-JK8-20.2 thru 20.7	TEMPORARY SHORING - SECTIONS
8-JK8-21.1 thru 21.9	SOUTH PROJ. - SECTIONS
8-JK8-22.1 thru 22.9	NORTH PROJ. - SECTIONS
8-JK8-23, 24 & 24.1	SECTIONS
8-JK8-25	SECTION AT BEAM REQUIRING LATERAL SUPPORT
8-JK8-26 & 27	NOT USED
8-JK8-28	SECTION
8-JK8-29	DETAIL AT LIGHT POLE
8-JK8-30	NOT USED
8-JK8-31	SECTIONS
8-JK8-32	SECTIONS
8-JK8-33.1 & 33.2	SECTIONS
8-JK8-34	SECTIONS
8-JK8-35	SECTIONS
8-JK8-36	SECTIONS
8-JK8-37.1 & 37.2	SECTIONS
8-JK8-38	SECTIONS
8-JK8-39.2 thru 39.6	SECTIONS AT EL. 257'-0"
8-JK8-41.1, 41.2, 41.3, 41.14, 41.15	SECTIONS AT EL. 310'-0"
8-JK8-42	CONCRETE BEAM SECTIONS
8-JK8-43	BEAM REINFORCEMENT AND CONSTRUCTION JOINT DETAILS
8-JK8-44	CATCH BASIN NO. 1
8-JK8-45	CATCH BASIN NO. 2
8-JK8-46.1, 46.2, 46.3	SECTIONS AT EL. 294'-0"

LICENSED PROFESSIONAL ENGINEER — LESLIE E. ROBERTSON — NO. 34360 — STATE OF NEW YORK

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	MISCELLANEOUS DETAILS - INDEX	5-1-68

REVISIONS

7- 9-68
8-23-68
10-21-68
12- 9-68
12-18-68
1- 3-69
1-16-69
1-17-69
2- 3-69
3- 3-69
3- 7-69
4 -1- 69

DRAWING NO.	DESCRIPTION
8-JK8-1	INDEX
8-JK8-2	SECTIONS THRU BEAMS & SLABS
8-JK8-3	SECTIONS AT SLOPING SLAB
8-JK8-4.1	NOT USED
8-JK8-4.2 & 4.3	SECTIONS AT SLOPING SLAB
8-JK8-5.1 thru 5.7	PERIMETER SECTIONS, ELEVATION 310'-0"
8-JK8-6	EXPANSION JOINTS, ELEVATION 332'-0"
8-JK8-7.1 & 7.2	COLUMN BASES ALONG GREENWICH STREET SLURRY WALL
8-JK8-8	STRUT POCKET IN SLURRY WALL
8-JK8-9.1, 9.2 & 9.3	SECTIONS AT EL. 253'-0"
8-JK8-10.1 thru 10.4	REFRIGERATION MACHINE BASE - ELEVATION 257'-0"
8-JK8-11	NOT USED
8-JK8-12.1 thru 12.7	CABLE VAULTS
8-JK8-13	CABLE TRENCHES & SLAB DEPRESSIONS
8-JK8-14	ESCALATOR PITS SECTIONS
8-JK8-15.1 thru 15.4	SPLICE CHAMBER & UTILITY RACK
8-JK8-16	PIPE SUPPORT, ELEVATION 294'-0"
8-JK8-17	STAIR PASSAGE SECTIONS
8-JK8-18	NOT USED
8-JK8-19	MANHOLE/TELEPHONE SECTIONS
8-JK8-20.1	TEMPORARY SHORING - NOTES
8-JK8-20.2 thru 20.7	TEMPORARY SHORING - SECTIONS
8-JK8-21.1 thru 21.7	SOUTH PROJ. - SECTIONS
8-JK8-22.1 thru 22.9	NORTH PROJ. - SECTIONS
8-JK8-23, 24 & 24.1	SECTIONS
8-JK8-25	SECTION AT BEAM REQUIRING LATERAL SUPPORT
8-JK8-26 & 27	NOT USED
8-JK8-28	SECTION
8-JK8-29	DETAIL AT LIGHT POLE
8-JK8-30	NOT USED
8-JK8-31	SECTIONS
8-JK8-32	SECTIONS
8-JK8-33.1 & 33.2	SECTIONS
8-JK8-34	SECTIONS
8-JK8-35	SECTIONS
8-JK8-36	SECTIONS
8-JK8-37.1 & 37.2	SECTIONS
8-JK8-38	SECTIONS
8-JK8-39.2 thru 39.6	SECTIONS AT EL. 257'-0"
8-JK8-41.1, 41.2, 41.3, 41.14, 41.15	SECTIONS AT EL. 310'-0"
8-JK8-42	CONCRETE BEAM SECTIONS
8-JK8-43	BEAM REINFORCEMENT AND CONSTRUCTION JOINT DETAILS
8-JK8-44	CATCH BASIN NO. 1
8-JK8-45	CATCH BASIN NO. 2
8-JK8-46.1, 46.2	SECTIONS AT EL. 294'-0"
8-JK8-47.1 & 47.2	SECTIONS AT EL. 284'0"

LICENSED PROFESSIONAL ENGINEER
LESLIE E. ROBERTSON
NO. 035360
REGISTERED IN THE STATE OF NEW YORK

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	MISCELLANEOUS DETAILS - INDEX	5-1-68

REVISIONS

7- 9-68
8-23-68
10-21-68
12- 9-68
12-18-68
1- 3-69
1-16-69
1-17-69
2- 3-69
3- 3-69

DRAWING NO.	DESCRIPTION
8-JK8-1	INDEX
8-JK8-2	SECTIONS THRU BEAMS & SLABS
8-JK8-3	SECTIONS AT SLOPING SLAB
8-JK8-4.1	NOT USED
8-JK8-4.2 & 4.3	SECTIONS AT SLOPING SLAB
8-JK8-5.1 thru 5.7	PERIMETER SECTIONS, ELEVATION 310'-0"
8-JK8-6	EXPANSION JOINTS, ELEVATION 332'-0"
8-JK8-7.1 & 7.2	COLUMN BASES ALONG GREENWICH STREET SLURRY WALL
8-JK8-8	STRUT POCKET IN SLURRY WALL
8-JK8-9.1, 9.2 & 9.3	SECTIONS AT EL. 253'-0"
8-JK8-10.1 thru 10.4	REFRIGERATION MACHINE BASE - ELEVATION 257'-0"
8-JK8-11	NOT USED
8-JK8-12.1 thru 12.7	CABLE VAULTS
8-JK8-13	CABLE TRENCHES & SLAB DEPRESSIONS
8-JK8-14	ESCALATOR PITS SECTIONS
8-JK8-15.1 thru 15.4	SPLICE CHAMBER & UTILITY RACK
8-JK8-16	PIPE SUPPORT, ELEVATION 294'-0"
8-JK8-17	STAIR PASSAGE SECTIONS
8-JK8-18	NOT USED
8-JK8-19	MANHOLE/TELEPHONE SECTIONS
8-JK8-20.1	TEMPORARY SHORING - NOTES
8-JK8-20.2 thru 20.6	TEMPORARY SHORING - SECTIONS
8-JK8-21.1 thru 21.7	SOUTH PROJ. - SECTIONS
8-JK8-22.1 thru 22.5	NORTH PROJ. - SECTIONS
8-JK8-23, 24 & 24.1	SECTIONS
8-JK8-25	SECTION AT BEAM REQUIRING LATERAL SUPPORT
8-JK8-26 & 27	NOT USED
8-JK8-28	SECTION
8-JK8-29	DETAIL AT LIGHT POLE
8-JK8-30	NOT USED
8-JK8-31	SECTIONS
8-JK8-32	SECTIONS
8-JK8-33.1 & 33.2	SECTIONS
8-JK8-34	SECTIONS
8-JK8-35	SECTIONS
8-JK8-36	SECTIONS
8-JK8-37.1 & 37.2	SECTIONS
8-JK8-38	SECTIONS
8-JK8-39.2 thru 39.6	SECTIONS AT EL. 257'-0"
8-JK8-41.1, 41.2, 41.3, 41.14, 41.15	SECTIONS AT EL. 310'-0"
8-JK8-42	CONCRETE BEAM SECTIONS
8-JK8-43	BEAM REINFORCEMENT AND CONSTRUCTION JOINT DETAILS
8-JK8-44	CATCH BASIN NO. 1
8-JK8-45	CATCH BASIN NO. 2
8-JK-46.1	SECTIONS AT EL. 294'-0"

LICENSED PROFESSIONAL ENGINEER — LESLIE E. ROBERTSON — NO. 34360 — STATE OF NEW YORK

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	MISCELLANEOUS DETAILS - INDEX	5-1-68

REVISIONS

7- 9-68
8-23-68
10-21-68
12- 9-68
12-18-68
1- 3-69
1-16-69
1-17-69
2- 3-69

DRAWING NO.	DESCRIPTION
8-JK8-1	INDEX
8-JK8-2	SECTIONS THRU BEAMS & SLABS
8-JK8-3	SECTIONS AT SLOPING SLAB
8-JK8-4.1	NOT USED
8-JK8-4.2 & 4.3	SECTIONS AT SLOPING SLAB
8-JK8-5.1 thru 5.7	PERIMETER SECTIONS, ELEVATION 310'-0"
8-JK8-6	EXPANSION JOINTS, ELEVATION 332'-0"
8-JK8-7.1 & 7.2	COLUMN BASES ALONG GREENWICH STREET SLURRY WALL
8-JK8-8	STRUT POCKET IN SLURRY WALL
8-JK8-9.1, 9.2 & 9.3	SECTIONS AT EL. 253'-0"
8-JK8-10.1 thru 10.4	REFRIGERATION MACHINE BASE - ELEVATION 257'-0"
8-JK8-11	NOT USED
8-JK8-12.1 thru 12.7	CABLE VAULTS
8-JK8-13	CABLE TRENCHES & SLAB DEPRESSIONS
8-JK8-14	ESCALATOR PITS SECTIONS
8-JK8-15.1 thru 15.4	SPLICE CHAMBER & UTILITY RACK
8-JK8-16	PIPE SUPPORT, ELEVATION 294'-0"
8-JK8-17	STAIR PASSAGE SECTIONS
8-JK8-18	NOT USED
8-JK8-19	MANHOLE/TELEPHONE SECTIONS
8-JK8-20.1	TEMPORARY SHORING - NOTES
8-JK8-20.2 thru 20.6	TEMPORARY SHORING - SECTIONS
8-JK8-21.1 thru 21.7	SOUTH PROJ. - SECTIONS
8-JK8-22.1 thru 22.5	NORTH PROJ. - SECTIONS
8-JK8-23, 24 & 24.1	SECTIONS
8-JK8-25	SECTION AT BEAM REQUIRING LATERAL SUPPORT
8-JK8-26 & 27	NOT USED
8-JK8-28	SECTION
8-JK8-29	DETAIL AT LIGHT POLE
8-JK8-30	NOT USED
8-JK8-31	SECTIONS
8-JK8-32	SECTIONS
8-JK8-33.1 & 33.2	SECTIONS
8-JK8-34	SECTIONS
8-JK8-35	SECTIONS
8-JK8-36	SECTIONS
8-JK8-37.1 & 37.2	SECTIONS
8-JK8-38	SECTIONS
8-JK8-39.2 thru 39.6	SECTIONS AT EL. 257'-0"
8-JK8-41.1, 41.2, 41.3, 41.14, 41.15	SECTIONS AT EL. 310'-0"
8-JK8-42	CONCRETE BEAM SECTIONS
8-JK8-43	BEAM REINFORCEMENT AND CONSTRUCTION JOINT DETAILS
8-JK8-44	CATCH BASIN NO. 1
8-JK8-45	CATCH BASIN NO. 2
8-JK-46.1	SECTIONS AT EL. 294'-0"
8-JK8-47.1 & 47.2	SECTIONS AT EL. 284'-0"

LESLIE E. ROBERTSON — REGISTERED PROFESSIONAL ENGINEER — No. 34560 — STATE OF NEW YORK

SKILLING, HELLE, CHRISTIANSEN, ROBERTSON — Structural & Civil Engineers

PROJECT	TITLE	DATE
THE WORLD TRADE CENTER	MISCELLANEOUS DETAILS - INDEX	5-1-68

REVISIONS

7- 9-68
8-23-68
10-21-68
12- 9-68
12-18-68
1- 3-69

DRAWING NO.	DESCRIPTION
8-JK8-1	INDEX
8-JK8-2	SECTIONS THRU BEAMS & SLABS
8-JK8-3	SECTIONS AT SLOPING SLAB
8-JK8-4.1	NOT USED
8-JK8-4.2 & 4.3	SECTIONS AT SLOPING SLAB
8-JK8-5.1 thru 5.7	PERIMETER SECTIONS, ELEVATION 310'-0"
8-JK8-6	EXPANSION JOINTS, ELEVATION 332'-0"
8-JK8-7.1 & 7.2	COLUMN BASES ALONG GREENWICH STREET SLURRY WALL
8-JK8-8	STRUT POCKET IN SLURRY WALL
8-JK8-9.1 & 9.2	SECTIONS AT EL. 253'-0"
8-JK8-10.1 thru 10.4	REFRIGERATION MACHINE BASE - ELEVATION 257'-0"
8-JK8-11	NOT USED
8-JK8-12.1 thru 12.7	CABLE VAULTS
8-JK8-13	CABLE TRENCHES & SLAB DEPRESSIONS
8-JK8-14	ESCALATOR PITS SECTIONS
8-JK8-15.1 thru 15.4	SPLICE CHAMBER & UTILITY RACK
8-JK8-16	PIPE SUPPORT, ELEVATION 294'-0"
8-JK8-17	STAIR PASSAGE SECTIONS
8-JK8-18	NOT USED
8-JK8-19	MANHOLE/TELEPHONE SECTIONS
8-JK8-20.1	TEMPORARY SHORING - NOTES
8-JK8-20.2 thru 20.6	TEMPORARY SHORING - SECTIONS
8-JK8-21.1 thru 21.7	SOUTH PROJ. - SECTIONS
8-JK8-22.1 thru 22.5	NORTH PROJ. - SECTIONS
8-JK8-23 & 24	SECTIONS
8-JK8-25	SECTION AT BEAM REQUIRING LATERAL SUPPORT
8-JK8-26 & 27	NOT USED
8-JK8-28	SECTION
8-JK8-29	DETAIL AT LIGHT POLE
8-JK8-30	NOT USED
8-JK8-31	SECTIONS
8-JK8-32	SECTIONS
8-JK8-33.1 & 33.2	SECTIONS
8-JK8-34	SECTIONS
8-JK8-35	SECTIONS
8-JK8-36	SECTIONS
8-JK8-37.1 & 37.2	SECTIONS
8-JK8-38	SECTIONS
8-JK8-39.2 thru 39.6	SECTIONS AT EL. 257'-0"
8-JK8-41.1, 41.2, 41.3 & 41.14	SECTIONS AT EL. 310'-0"
8-JK8-42	CONCRETE BEAM SECTIONS
8-JK8-43	BEAM REINFORCEMENT AND CONSTRUCTION JOINT DETAILS
8-JK8-44	CATCH BASIN NO. 1
8-JK8-45	CATCH BASIN NO. 2

LICENSED PROFESSIONAL ENGINEER
LESLIE E. ROBERTSON
NO. 34360
REGISTERED IN THE STATE OF NEW YORK

SKILLING - HELLE - CHRISTIANSEN - ROBERTSON Structural & Civil Engineers

PROJECT THE WORLD TRADE CENTER | TITLE MISCELLANEOUS DETAILS -- INDEX | DATE 5-1-68

REVISIONS

8-JK8-1 INDEX
8-JK8-2 SECTIONS THRU BEAMS & SLABS
8-JK8-3 SECTIONS AT SLOPING SLAB
8-JK8-4.1 NOT USED
8-JK8-4.2,4.3 SECTIONS AT SLOPING SLAB
8-JK8-5.1 PERIMETER SECTIONS, EL.310'-0"
8-JK8-5.2 " " "
8-JK8-5.3 " " "
8-JK8-5.4 " " "
8-JK8-5.5 " " "
8-JK8-5.6 " " "
8-JK8-5.7 " " "
8-JK8-6 EXPANSION JOINTS, EL.332'-0"
8-JK8-7 thru 9 NOT USED
8-JK8-10 REFRIGERATION MACHINE BASE - EL. 257'-0"
8-JK8-11 NOT USED
8-JK8-12.1 CABLE VAULTS
8-JK8-12.2 " "
8-JK8-12.3 " "
8-JK8-12.4 " "
8-JK8-12.5 " "
8-JK8-12.6 " "
8-JK8-12.7 " "
8-JK8-13 CABLE TRENCHES & SLAB DEPRESSIONS
8-JK8-14 ESCALATOR PITS SECTIONS
8-JK8-15.1 SPLICE CHAMBER & UTILITY RACK
8-JK8-15.2 " " " "
8-JK8-15.3 " " " "
8-JK8-15.4 " " " "
8-JK8-16 PIPE SUPPORT, EL. 294'-0"
8-JK8-17 STAIR PASSAGE SECTIONS
8-JK8-18 NOT USES
8-JK8-19 MANHOLE/TELEPHONE SECTIONS
8-JK8-20.1 TEMPORARY SHORING - NOTES
8-JK8-20.2 " " - SECTIONS
8-JK8-20.3 " " - SECTIONS
8-JK8-20.4 " " - SECTIONS
8-JK8-20.5 " " - SECTIONS
8-JK8-20.6 " " - SECTIONS

LICENSED PROFESSIONAL ENGINEER LESLIE E. ROBERTSON No. 34360 UNIVERSITY OF THE STATE OF NEW YORK

SKILLING - HELLE - CHRISTIANSEN - ROBERTSON — Structural & Civil Engineers

PROJECT THE WORLD TRADE CENTER | TITLE POST TENSIONING, GENERAL NOTES & INDEX | DATE 5-1-68

REVISIONS
-3-69
2-3-69
3-3-69
4-1-69
Printed 5-1-69

INDEX

S-AK9-1 General notes & Index
S-AK9-2 Effective prestress force
S-AK9-3.1 Typical details of prestressing tendons
S-AK9-3.2 Schematic Layout of prestressing tendons
S-AK9-3.3 Typical destressing pocket detail
S-AK9-4 Typical sections at sloped slab

General Notes:

1. Concrete in slab shall be fc - 4000 psi minimum at 7 days.
2. Concrete strength at transfer of prestress force to concrete shall be at least 4000 psi.

LICENSED PROFESSIONAL ENGINEER — LESLIE E. ROBERTSON — NEW YORK — No. [illegible] — UNIVERSITY OF ILLINOIS

SKILLING - HELLE - CHRISTIANSEN - ROBERTSON — Structural & Civil Engineers

PROJECT THE WORLD TRADE CENTER | TITLE POST TENSIONING GENERAL NOTES & INDEX | DATE 5-1-68

REVISIONS
1-3-69
2-3-69
3-3-69
4-1-69

INDEX

S-AK9-1 General notes & Index
S-AK9-2 Effective prestress force
S-AK9-3.1 Typical details of prestressing tendons
S-AK9-3.2 Schematic Layout of prestressing tendons
S-AK9-3.3 Typical destressing packet detail
S-AK9-4 Typical sections at sloped slab

General Notes:

1. Concrete in slab shall be fc = 4000 psi minimum at 7 days.
2. Concrete strength at transfer of prestress force to concrete shall be at least 4000 psi.

LICENSED PROFESSIONAL ENGINEER
LESLIE E. ROBERTSON
UNIVERSITY OF ILLINOIS
NEW YORK

SKILLING - HELLE - CHRISTIANSEN - ROBERTSON — Structural & Civil Engineers

PROJECT THE WORLD TRADE CENTER | TITLE POST TENSIONING GENERAL NOTES & INDEX | DATE 5-1-68

REVISIONS
-3-69
2-3-69
3-3-69

INDEX

S-AK9-1 General notes & Index
S-AK9-2 Effective prestress force
S-AK9-3.1 Typical details of prestressing tendons
S-AK9-3.2 Schematic Layout of prestressing tendons
S-AK9-3.3 Typical destressing pocket detail
S-AK9-4 Typical sections at sloped slab

General Notes:

1. Concrete in slab shall be fc = 4000 psi minimum at 7 days.
2. Concrete strength at transfer of prestress force to concrete shall be at least 4000 psi.

LICENSED PROFESSIONAL ENGINEER
LESLIE E. ROBERTSON
No. 33350
UNIVERSITY OF THE STATE OF NEW YORK

SKILLING - HELLE - CHRISTIANSEN - ROBERTSON Structural & Civil Engineers

PROJECT THE WORLD TRADE CENTER | TITLE POST TENSIONING, GENERAL NOTES & INDEX | DATE 5-1-68

REVISIONS
-3-69
2-3-69

INDEX

S-AK9-1 General notes & Index
S-AK9-2 Effective prestress force
S-AK9-3.1 Typical details of prestressing tendons
S-AK9-3.2 Schematic Layout of prestressing tendons
S-AK9-3.3 Typical destressing pocket detail
S-AK9-4 Typical sections at sloped slab

General Notes:

1. Concrete in slab shall be fc = 4000 psi minimum at 7 days.
2. Concrete strength at transfer of prestress force to concrete shall be at least 4000 psi.

LICENSED PROFESSIONAL ENGINEER
LESLIE E. ROBERTSON
No. [illegible]
STATE OF NEW YORK
UNIVERSITY OF [illegible]

SKILLING - HELLE - CHRISTIANSEN - ROBERTSON Structural & Civil Engineers

PROJECT THE WORLD TRADE CENTER | TITLE POST TENSIONING, GENERAL NOTES & INDEX | DATE 5-1-68

REVISIONS
1-3-69

INDEX

8-AK9-1 General notes & Index
8-AK9-2 Effective prestress force
8-AK9-3.1 Typical details of prestressing tendons
8-AK9-3.2 Schematic Layout of prestressing tendons
8-AK9-3.3 Typical destressing pocket detail
8-AK9-4 Typical sections at sloped slab

General Notes:

1. Concrete in slab shall be f'_c = 4000 psi minimum at 7 days.
2. Concrete strength at transfer of prestress force to concrete shall be at least 4000 psi.

LICENSED PROFESSIONAL ENGINEER
LESLIE E. ROBERTSON
No. 34310
UNIVERSITY OF THE STATE OF NEW YORK

SKILLING - HELLE - CHRISTIANSEN - ROBERTSON Structural & Civil Engineers

PROJECT THE WORLD TRADE CENTER | TITLE POST TENSIONING, GENERAL NOTES & INDEX | DATE 5-1-68

REVISIONS

INDEX

S-AK9-1 General notes & Index
S-AK9-2 Effective prestress force
S-AK9-3.1 Typical details of prestressing tendons
S-AK9-3.2 Schematic Layout of prestressing tendons
S-AK9-3.3 Typical destressing packet detail
S-AK9-4 Typical sections at sloped slab

General Notes:

1. Concrete in slab shall be fc = 4000 psi minimum at 7 days.
2. Concrete strength at transfer of prestress force to concrete shall be at least 4000 psi.